

THESE MINUTES ARE DRAFT UNTIL CONFIRMED AT THE NEXT MEETING OF THIS COUNCIL AND/OR COMMITTEE

MINUTES OF PLANNING COMMITTEE MEETING OF THE COUNCIL OF THE CITY OF RANDWICK HELD ON TUESDAY, 10 APRIL 2012 AT 6.14PM

Present:

The Mayor, Councillor S Nash (West Ward)

- | | |
|--------------|---|
| North Ward | - Councillors P Tracey & M Woodsmith |
| South Ward | - Councillors R Belleli & C Matthews |
| East Ward | - Councillor M Matson |
| West Ward | - Councillors B Hughes (Deputy Chairperson) & J Procopiadis |
| Central Ward | - Councillors A Andrews, T Seng & G Stevenson |

Officers Present:

Acting General Manager	Mr J Frangoples
Acting Director City Planning	Mr K Kyriacou
Director Governance & Financial Services	Mr G Banting
Manager Administrative Services	Mr D Kelly
Communications Manager	Mr J Hay
Manager Organisational Staff Services	Ms F Calabrese

Apologies/Granting of Leave of Absences

Apologies were received from Crs Bowen, Notley-Smith, Smith & White.

RESOLVED: (Andrews/Procopiadis) that the apologies received from Crs Bowen, Notley-Smith, Smith & White be accepted and leave of absence from the meeting be granted.

Confirmation of the Minutes

CONFIRMATION OF THE MINUTES OF THE PLANNING COMMITTEE MEETING HELD ON TUESDAY 13 MARCH 2012

PL30/12

RESOLUTION: (Belleli/Andrews) that the Minutes of the Planning Committee Meeting held on Tuesday 13 March 2012 (copies of which were circulated to all Councillors) be and are hereby confirmed as a correct record of the proceedings of that meeting, subject to the declaration by Cr Andrews concerning item D26/12 being

amended to state that his interest is due to knowing the applicant.

Declarations of Pecuniary and Non-Pecuniary Interests

- (a) Cr Matson declared a significant non pecuniary interest in Item D27/12 as he knows the applicant as she taught his daughter at school. Cr Matson will be taking no part in the debate or voting on the matter.
- (b) Cr Matthews declared a non significant non pecuniary interest in Item D29/12 as he recently attended a Surf Life Saving Club function hosted by the Coogee Bay Hotel.
- (c) Cr Andrews declared a non significant non pecuniary interest in Item D29/12 as he recently attended a Surf Life Saving Club function hosted by the Coogee Bay Hotel.
- (d) Cr Matson declared a non significant non pecuniary interest in Item D29/12 as he recently attended an event at the Coogee Bay Hotel.
- (e) Cr Belleli declared a non significant non pecuniary interest in Item D29/12 as he recently attended a Surf Life Saving Club function hosted by the Coogee Bay Hotel and the applicant has in the past made a donation to the Head Office of the State Liberal Party.
- (f) His Worship the Mayor, Cr S Nash declared a non significant non pecuniary interest in Item D29/12 as the applicant has in the past made a donation to the Head Office of the State Liberal Party.
- (g) Cr Seng declared a non significant non pecuniary interest in Item D29/12 as he recently attended a Surf Life Saving Club function hosted by the Coogee Bay Hotel and the applicant has in the past made a donation to the Head Office of the State Liberal Party.

Address of Council by Members of the Public

Prior to consideration of the Agenda by the Committee, deputations were received in respect of the following matters:

D26/12 11 MONMOUTH STREET, RANDWICK (DA/410/2011)

Against Tracy Ong (representing the objectors)

For Kristina Kipper (Applicant)

D27/12 10/311-313 MAROUBRA ROAD, MAROUBRA (DA/55/2012)

Against Karyn Lymbery (Applicant)

D29/12 212 ARDEN STREET, COOGEE (DA/1001/2011)

For Michael Kirkby representing the applicant

The meeting was adjourned at 6.46pm and was resumed at 7.05pm.

Urgent Business

Nil.

Development Application Reports

D26/12 Development Application Report - 11 Monmouth Street, Randwick (DA/410/2011) (DA/410/2011)

PL31/12

RESOLUTION: (Tracey/Woodsmith) that Council, as the consent authority, refuse development consent under Section 80 of the Environmental Planning and Assessment Act 1979 to Development Application No DA/410/2011 for demolition of the existing structures and construction of a two storey dwelling with part basement level garage and storage and associated works at 11 Monmouth Street, Randwick for the following reasons:

- (a) the proposal has serious impact on a heritage conservation area and on the Monmouth Street streetscape,
- (b) the proposal fails to achieve a minimum of three hours solar access to part of a neighbouring property's rear ground floor north facing windows;
- (c) the proposal has excessive GFA which, at first floor level, is detrimental to neighbouring properties;
- (d) the proposal has excessive height,
- (e) the proposal has insufficient side and rear setbacks at first floor level;
- (f) the proposed garage is located forward of the front building line;
- (g) the proposal results in severe and significant view loss to number 13 Monmouth Street;
- (h) the proposed north side first floor deck will result in potential overlooking and therefore losses of privacy to number 9 Monmouth Street;
- (i) the proposal has excessive bulk and scale; and
- (j) the proposal is not in the public interest.

MOTION: (TRACEY/WOODSMITH) CARRIED UNANIMOUSLY – SEE RESOLUTION.

D27/12 Development Application Report - 10/311-313 Maroubra Road, Maroubra (DA/55/2012) (DA/55/2012)

Note: Having previously declared an interest, Cr Matson left the chamber taking no part in the debate or voting on this matter.

PL32/12

RESOLUTION: (Andrews/Matthews) that this matter be deferred for mediation, to allow the applicant to submit amended plans if required for a privacy screen and to allow the applicant the opportunity to address Council.

MOTION: (Andrews/Matthews) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D28/12 Development Application Report - 215 Anzac Parade, Kensington (DA/908/2011) (DA/908/2011)

PL33/12

RESOLUTION: (Andrews/Procopiadis)

That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/215/2011 for alterations to the National Institute of Dramatic Arts (NIDA), including provision of new office space, upgrade of existing offices, construction of four (4) tutorial rooms, a rehearsal space, widen existing egress path, extend existing roof walkway system, install skylights, and install light suspension system, at No. 215 Anzac Parade, Kensington, subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

- The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended other conditions of this consent:

<i>Plan</i>	<i>Issue</i>	<i>Drawn by</i>	<i>Dated</i>	<i>Received</i>	
DA01- Site Plan & Location of Proposed Works	B	Jensen Young Architects	24 November 2011	25 November 2011	
DA02- Location Plan for Capital Works					
DA03- Location Plan for Capital Works					
DA20- Rooftop Bridges, Walkways					
DA30- West Egress Path Widening			23 November 2011		
DA41- Plan: Front of House, Plan: IT room, Section	A				22 November 2011
DA42- Ground Floor: air lock, First Floor: office extension					
DA43- Section					
DA70- Design 1 & 3 and Room 10, New Floor Plans	D				24 November 2011
DA80- First Floor, Second Floor, Foyer Galleries	B				22 November 2011
DA81- Section, Elevation foyer Galleries	A				

- The requirements and provisions of the Environmental Planning & Assessment Act 1979 and Environmental Planning & Assessment Regulation 2000, must be fully complied with at all times.

Failure to comply with these legislative requirements is an offence and may result in the commencement of legal proceedings, issuing of 'on-the-spot' penalty infringements or service of a notice and order by Council.

External Colours, Materials & Finishes

3. The colours, materials and finishes of the external surfaces are to be compatible with the existing building and adjacent development to maintain the integrity and amenity of the building and the streetscape.

Environmental Amenity

4. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Western boundary landscaping

5. The existing significant trees within the western boundary setback are identified within the DCP as of '*Highest retention priority*' and shall not be removed or damaged under the proposed works, in order to maintain screening to the western neighbours.

Section 94A Development Contributions

6. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$2,421,735, the following applicable monetary levy must be paid to Council: \$24,217.35.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate [or subdivision certificate] being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

7. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Compliance with the Building Code of Australia

8. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA).

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*', as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Construction Noise & Vibration Management Plan

9. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result

in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works to maintain reasonable levels of public health, safety and convenience to the satisfaction of Council. A copy of the approved Construction Site Management Plan must be maintained on site and be made available to Council officers upon request.

Temporary Site Fencing

10. Temporary site safety fencing must be provided to the perimeter of the site (unless the site is separated from the adjoining land by an existing structurally adequate fence, having a minimum height of 1.5 metres). Temporary site fences are to have a minimum height of 1.8 metres and be constructed of cyclone wire fencing, with geotextile fabric attached to the inside of the fence to provide dust control, or other material approved by Council.

Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

Temporary fences must be in place prior to the commencement of any demolition, excavation or building works and be maintained throughout construction.

If it is proposed to locate any site fencing, hoardings or amenities upon any part of the footpath, nature strip or public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services before placing any item or article on the road, footpath or nature strip.

Construction Site Management Plan

11. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing / hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the

commencement of any site works and be maintained throughout the works, to maintain reasonable levels of public health, safety and convenience to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Sydney Water

12. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The applicant must meet the full cost for telecommunication companies, gas providers, Energy Australia and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

Public Utilities

13. A *Public Utility Impact Assessment* must be carried out to identify all public utility services located on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the building works.

Documentary evidence from the relevant public utility authorities confirming that their requirements have been satisfied, must be submitted to the relevant certifying body prior to a Crown Completion Certificate being issued for the development.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Site Signage

14. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:

- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
- name, address and telephone number of the *Principal Certifying Authority*,
- a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

15. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm

(except as detailed below)	<ul style="list-style-type: none"> • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

16. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Occupational Health & Safety Act 2000 & Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Waste) Regulation 2005
- Relevant DECCW/EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

17. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures.

The Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials, including asbestos
- Method/s of demolition and removal of asbestos
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne asbestos and dust
- Methods and location of disposal of any asbestos or other hazardous materials
- Other relevant details, measures and requirements to be implemented as identified in the Asbestos Survey
- Date the demolition and removal of asbestos will commence

The Demolition Work Plan must be submitted to Council and the relevant Building Certifier, not less than two (2) working days before commencing any demolition works involving asbestos products or materials. A copy of the

Demolition Work Plan must also be maintained on site and be made available to Council officers upon request.

Removal of Asbestos Materials

18. Any work involving the demolition, storage and disposal of asbestos products and materials must be carried out in accordance with the following requirements:

A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence.

On sites involving the removal of asbestos, a professionally manufactured sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor. The sign shall measure not less than 400mm x 300mm and the sign is to be installed prior to demolition work commencing and is to remain in place until such time as all asbestos has been safely removed from the site.

Asbestos waste must be stored, transported and disposed of in compliance with the Protection of the Environment Operations Act 1997 and the Protection of the Environment Operations (Waste) Regulation 1996. Asbestos waste must be disposed of at an approved waste disposal depot (refer to the DEC or Waste Service NSW for details of sites). Copies of all receipts detailing method and location of disposal must be maintained on site and be provided to Council officers upon request, as evidence of correct disposal.

A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to the relevant Building Certifier upon completion of the works **prior to the occupation of the development**, which confirms that the asbestos material have been removed appropriately and the relevant requirements contained in the Asbestos Survey and conditions of consent in relation to the safe removal and disposal of asbestos, have been satisfied.

Sediment & Erosion Control

19. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

20. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:
- a) The roadway, footpath and nature strip must be maintained in a good, safe condition and free from any obstructions, materials, soils or debris at all times. Any damage caused to the road, footway or nature strip must be repaired immediately, to the satisfaction of Council.
 - b) Temporary toilet facilities are to be provided, at or in the vicinity of the work site throughout the course of demolition and construction, to the satisfaction of WorkCover NSW and the toilet facilities must be connected to a public sewer or other sewage management facility approved by Council.

- c) Building materials, sand, soil, waste materials or construction equipment must not be placed upon the footpath, roadway or nature strip at any time and the footpath, nature strip and road must be maintained in a clean condition and free from any obstructions, soil and debris at all times.

Bulk bins/waste containers must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council.

Applications to place a waste container in a public place can be made to Council's Building Services section.

- d) A temporary timber, asphalt or concrete crossing is to be provided to the site entrance across the kerb and footway area, with splayed edges, to the satisfaction of Council, unless access is via an existing concrete crossover.
- e) A Local Approval application must be submitted to and be approved by Council's Building Services section prior to commencing any of the following activities on a footpath, road or nature strip or in any public place:
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.

Building Encroachments

21. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

REQUIREMENTS PRIOR TO OCCUPATION OF THE DEVELOPMENT

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupant Safety

22. Openable windows to a room, corridor, stairway or the like with a floor level more than 4m above the external ground/surface level, must be designed and constructed to reduce the likelihood of a child accessing and falling through the window opening.

Options may include one or more of the following measures:

- The window having a minimum sill height of 1.5m above the internal floor level,
- Providing a window locking device at least 1.5m above the internal floor level,
- Fixing or securing the window (e.g. by screws or a window locking device) to restrict or to be able to secure the extent of the opening to a maximum width of 125mm,
- Installing a fixed heavy-duty gauge metal screen over the opening (e.g. A metal security screen or metal security mesh and frame system, but not standard fly-screen material),
- Other appropriate effective safety measures or barrier.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Use of western fire egress path

23. The egress path to the western boundary of the site shall remain for the purpose of maintenance and emergencies. The path shall not become a general access point for staff and students.

Protection of the Environment Operations Act 1997 – Air Conditioners

24. The operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Department of Environment & Conservation Noise Control Guidelines.

Air Conditioning & Equipment

25. Air conditioning plant and equipment shall not be operated during the following hours if the noise emitted can be heard within a habitable room in any other residential premises, or, as otherwise specified in relevant Noise Control Regulations:
- before 8.00am or after 10.00pm on any Saturday, Sunday or public holiday; or
 - before 7.00am or after 10.00pm on any other day.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your Section 109R Crown Certificate.

- A3 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place:
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

- A4 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

- A5 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE RESOLUTION.

**D29/12 Development Application Report - 212 Arden Street, Coogee
(DA/1001/2011) (DA/1001/2011)**

PL34/12 **RESOLUTION: (Andrews/Procopiadis)**

That Council as the responsible authority grant its development consent under Section 80 and 80(A) of the Environmental Planning and Assessment Act 1979 (as amended) to Development Application No. 1001/2012 for alterations and additions to the ground floor beach bar and brasserie of the Coogee Bay Hotel including new ramp access to Arden Street beer garden entry, upgrade of existing sanitary facilities and kitchen areas, changes to floor levels, removal of Arden Street brasserie entry, create new BBQ area within brasserie with windows and doors to beer garden at No. 212 Arden Street, Coogee subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the

Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000 and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

- The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

<i>Plan</i>	<i>Drawn by</i>	<i>Stamped</i>
DA011 Rev 01	Humphrey + Edwards Architects and Interior Designers	22 December 2011
DA101 Rev 05		22 December 2011
DA300 Rev 01		22 December 2011
DA301 Rev 01		22 December 2011
DA400 Rev 02		22 December 2011
DA401 Rev 02		22 December 2011

Amendment of Plans & Documentation

- The approved plans and documents must be amended in accordance with the following requirements and details are to be included in the *Construction Certificate*:
 - The operable/bi-fold windows on the ground floor of the Arden Street and Coogee Bay Road elevations of the subject building (Beach Bar) must be deleted from the approved plans and do not form part of this consent. The existing ground floor windows to the subject building (Beach Bar) must remain fixed and not operable.

Fire Upgrade Works

- Fire safety and building upgrading works are to be implemented in accordance with the recommendations contained in the Building Code of Australia report prepared by BCA Logic Pty Ltd dated 23 march 2012.
- Written confirmation must be provided to Council from a suitably qualified Building Code of Australia/fire safety consultant, which confirms that all of the upgrading works have been carried out in accordance with the requirements of this approval.
- A single and complete Fire Safety Certificate must be submitted to Council upon completion of the works, in accordance with the requirements of the Environmental Planning and Assessment Regulation 2000, which includes all of the fire safety measures contained in the building and the fire safety schedule.

A copy of the *fire safety certificate* must be displayed in the building near the entrance and a copy must be forwarded to the NSW Fire Brigades. A *Fire Safety Statement* must also be provided to the Council and the NSW Fire Brigades on an annual basis.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a '*Construction Certificate*' is issued by either an Accredited Certifier or Randwick City Council. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

6. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

Heritage Requirements

7. The colours, materials and textures of the new works to the external elements must match the detailing and colours of the existing building.
8. All work shall be carried out in accordance with the principles of the Australia ICOMOS Burra Charter and to the satisfaction of the Director City Planning.
9. All demolition works shall be carried out in accordance with the architectural drawings, and subsequent structural engineer's drawings and specifications.
10. A brief Digitally based archival recording of the existing property (internally and externally) including its context shall be prepared and submitted to and approved by Council's Director City Planning, in accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979 prior to a construction certificate being issued for the development. This recording shall be in accordance with the NSW Heritage Office 2006 Guidelines for Photographic Recording of Heritage Items using Film or Digital Capture. Two copies of the endorsed archival recording shall be presented to Council, one of which shall be placed in the Local History Collection of Randwick City Library.

Section 94A Development Contributions

11. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$1,711,490.00, the following applicable monetary levy must be paid to Council: \$17,115.00.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

12. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposits

13. The following security deposits requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to Council's assets and infrastructure; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$1,000.00 - Damage / Civil Works Security Deposit

The security deposits may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the works which confirms that there has been no damage to Council's assets and infrastructure.

The developer/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge and other assets prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Development Engineer upon issuing of an occupation certificate or completion of the civil works.

Environmental Amenity

14. The L_{10} noise level emitted from the licensed premises shall not exceed the background noise level (L_{90}) in any Octave Band Centre Frequency (31.5Hz – 8kHz inclusive) by more than 5dB between 7.00am and 12.00 midnight at the boundary of any affected residence. The background noise level shall be measured in the absence of noise emitted from the licensed premises.

The L_{A10} noise level emitted from the licensed premises shall not exceed the background noise level (L_{A90}) in any Octave Band Centre Frequency (31.5Hz – 8kHz inclusive) between 12.00 midnight and 7.00am at the boundary of any affected residence. The background noise level shall be measured in the absence of noise emitted from the licensed premises.

Notwithstanding compliance with the above, the noise from the licensed premises shall not be audible within any habitable room in any residential premises between the hours of 12.00 midnight and 7.00am.

15. The use of the premises and the operation of plant and equipment shall not give rise to the transmission of a vibration nuisance or damage to other premises.
16. A report prepared by a suitably qualified and experienced consultant in acoustics shall be submitted to Council **prior to a construction certificate being issued for the development (or prior to any acoustic mitigating measures being installed/undertaken, whichever is the earlier)**, which demonstrates that noise and vibration emissions from the development satisfy the relevant provisions of the *Protection of the Environment Operations Act 1997*, Environmental Protection Authority Noise Control Manual & Industrial Noise Policy, relevant recommendations in acoustic report/s ref:TB441-03F02 (rev2,rev3) have been complied . The report shall also address any break out noise from the venue.

Any additional proposed acoustic mitigation measures are to be detailed and included in this report.

The written concurrence from Council's Manager for Health, Building and Regulatory Services is to be obtained **prior to a construction certificate being issued or prior to these works being undertaken** (which ever is the earlier).

17. An acoustic report, prepared by a suitably qualified and experienced consultant in acoustics, must be provided to the Council **within 4 weeks of commencement of use of the proposed refurbished areas , and from time to time as requested by Council with reasonable prior notice**, which demonstrates and confirms that the relevant provisions of the *Protection*

of the *Environment Operations Act 1997* and the noise criteria and requirements contained in this consent continues to be satisfied (including reference to the relevant approved acoustic report and recommendations). The assessment must include (but not be limited to):

- Monitoring from the nearest affected residential premises,
- Monitoring and assessment during the use and operation of the premises when the maximum occupancy is present,
- Compliance monitoring shall be carried out during the times when the nearby residential and public domain areas are likely to be most affected, this shall include (but not be limited to) the hours of operation on a Friday and/or Saturday night,
- Ensure the break out of any internal noise complies with the set criteria. If not, nominate the necessary and required measures to ensure compliance (this may include controlling internal noise; provision of sound locks; other management practices as deemed appropriate and necessary),
- The report must include all relevant fixed and operational noise sources.

18. The licensee must establish and maintain a formal and documented system for the recording and resolution of complaints made to the licensed premises by residents. All complaints are to be attended to in a courteous and efficient manner and referred promptly to the licensee or duty manager. The appropriate remedial action, where possible, is to be implemented immediately and the licensee or duty manager is to contact the complainant within 48 hours to confirm details of action taken.

Upon reasonable prior notice, the licensee must make available the incident book to the NSW Police and/or Council officers.

19. An amended plan of management shall be submitted to and approved by Council prior to the use of the proposed areas, which details the measures to be implemented to:

- ensure compliance with the relevant conditions of approval,
- minimise the potential impact of the operation of the premises upon nearby residents and the public domain,
- effectively minimise and manage anti-social behaviour which affects the surrounding environment, including the installation of patron advisory signage,
- minimise noise emissions and associated nuisances,
- effectively manage and respond to resident complaints, and
- ensure responsible service of alcohol and harm minimization.

The management measures and procedures stipulated in the relevant management plan for the club premises shall be followed at all times.

20. Any external lighting must not cause a nuisance to nearby residents or motorists.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve

reasonable levels of environmental amenity.

Compliance with the Building Code of Australia & Relevant Standards

21. In accordance with section 80A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA).
22. Access and facilities for people with disabilities must be provided to new building work in accordance with the relevant requirements of the Building Code of Australia, Disability (Access to Premises – Buildings) Standards 2010, relevant Australian Standards and conditions of consent, to the satisfaction of the Certifying Authority. Details of the required access and facilities for people with disabilities are to be included in the plans/specifications for the construction certificate.

Fire Safety

23. In existing buildings, the following works are to be carried out to (*as applicable*) to the satisfaction of the Certifying Authority: -
- a) Any new or replacement ceilings walls and floor linings and doorways are required to satisfy the relevant requirements of the Building Code of Australia,
 - b) Any residential parts of the building are to be provided with a smoke detection and alarm system,
 - c) Any residential part/s of the building are to be suitably fire-separated from the commercial area encompassed in this development application.

Details of the abovementioned items and other building and fire safety works are to be provided in the construction certificate.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*', as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification and Building Inspection Requirements

24. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and

- c) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- d) at least two days notice must be given to the Council, in writing, prior to commencing any works; and

Construction Noise & Vibration Management Plan

25. A *Construction Noise & Vibration Management Plan*, prepared in accordance with the Department of Climate Change Guidelines for Construction Noise and Assessing Vibration, by a suitably qualified person, is to be developed and implemented prior to commencing site work and throughout the course of construction, to Council's satisfaction.

Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents.

Construction Site Management

26. A *Construction Site Management Plan* must be developed and implemented throughout the site works, to Council's satisfaction. The construction site management plan must include the following measures, (as applicable):

- location and construction of temporary site fencing / hoardings;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- details of proposed sediment and erosion control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- location and size of waste containers/bulk bins;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details;
- provisions for temporary sanitary facilities.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Sydney Water

27. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check

Agent/Sydney Water has appropriately stamped the plans before commencing works.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections during Construction

28. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Building & Demolition Work Requirements

29. All demolition and building work associated and activities must be carried out in accordance with the following requirements:
- Occupational Health & Safety Act 2000 & Regulations
 - WorkCover NSW Code of Practice for the Safe Removal of Asbestos
 - WorkCover NSW Requirements, Guidelines and Codes of Practice
 - Australian Standard 2601 (2001) – Demolition of Structures
 - The Protection of the Environment Operations Act 1997
 - The Protection of the Environment Operations (Waste) Regulation 2005
 - DECC/EPA Waste Classification Guidelines
 - Randwick City Council's Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.

30. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA) and Council, not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

Removal of Asbestos Materials

31. Any work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:
- The requirements of WorkCover NSW and Randwick City Council's Asbestos Policy.
 - A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of

friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.

- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal Certifying Authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

32. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the Construction Site Management Plan.

Public Safety & Site Management

33. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:
- Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.
 - Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
 - The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
 - Building operations such as brick cutting, washing tools or equipment and

mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.

- Site fencing, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council.

Applications to place site fencing, waste container or other articles in a public place can be made to Council's Health, Building and Regulatory Services department.

Excavations & Support of Adjoining Land

34. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
35. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Site Signage

36. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

37. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted
Additional requirements for all development	<ul style="list-style-type: none"> • Saturdays and Sundays where the preceding Friday and/or the following Monday is a public holiday - No work permitted
Internal fit-out work only within a commercial or industrial	<ul style="list-style-type: none"> • Monday to Saturday - No time limits (subject to column 1)

development, located in a commercial or industrial zone, which is not audible within any residential dwelling or commercial or industrial premises	<ul style="list-style-type: none"> • Sunday & public holidays - No work permitted
--	--

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Building Encroachments

38. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

39. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

Fire Safety Certificate Requirements

40. Prior to issuing an interim or final Occupation Certificate, a single and complete Fire Safety Certificate, which encompasses all of the essential fire safety measures contained in the *fire safety schedule* must be obtained and be submitted to Council, in accordance with the provisions of the *Environmental Planning and Assessment Regulation 2000*. The *Fire safety Certificate* must be consistent with the *Fire Safety Schedule* which forms part of the Construction Certificate.

A Fire Safety Statement must be provided to the Council on an annual basis, each year following the issue of a *Fire Safety Certificate*, which confirms that all the fire safety measures are operating in accordance with the relevant standards of performance.

A copy of the *Fire Safety Certificate/Fire Safety Statement* must be displayed in the building entrance/foyer at all times and a copy must also be forwarded to Fire and Rescue NSW.

Noise Control Requirements

41. The operation of plant and equipment must not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment and Heritage (EPA) Noise Control Guidelines.

Waste Management

42. Adequate provisions are to be made within the premises for the storage, collection and disposal of trade/commercial waste and recyclable materials, to the satisfaction of Council.

Trade/commercial waste materials must not be disposed in or through Council's domestic garbage service. All trade/commercial waste materials must be collected by Council's Trade Waste Service or a waste contractor authorised by the Waste Service of New South Wales and details of the proposed waste collection and disposal service are to be submitted to Council prior to commencing operation of the business.

The operator of the business must also arrange for the recycling of appropriate materials and make the necessary arrangements with an authorised waste services contractor accordingly.

43. Any liquid trade waste materials are to be disposed of in accordance with the requirements of the Sydney Water, Trade Waste Department (i.e. via a grease trap) and details of compliance are to be submitted to the Principal Certifying Authority prior to the commencement of any works.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Operational Hours

44. The hours of operation of business and commercial premises are restricted to 7.00am to 11.00pm on Monday to Saturday (inclusive) and 8.00am to 10.00pm on Sundays, maximum (unless otherwise specifically approved in a separate development consent).

Operational Requirements

45. The use and operation of the premises shall not give rise to an environmental health nuisance to the adjoining/nearby premises or environment.
46. There are to be no emissions or discharges from the premises, which will give rise to a public nuisance or result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

The following conditions are applied to ensure compliance with the Food Act 2003 and to ensure public health and safety:

47. The premises (including bars ,brasserie and kitchen) is to be designed, constructed and operated in accordance with the Food Act 2003, Food Regulation 2004, Australia & New Zealand Food Standards Code and Australian Standard AS 4674-2004, Design, construction and fit-out of food premises and details of compliance are to be included in the documentation for the **construction certificate** to the satisfaction of the certifying authority.
48. Food safety practices and operation of the food premises must be in

accordance with the *Food Act 2003*, Food Regulation 2004, *Food Standards Code* and Food Safety Standards at all times, including the requirements and provisions relating to:

- Food handling – skills, knowledge and controls.
- Health and hygiene requirements.
- Requirements for food handlers and businesses.
- Cleaning, sanitising and maintenance.
- Design and construction of food premises, fixtures, fitting and equipment.

A failure to comply with the relevant food safety requirements is an offence and may result in legal proceedings, service of notices and/or the issuing of on-the-spot penalty infringement notices.

49. All food premises/areas/bars must be registered with Council's Environmental Health section and the NSW Food Authority must also be notified of the food business in accordance with the Food Safety Standards, **prior to commencement of food business operations**.
50. Upon completion of the work and **prior to the issuing of an occupation certificate**, the premises must be inspected by Council's Environmental Health Officer to ascertain compliance with relevant Food Safety Standards and the written approval of Council (being the relevant Food Authority for this food business) must be obtained prior to the operation of the food business.
51. The Proprietor of the food business and all staff carrying out food handling and food storage activities must have appropriate skills and knowledge in food safety and food hygiene matters, as required by the Food Safety Standards.
52. The design and construction of food premises must comply with the following requirements, as applicable:-
 - The floors of kitchens, food preparation areas and the like are to be constructed of materials which are impervious, non slip and non abrasive. The floor is to be finished to a smooth even surface, graded and drained to a floor waste connected to the sewer.
 - The intersection of walls with floor and plinths is to be coved, to facilitate cleaning.
 - Walls of the kitchen preparation areas and the like are to be of suitable construction finished in a light colour with glazed tiles, stainless steel, laminated plastics or similar approved material adhered directly to the wall adjacent to cooking and food preparation facilities or areas, to provide a smooth even surface.
 - The glazed tiling or other approved material is to extend up to the underside of any mechanical exhaust ventilation hoods and a minimum of 450mm above bench tops or other facilities and equipment.
 - Walls where not tiled are to be cement rendered or be of rigid smooth faced non-absorbent material (i.e. fibrous cement sheeting, plasterboard or other approved material) and finished to a smooth even surface, painted with a washable paint of a light colour or sealed with other approved materials.
 - The ceilings of kitchens, food preparation areas, storerooms and the like are to be of rigid smooth-faced, non absorbent material i.e., fibrous plaster, plasterboard, fibre cement sheet, cement render or other approved material.
 - All stoves, refrigerators, bain-maries, stock pots, washing machines, hot

- water heaters, large scales, food mixers, food warmers, cupboards, counters, bars etc to be supported on wheels, concrete plinths a minimum 75mm in height, metal legs minimum 150mm in height, brackets or approved metal framework of the like.
- Cupboards, cabinets, benches and shelving may be glass, metal, plastic, timber sheeting or other approved material. The use of particleboard or similar material is not permitted unless laminated on all surfaces.
 - Adequate fly screens and doors with self-closing devices, (where applicable), are to be provided to all external door and window openings.
 - Garbage storage enclosures are to be fitted with a hose cock and the floor is to be graded and drained to an approved floor waste connected to the sewer.
 - A mechanical ventilation exhaust system hood is to be installed where cooking or heating processes are carried out in the kitchen or in food preparation areas, in accordance with the relevant requirements of Clause F4.12 of the BCA and Australian Standard AS 1668 Parts 1 & 2.
 - A Wash hand basin must be provided in convenient positions, with hot and cold water, together with a sufficient supply of soap and clean towels. Such hot and cold water shall be supplied to the wash hand basins through an approved mixing device.
 - Ceramic tiles being provided to a height of 450mm above bench tops, wash hand basins and similar fittings.
 - A numerically scaled indicating thermometer or recording thermometer, accurate to the nearest degree Celsius being provided to refrigerators, cool rooms, other cooling appliances and bain-maries or other heated food storage/display appliances. The thermometer is to be located so as to be read easily from the outside of the appliance.
 - All food that is to be kept hot should be heated within one (1) hour from the time when it was prepared or was last kept cold, to a temperature of not less than 60°C and keep this food hot at or above the temperature. Food that is to be kept cold should be cooled, within four (4) hours from the time when it was prepared or was last kept hot, to a temperature of not more that 5°C and keep this food cold at or below that temperature.
53. Details of proposed mechanical ventilation systems, detailing compliance with the relevant requirements of Clause F4.12 of the BCA and Australian Standard AS 1668 Parts 1 & 2 (including exhaust air quantities and discharge location points) are to be submitted to and approved by the Certifying Authority with the construction certificate and a copy of relevant documentation is to be provided to Council.
54. Certificate or statement must be provided to the certifying authority and the Council, from a suitably qualified person, prior to occupation, which confirms that the mechanical ventilation system satisfies the relevant requirements of the Building Code of Australia and Australian Standards AS 1668 Parts 1 & 2.
55. Liquid trade waste materials are to be disposed of in accordance with the requirements of the Sydney Water, Trade Waste Department and details of compliance are to be submitted to the certifying authority **prior to the commencement of works**.
56. Trade/commercial waste materials must not be disposed via council's domestic garbage service. All trade/commercial waste materials must be collected by Council's Trade Waste Service or a waste contractor authorised by the Waste Service of New South Wales and details of the proposed waste collection and

disposal service are to be submitted to Council prior to occupation of the building.

57. Adequate provisions are to be made within the premises for the storage, collection and disposal of trade/commercial waste and recyclable materials, to the satisfaction of Council

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from an Accredited Certifier or Council
- An Accredited Certifier or Council has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA), Disability (Access to Premises – Buildings) Standards 2010 and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards. You are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A4 Any proposed amendments to the design and construction of the building may require a new development application or a section 96 amendment to the existing consent to be obtained from Council, before carrying out such works

- A5 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or

- an access order under the Access to *Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

A6 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A7 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article in a public place.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A8 There are to be no emissions or discharges from the premises, which will give rise to an environmental or public nuisance or result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

A9 In existing buildings, the levels of fire and occupant safety should be upgraded where necessary and details should be incorporated in the Construction Certificate to the satisfaction of the Certifying authority.

Where the levels of accessibility to existing buildings do not meet current standards, if practicable, the level of accessibility should also be upgraded in conjunction with the proposed development (e.g. via the installation of a 1:8 access ramp within the building) and details included in the construction certificate application.

Building owners, applicants and builders are advised to liaise with the appointed Certifying Authority prior to lodgement of the Construction Certificate.

A10 A separate development application and construction certificate or a complying development certificate (as applicable) must be obtained if the premises is to be used for any of the purposes detailed below:

- All food businesses (including premises used for the sale, storage, preparation and distribution of food and drinks)
- Hairdressing salons, Beauty salons, Businesses involving Skin Penetration & Piercing, Massage businesses
- Licensed premises, places of public entertainment and hotels
- Places of Shared Accommodation (including Boarding / Lodging Houses, Bed & Breakfast businesses, Backpackers, Residential Hotels or the like)
- Cooling Towers or Warm Water Systems
- External plant and equipment which is not encompassed in the

development consent

- Business providing any form of sexual service (i.e. brothel or the like).

Business premises which are used for any of these purposes must comply with relevant public health and safety legislation and requirements and they must be registered with Council prior to an Occupation Certificate being issued for the development. The relevant registration and inspection fee is also required to be paid to Council in accordance with Council's adopted Pricing Policy.

- A11 The applicant/owner is advised to engage the services of a suitably qualified and experienced Acoustic consultant, prior to finalising the design and construction of the development, to ensure that the relevant noise criteria and conditions of consent can be fully satisfied.

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D30/12 Development Application Report - 22 Alexandria Parade, South Coogee (DA/24/2012) (DA/24/2012)

PL35/12

RESOLUTION: (Andrews/Procopiadis)

- A. That Council support the objection under State Environmental Planning No. 1 (SEPP No.1) in respect to non-compliance with Clause 4 of Schedule 1 of the Affordable Rental Housing SEPP 2009, relating to Floor Area, on the grounds that the proposed development is consistent with the objective of the clause and will not adversely affect the amenity of the surrounding locality and that the Department of Planning be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/24/2012 for alterations and additions to the lower ground floor level of the existing dwelling house to create a new secondary dwelling, at No. 22 Alexandria Parade, South Coogee, subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

<i>Plan</i>	<i>Drawn by</i>	<i>Dated</i>	<i>Received</i>
DA-01	Jessica Matson Architect	9 December 2011	18 January 2012
DA-02	Jessica Matson Architect	9 December 2011	18 January 2012
DA-03	Jessica Matson Architect	9 December 2011	18 January 2012
DA-04	Jessica Matson Architect	9 December 2011	18 January 2012

DA-05	Jessica Matson Architect	9 December 2011	18 January 2012
-------	--------------------------	-----------------	-----------------

<i>BASIX Certificate</i>	<i>No.</i>	<i>Dated</i>
	419183S	9 March 2012

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

- The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

- In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

- Smoke alarms are required to be installed in accordance with the relevant provisions of the Building Code of Australia (volume 2) smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

- In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to

the existing consent to be obtained, prior to a construction certificate being issued.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Construction Certificate, Principal Certifying Authority & Commencement of Works

6. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

1. *In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.*

Home Building Act 1989

7. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Noise & Vibration Management Plan

8. Noise and vibration emissions during the construction of the building and

associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Temporary Site Fencing

9. Temporary site safety fencing must be provided to the perimeter of the site (unless the site is separated from the adjoining land by an existing structurally adequate fence, having a minimum height of 1.5 metres). Temporary site fences are to have a minimum height of 1.8 metres and be constructed of cyclone wire fencing, with geotextile fabric attached to the inside of the fence to provide dust control, or other material approved by Council.

Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

Temporary fences must be in place prior to the commencement of any demolition, excavation or building works and be maintained throughout construction.

If it is proposed to locate any site fencing, hoardings or amenities upon any part of the footpath, nature strip or public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services before placing any item or article on the road, footpath or nature strip.

Construction Site Management Plan

10. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing / hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the

commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Sydney Water

11. Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check Agent/Sydney Water has appropriately stamped the plans before commencing works.

Public Utilities

12. The applicant must meet the full cost for telecommunication companies, gas providers, Energy Australia and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

13. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

14. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit

details (as applicable)

- name, address and telephone number of the *Principal Certifying Authority*,
- a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

15. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Work Requirements

16. The proposed works and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:
- Occupational Health & Safety Act 2000 & Regulations
 - WorkCover NSW Code of Practice for the Safe Removal of Asbestos
 - WorkCover NSW Guidelines and Codes of Practice
 - Australian Standard 2601 (2001) – Demolition of Structures
 - The Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Waste) Regulation 2005
 - Relevant DECCW/EPA Guidelines
 - Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

17. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

18. Public safety and convenience must be maintained at all times during

demolition, excavation and construction works and the following requirements must be complied with:

- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- Bulk bins/waste containers must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

19. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

20. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's

footpath and roadway.

21. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to issuing an occupation certificate, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.
22. That part of the naturestrip upon Council's footway which is damaged during the construction of the proposed works shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu turf or similar. Such works shall be completed at the applicant's expense prior to the issue of a final Occupation Certificate.

BASIX Requirements

23. In accordance with Clause 154B of the Environmental Planning & Assessment Regulation 2000, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

External Lighting

24. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning &*

Assessment Regulation 2000, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;
- A Construction Certificate has been obtained from Council or an Accredited Certifier
 - Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
 - Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

- A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

- A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.

- A7 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

- A8 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any

underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the Access to *Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

- A9 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

MOTION: (Andrews/Procopiadis) CARRIED - SEE RESOLUTION.

The **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

FOR	AGAINST
Councillor Andrews	Councillor Matson
Councillor Belleli	
Councillor Hughes	
Councillor Matthews	
Councillor Nash	
Councillor Procopiadis	
Councillor Seng	
Councillor Stevenson	
Councillor Tracey	
Councillor Woodsmith	
Total (10)	Total (1)

D31/12 Development Application Report - 5 Severn Street, Maroubra (DA/885/2011) (DA/885/2011)

PL36/12

RESOLUTION: (Andrews/Procopiadis)

- A. That Council supports the objection under State Environmental Planning Policy No. 1 – Development Standards in respect to non-compliance with Clauses 20E of Randwick Local Environmental Plan 1998, relating to landscaping, on the grounds that the proposed development complies with the objectives of the above clauses, and will not adversely affect the amenity of the locality, and that the Department of Planning be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 885/2011 for the erection of new garages, courtyard, balcony, retaining walls and fencing at 5 Severn Street Maroubra, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

<i>Plan</i>	<i>Drawn by</i>	<i>Dated</i>
A1	MP	16.09.11
A2	MP	16.09.11
A3	MP	16.09.11

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements and details are to be included in the *Construction Certificate*:
 - a. A privacy screen having a height of 1.8m above the floor level of the balcony is to be installed to the eastern side of the balcony. The privacy screen must be constructed of metal or timber and the total area of any openings within the privacy screen must not exceed 25% of the area of the screen. Alternatively, the privacy screen may be provided with translucent, obscured, frosted or sandblasted glazing in a suitable frame.
 - b. A landscaped plan must be submitted to Council for approval under Sections 80(A)2 of the Environmental Planning and Assessment Act 1979 that significantly enhances the landscaped areas of the site including but not limited to the provision of permeable paving to assist in the infiltration of stormwater and the control of water runoff in the area between the proposed garages and the existing residential flat building. Details are to be provided prior the Construction Certificate being issued.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a '*Construction Certificate*' is issued by either an Accredited Certifier or Randwick City Council. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.
4. The colours, materials and finishes of the external surfaces to the building are to be compatible with the adjacent development to maintain the integrity and amenity of the building and the streetscape.

Details of the proposed colours, materials and textures (i.e. a schedule and

brochure/s or sample board) are to be submitted to and approved by Council's Manager Development Assessments prior to issuing a construction certificate for the development.

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$ 150 000, the following applicable monetary levy must be paid to Council: \$750.00.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Parking Layout Design

7. The carspaces and any re/constructed sections of driveway must be designed and constructed in accordance with AS 2890.1 (2004) – Off Street Car Parking. Details of compliance are to be included in the construction certificate documentation.
8. Plans submitted for the construction certificate must incorporate the following amendments to the proposed balcony structure required by Development Engineering to ensure adequate vehicle access into the proposed garages;
 - a) The eastern balcony wall shall be shifted sufficiently westwards so as to create a minimum 3.0m clear driveway width between the balcony wall and the neighbouring brick fence at 7-9 Severn St.
 - b) A 1.0m x 1.0m clear splay corner shall be created at the south east corner of the balcony structure (after the shifting of the wall required by previous point) to improve car manoeuvrability and sight lines.

Stormwater Drainage

9. Stormwater drainage plans have not been approved as part of this development consent. Prior to the issue of a construction certificate, detailed drainage plans with levels reduced to Australian Height Datum (AHD), shall be prepared by a suitably qualified Hydraulic Engineer and be submitted to and approved by the certifying authority. A copy of the plans shall be forwarded to Council, if Council is not the certifying authority.

The drainage plans must demonstrate compliance with the Building Code of Australia, Australian Standard AS3500.3:2003 (Plumbing and Drainage - Stormwater Drainage) and the relevant conditions of this development approval.

10. Stormwater runoff from the redeveloped portion of the site shall be discharged either:
- a) To the kerb and gutter along the site frontage via a pump-out system; OR
 - b) Through a private drainage easement(s) to Council's kerb and gutter (or underground drainage system); OR
 - c) To a suitably sized infiltration area. As a guide the infiltration area shall be sized based on a minimum requirement of 1 m² of infiltration area (together with 1 m³ of storage volume) for every 20 m² of roof/impervious area on the site. Infiltration areas must also be situated at least 2.1m from any boundary or 3.0m from any structure.

NOTE:

Prior to the use of infiltration in rear draining lots a geotechnical investigation will be required to determine whether the ground is suitable for infiltration. Should rock and/or a water table be encountered within two metres of the proposed base of the infiltration pit, or the ground conditions comprise low permeability soils such as clay, infiltration will not be appropriate.

11. Should a pump system be required to drain any portion of the site the system must be designed with a minimum of two pumps being installed, connected in parallel (with each pump capable of discharging at the required discharge rate) and connected to a control board so that each pump will operate alternatively. The pump wet well shall be sized for the 1 in 100 year, 2 hour storm assuming both pumps are not working.

The pump system must also be designed and installed strictly in accordance with Randwick City Council's Stormwater Code.

12. All pump out water must pass through a stilling pit, located within the site, prior to being discharged by gravity to the kerb and gutter.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia & Relevant Standards

13. In accordance with section 80A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA).
14. Access and facilities for people with disabilities must be provided in accordance with the relevant requirements of the Building Code of Australia, Disability (Access to Premises – Buildings) Standard 2010, relevant Australian Standards and conditions of consent, to the satisfaction of the Certifying Authority. Details of the required access and facilities for people with disabilities are to be included in the plans/specifications for the construction certificate.

BASIX Requirements

15. In accordance with section 80A (11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

Site stability and construction work

16. A report must be obtained from a suitably qualified and experienced *professional engineer*, which includes the following details, to the satisfaction of the Certifying Authority for the development: -
- a) Details of the proposed methods of excavation and support for the adjoining land (including any public place) and buildings.
 - b) Details to demonstrate that the proposed methods of excavation and construction are suitable for the site and should not result in any damage to the adjoining premises, buildings or any public place, as a result of the works and any associated vibration.
 - c) The adjoining land and buildings located upon the adjoining land must be adequately supported at all times throughout demolition, excavation and building work, to the satisfaction of the *Principal Certifying Authority*.
17. A concept Landscape Plan shall be submitted with the Construction Certificate which has been prepared by a qualified Landscape/Horticultural professional. The landscape plans shall include a Planting plan & schedule which specifies proposed species, botanic and common names, pot size at the time of planting quantity, location, dimensions at maturity, maintenance practices (hedging, shaping etc) as well as any other landscaped details to describe the proposed works.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification and Building Inspection Requirements

18. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

Home Building Act 1989

19. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Noise & Vibration Management Plan

20. A *Construction Noise & Vibration Management Plan*, prepared in accordance with the Department of Climate Change Guidelines for Construction Noise and Assessing Vibration, by a suitably qualified person, is to be developed and implemented prior to commencing site work and throughout the course of construction.

- a) Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

- b) The *Construction Noise & Vibration Management Plan* must include details of measurements, analysis and relevant criteria and demonstrate that the noise and vibration emissions from the work satisfy the relevant provisions of the *Protection of the Environment Operations Act 1997*, current DECC Guidelines for Construction Noise and Assessing Vibration and Councils conditions of consent.
- c) A further report/correspondence must be obtained from the consultant as soon as practicable upon the commencement of works, which reviews and confirms the implementation and suitability of the noise and vibration strategies in the *Construction Noise & Vibration Management Plan* and which demonstrates compliance with relevant criteria.

- d) Any recommendations and requirements contained in the *Construction Noise & Vibration Management Plan* and associated reports are to be implemented accordingly and should noise and vibration emissions not comply with the terms and conditions of consent, work must cease forthwith and is not to recommence until details of compliance are submitted to Council and the PCA.

A copy of the *Construction Noise & Vibration Management Plan* and associated acoustic/vibration report/s must be maintained on-site and a copy must be provided to Council and the Principal Certifying Authority accordingly.

Temporary Site Fencing

21. Temporary site safety fencing must be provided to the perimeter of the site throughout demolition, excavation and construction works.

Temporary site fences must have a height of 1.8 metres and be a cyclone wire fence (with geotextile fabric attached to the inside of the fence to provide dust control), or heavy-duty plywood sheeting (painted white), or other material approved by Council.

A 'B Class' overhead type hoarding is required is be provided to protect the public, located adjacent to the development, prior to the commencement of any works on the site which comprise:

- any works or hoisting of materials over a public footway or adjoining premises, or
- any building or demolition works on buildings which are over 7.5m in height and located within 3.6 metres of the street alignment.

All site fencing and hoardings must be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

If it is proposed to locate any site fencing, hoardings, amenities or articles upon any part of the footpath, nature strip or public place at any time, a separate Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services before placing any fencing, hoarding or other article on the road, footpath or nature strip.

Construction Site Management

22. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective site fencing / hoardings;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- details of proposed sediment and erosion control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- location and size of waste containers/bulk bins;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details;

- provisions for temporary sanitary facilities.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

23. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste materials
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Sydney Water

24. Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check Agent/Sydney Water has appropriately stamped the plans before commencing works.

Public Utilities

25. A Public Utility Impact Assessment must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.
26. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections during Construction

27. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Building & Demolition Work Requirements

28. All work and activities must be carried out in accordance with the relevant regulatory requirements, including:
 - Occupational Health & Safety Act 2000 & Regulations
 - WorkCover NSW Code of Practice for the Safe Removal of Asbestos
 - WorkCover NSW Requirements, Guidelines and Codes of Practice
 - Australian Standard 2601 (2001) – Demolition of Structures
 - The Protection of the Environment Operations Act 1997
 - The Protection of the Environment Operations (Waste) Regulation 2005
 - DECC/EPA Waste Classification Guidelines
 - Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

29. Sediment and erosion control measures, must be implemented throughout the

site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.

Details must be shown in a *Sediment and Erosion Control Plan*, including; a site plan; indicating the slope of land, access points & access control measures, location and type of sediment & erosion controls, location of existing vegetation to be retained, location of material stockpiles and storage areas, location of building operations and equipment, methods of sediment control, details of drainage systems and details of existing and proposed vegetation.

A copy of the Sediment and Erosion Control Plan must be provided to the Principal Certifying Authority and Council. A copy must also be maintained on site and be made available to Council officers upon request.

Dust Control

30. During demolition excavation and construction works, dust emissions must be minimised, so as not to result in a nuisance to nearby residents or result in a potential pollution incident.

Adequate dust control measures must be provided to the site prior to the works commencing and the measures and practices must be maintained throughout the demolition, excavation and construction process, to the satisfaction of Council.

Dust control measures and practices may include: -

- *Provision of geotextile fabric to all perimeter site fencing (attached on the prevailing wind side of the site fencing).*
- *Covering of stockpiles of sand, soil and excavated material with adequately secured tarpaulins or plastic sheeting.*
- *Installation of a water sprinkling system or provision hoses or the like.*
- *Regular watering-down of all loose materials and stockpiles of sand, soil and excavated material.*
- *Minimisation/relocation of stockpiles of materials, to minimise potential for disturbance by prevailing winds.*
- *Landscaping and revegetation of disturbed areas.*

Public Safety & Site Management

31. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- Bulk bins/waste containers must not be located upon the footpath, roadway

or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.

Excavations, Back-filling & Retaining Walls

32. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring or piling are to be submitted to and approved by the *Principal Certifying Authority* prior to commencing such excavations or works.

Support of Adjoining Land

33. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.

Site Signage

34. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

35. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 1.00pm only • Saturday - No work permitted • Sunday & public holidays - No work permitted
Additional requirements for all development	<ul style="list-style-type: none"> • Saturdays and Sundays where the preceding Friday and/or the following Monday is a public holiday - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

36. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

Council's Infrastructure, Vehicular Crossings, street verge

37. Prior to the issuing of an occupation certificate the applicant must meet the full cost for Council or a Council approved contractor to construct a new concrete vehicular crossing between the existing layback and Council's footpath opposite the vehicular entrance to the site.
38. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
39. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to issuing an occupation certificate, together with payment of the relevant fees.

- c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.
40. That part of the naturestrip upon Council's footway which is damaged during the construction of the proposed works shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu turf or similar. Such works shall be completed at the applicant's expense prior to the issue of a final Occupation Certificate.

Stormwater Drainage

41. Prior to the issuing of an occupation certificate, the applicant shall submit to the Principal Certifying Authority (PCA) and Council, certification from a suitably qualified and experienced Hydraulic Engineer confirming that the design and construction of the stormwater drainage system complies with Australian Standard 3500.3:2003 (Plumbing & Drainage- Stormwater Drainage) and the conditions of this development approval. The certification must be provided following inspection/s of the site stormwater drainage system by the certifying engineers and shall be provided to the satisfaction of the PCA.

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;
- A Construction Certificate has been obtained from an Accredited Certifier or Council
 - An Accredited Certifier or Council has been appointed as the Principal Certifying Authority for the development
 - Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.
- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA), Disability (Access to Premises –

Buildings) Standards 2010 and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards. You are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A4 Any proposed amendments to the design and construction of the building may require a new development application or a section 96 amendment to the existing consent to be obtained from Council, before carrying out such works
- A5 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.
- A6 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:
- the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the *Access to Neighbouring Land Act 2000*, or
 - an easement under section 88K of the *Conveyancing Act 1919*, or
 - an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

- A7 Finished ground levels external to the building are to be consistent with the development consent and are not to be raised, other than for the provision of approved paving or the like on the ground.
- A8 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A9 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.
- For further information please contact Council's Building Approvals & Certification team on 9399 0944.
- A10 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE

RESOLUTION.**D32/12 Development Application Report - 11 Canara Avenue, Phillip Bay
(DA/83/2012) (DA/83/2012)**

PL37/12

RESOLUTION: (Andrews/Procopiadis)

- A. That Council supports the objections under State Environmental Planning Policy No. 1 – Development Standards in respect to non-compliance with Clauses 20B (4) of Randwick Local Environmental Plan 1998, relating to minimum allotment sizes, on the grounds that the proposed development complies with the objectives of the above clauses, and will not adversely affect the amenity of the locality, and that the Department of Planning be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/83/2012 for the construction of an additional dwelling to the rear of the existing dwelling to create an attached dual occupancy, at No. 11 Canara Avenue, Philip Bay, subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS**GENERAL CONDITIONS**

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Dated	Received
DA1-01,	Ab_a design	21/01/2012	9 February 2012
DA1-04		28/10/2011	9 February 2012
DA1-05		28/10/2011	9 February 2012
DA1-06		28/10/2011	9 February 2012
DA2-01		28/10/2011	9 February 2012
DA2-03		28/10/2011	9 February 2012
DA2-04		28/10/2011	9 February 2012

BASIX Certificate	No.	Dated	Received
	414467S	6 February 2012	9 February 2012

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements:
- a. Privacy screens having a height of 1.8m above floor level must be provided to the eastern and western ends of the rear first floor level deck. The

- of any openings within the privacy screen must not exceed 25% of the area of the screen. Alternatively, the privacy screen may be constructed with translucent, obscured, frosted or sandblasted glazing in a suitable frame.
- b. A privacy screen having a height of 1.5m above floor level must be provided to the western end of the northern side deck which is attached to the living room and rear of the existing dwelling.
 - c. The proposed windows on the first floor level to the living room on the western elevation must have a minimum sill height of 1.5m above floor level, or alternatively, the window/s are to be fixed and be provided with translucent, obscured, frosted or sandblasted glazing below this specified height.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

4. The colours, materials and finishes of the external surfaces are to be compatible with the existing building and adjacent development to maintain the integrity and amenity of the building and the streetscape.

External materials, finishes and colours of the building are required to match, as closely as possible, the existing building and any metal roof sheeting is to be pre-painted (e.g. Colourbond) to limit the level of reflection and glare.

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$233,200, the following applicable monetary levy must be paid to Council: \$2332.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate [or subdivision certificate] being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

7. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

8. Smoke alarms are required to be installed in accordance with the relevant provisions of the Building Code of Australia (volume 2) smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

9. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

Stormwater Drainage

10. A surface water/stormwater drainage system must be provided in accordance with the following requirements, to the satisfaction of the Certifying Authority and details are to be included in the construction certificate:-
 - a) Surface water/stormwater drainage systems must be provided in accordance with the relevant requirements of the Building Code of Australia (Volume 2);
 - b) The surface water/stormwater must be drained and discharged to the street gutter or, subject to site suitability, the stormwater may be drained to a suitably designed absorption pit;
 - c) Any absorption pits or soaker wells should be located not less than 3m

from any adjoining premises and the stormwater must not be directed to any adjoining premises or cause a nuisance;

- d) External paths and ground surfaces are to be constructed at appropriate levels and be graded and drained away from the building and adjoining premises, so as not to result in the entry of water into the building, or cause a nuisance or damage to the adjoining premises;
- e) Details of any proposed drainage systems or works to be carried out in the road, footpath or nature strip must be submitted to and approved by Council before commencing these works.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Construction Certificate, Principal Certifying Authority & Commencement of Works

11. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

12. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989*

must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Dilapidation Reports

13. A dilapidation report prepared by a professional engineer, building surveyor or other suitably qualified independent person must be submitted to the satisfaction of the Principal Certifying Authority prior to commencement of any demolition, excavation or building works, in the following cases:

- excavations for new dwellings, additions to dwellings, swimming pools or the like which are proposed to be located within the *zone of influence* of the footings of any dwelling, associated garage or other substantial structure located upon an adjoining premises,
- new dwellings or additions to dwellings sited up to shared property boundaries (e.g. additions to a semi-detached dwelling or terraced dwellings),
- excavations for new dwellings, additions to dwellings, swimming pools or the like which are within rock and may result in vibration and or potential damage to any dwelling, associated garage or other substantial structure located upon an adjoining premises,
- as otherwise may be required by the Principal Certifying Authority.

The report (including photographs) are required to detail the current condition and status of any dwelling, associated garage or other substantial structure located upon the adjoining premises, which may be affected by the subject works. A copy of the dilapidation report is to be given to the owners of the premises encompassed in the report/s before commencing any works.

Construction Noise & Vibration Management Plan

14. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Temporary Site Fencing

15. Temporary site safety fencing must be provided to the perimeter of the site (unless the site is separated from the adjoining land by an existing structurally adequate fence, having a minimum height of 1.5 metres). Temporary site fences are to have a minimum height of 1.8 metres and be constructed of cyclone wire fencing, with geotextile fabric attached to the inside of the fence to provide dust control, or other material approved by Council.

Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

Temporary fences must be in place prior to the commencement of any demolition, excavation or building works and be maintained throughout construction.

If it is proposed to locate any site fencing, hoardings or amenities upon any part of the footpath, nature strip or public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services before placing any item or article on the road, footpath or nature strip.

Construction Site Management Plan

16. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing/hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

17. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste demolition/building

materials

- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Sydney Water

18. Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check Agent/Sydney Water has appropriately stamped the plans before commencing works.

19. A *Section 73 Compliance Certificate* under the *Sydney Water Act 1994* must be obtained from Sydney Water Corporation.

Application for a Section 73 Certificate must be made through an authorised Water Servicing Co-ordinator. For details, please refer to the "Your Business" section of Sydney Water's web site www.sydneywater.com.au then refer to "Water Servicing Coordinator" under Developing Your Land" or telephone 13 20 92.

Following the application, a "Notice of Requirements" will be provided, detailing water and sewer extensions to be built and charges to be paid. Please make early contact with the Water Servicing Co-ordinator, as building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Compliance Certificate is required to be obtained before an *occupation certificate* is issued.

Public Utilities

1. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.

2. The applicant must meet the full cost for telecommunication companies, gas providers, Energy Australia and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

3. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

4. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

5. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to

Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

6. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Occupational Health & Safety Act 2000 & Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Waste) Regulation 2005
- Relevant DECCW/EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

7. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms

that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

8. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

9. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- Bulk bins/waste containers must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

10. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
11. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to

prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring or piling are to be submitted to and approved by the Principal Certifying Authority for the development prior to commencing such excavations or works.

12. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:
- when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
 - when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (eg. semi-detached or terrace dwelling);
 - when constructing a wall to a dwelling or associated structure that is located within 900mm of a dwelling located on the adjoining land.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in accordance with the abovementioned report, to the satisfaction of the *Principal Certifying Authority*.

Building Encroachments

13. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Road/Asset Opening Permit

14. A *Road / Asset Opening Permit* must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road / Asset Opening Permit* must be complied with.

For further information, please contact Council's Road / Asset Opening Officer on 9399 0691 or 9399 0999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the '*Principal Certifying Authority*' issuing an '*Occupation Certificate*'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

15. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning &*

Assessment Act 1979.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

16. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Occupant Safety

17. Openable windows to a room, corridor, stairway or the like with a floor level more than 4m above the external ground/surface level, must be designed and constructed to reduce the likelihood of a child accessing and falling through the window opening.

Options may include one or more of the following measures:

- The window having a minimum sill height of 1.5m above the internal floor level,
- Providing a window locking device at least 1.5m above the internal floor level,
- Fixing or securing the window (e.g. by screws or a window locking device) to restrict or to be able to secure the extent of the opening to a maximum width of 125mm,
- Installing a fixed heavy-duty gauge metal screen over the opening (e.g. A metal security screen or metal security mesh and frame system, but not standard fly-screen material),
- Other appropriate effective safety measures or barrier.

The relevant measures must be implemented prior to the issue of an occupation certificate.

Council's Infrastructure, Vehicular Crossings, street verge

18. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
19. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to

issuing an occupation certificate, together with payment of the relevant fees.

- c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
- d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.

Service Authorities

- 20. The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to issuing an Occupation Certificate.

Waste Management

- 21. Prior to the occupation of the development, the owner or applicant is required to contact Council's City Services department, to make the necessary arrangements for the provision of waste services for the additional premises.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

External Lighting

- 22. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;
 - A Construction Certificate has been obtained from Council or an Accredited Certifier
 - Council or an Accredited Certifier has been appointed as the Principal

Certifying Authority for the development

- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.

A7 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A8 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

A9 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service

Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

- A10 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.
- A11 Further information and details on Council's requirements for trees on development sites can be obtained from the recently adopted Tree Technical Manual, which can be downloaded from Council's website at the following link, <http://www.randwick.nsw.gov.au> - Looking after our environment – Trees – Tree Management Technical Manual; which aims to achieve consistency of approach and compliance with appropriate standards and best practice guidelines.

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D33/12 Development Application Report - 9 Boomerang Street, Maroubra (DA/4/2012) (DA/4/2012)

PL38/12

RESOLUTION: (Andrews/Procopiadis)

- A. That Council supports the objections under State Environmental Planning Policy No. 1 – Development Standards in respect to non-compliance with Clause 20F of Randwick Local Environmental Plan 1998, relating to Floor Space Ratio on the grounds that the proposed development complies with the objectives of the above clauses, and will not adversely affect the amenity of the locality, and that the Department of Planning be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 4/2012 for the conversion of the existing basement level within the existing attached dual occupancy into additional habitable and storage area at 9 Boomerang Street Maroubra, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

<i>Plan</i>	<i>Drawn by</i>	<i>Dated</i>
001, Revision A	Paterson Designs	12.12.11
002, Revision A	Paterson Designs	12.12.11

<i>BASIX Certificate</i>	<i>No.</i>	<i>Dated</i>
	A130499	4/1/2012

2. Prior to the release of a Construction Certificate the original copy of the Development Consent, DA/1039/2007 and stamped plans are to be surrendered to Council.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

4. External Colours, Materials & Finishes

The colours, materials and finishes of the new windows are to be compatible with the existing building

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$ 160 000, the following applicable monetary levy must be paid to Council: \$ 800.00.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate [or subdivision certificate] being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

7. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

8. Smoke alarms are required to be installed in accordance with the relevant provisions of the Building Code of Australia (volume 2) smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

9. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*', as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Construction Certificate, Principal Certifying Authority & Commencement of Works

10. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) a *principal contractor* must be appointed for the building work, or in

relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and

- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

11. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Noise & Vibration Management Plan

12. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Construction Site Management Plan

13. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing/hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;

- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

14. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste demolition/building materials
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Sydney Water

15. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or

easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check Agent/Sydney Water has appropriately stamped the plans before commencing works.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

16. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

17. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

18. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm

rollers/compactors or the like	<ul style="list-style-type: none"> • Saturday - No work permitted • Sunday & public holidays - No work permitted
--------------------------------	--

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

19. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Occupational Health & Safety Act 2000 & Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Waste) Regulation 2005
- Relevant DECCW/EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

20. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

21. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.

- Bulk bins/waste containers must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
 - Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.
22. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring or piling are to be submitted to and approved by the Principal Certifying Authority for the development prior to commencing such excavations or works.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

23. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

24. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from Council or an Accredited Certifier
- Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

- A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

- A6 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE RESOLUTION.

**D34/12 Development Application Report - 36 Dampier Street, Chifley
(DA/937/2011) (DA/937/2011)**

PL39/12

RESOLUTION: (Andrews/Procopiadis)

- A. That Council support the objection under State Environmental Planning No. 1 (SEPP No.1) in respect to non-compliance with Clause 4 of Schedule 1 of the Affordable Rental Housing SEPP 2009, relating to Floor Area, on the grounds that the proposed development is consistent with the objective of the clause and will not adversely affect the amenity of the surrounding locality and that the Department of Planning be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/937/2011 for ground level alterations to the rear of the existing dwelling, the construction of a hardstand car space to the front of the dwelling and the construction of a single storey secondary dwelling with garage, at No. 36 Dampier Street, Chifley, subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Received
Site Plan	Anonymous	2 December 2011
Secondary Dwelling Plan	Anonymous	2 December 2011
Elevations Plan	Anonymous	2 December 2011

BASIX Certificate	No.	Dated
	416387S	17 February 2012

2. The carport forward of the building line must be deleted from the plans, and must be amended to reflect this requirement, prior to the issue of a construction certificate.

This condition is included to ensure that the proposed works are consistent with the objectives and performance requirements of the Dwelling Houses and Attached Dual Occupancies DCP with regard to off-street parking.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of

consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

4. The colours, materials and finishes of the external surfaces to the building are to be compatible with the adjacent development to maintain the integrity and amenity of the building and the streetscape.

Details of the proposed colours, materials and textures (i.e. a schedule and brochure/s or sample board) are to be submitted to and approved by the Certifying Authority prior to issuing a construction certificate for the development.

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$105,300, the following applicable monetary levy must be paid to Council: \$526.50.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposit

7. The following damage / civil works security deposit requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$2000.00 - Damage / Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection

by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Design Alignment levels

8. The design alignment level (the finished level of concrete, paving or the like) at the property boundary for driveways, access ramps and pathways or the like, shall be:
 - **A minimum 100mm above the top of the kerb at all points opposite the kerb, along the full site frontage.**
9. The design alignment levels (concrete/paved/tiled level) issued by Council and their relationship to the kerb must be indicated on the building plans for the construction certificate. The design alignment level at the street boundary, as issued by the Council, must be strictly adhered to.
10. The above alignment levels and the site inspection by Council's Development Engineering Section have been issued at a prescribed fee of \$766.00 calculated at \$46.00 (inclusive of GST) per metre of site frontage. This amount is to be paid prior to a construction certificate being issued for the development.

Sydney Water

11. Prior to the issuing of a construction certificate the approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect any Sydney Water asset's sewer and water mains, stormwater drains and/or easement, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au for Quick Check agent details and Guidelines for Building Over/Adjacent to Sydney Water Assets.

Stormwater Drainage

12. Prior to the issue of a construction certificate, detailed drainage plans with levels reduced to Australian Height Datum (AHD), shall be prepared by a suitably qualified Hydraulic Engineer and be submitted to and approved by the certifying authority. A copy of the plans shall be forwarded to Council, if Council is not the certifying authority.

The drainage plans must demonstrate compliance with the Building Code of Australia, Australian Standard AS3500.3:2003 (Plumbing and Drainage - Stormwater Drainage) and the relevant conditions of this development approval.

13. Generally all site stormwater shall be piped to a sediment/silt arrester pit that drains to an infiltration area with a minimum 5 m² base area. An overflow pipe shall be provided from the silt arrester pit to drain to Council's kerb and gutter.

NOTES:

- a. The sediment/silt arrester pit shall be constructed:-
 - (i) within the site at or near the street boundary.
 - (ii) with a child proof and corrosion resistant fastening system (e.g.

spring loaded jay-bolt).

(iii) with a minimum of 4 x 90 mm diameter weep holes (preferably located in the walls of the pit at the floor level) and with a suitable geotextile material **with a high filtration rating** located around the weep holes.

(iv) with the pit floor being a minimum 300mm below the invert level of the outlet pipelines.

(v) with a **galvanised** heavy duty screen (Lysaght RH3030 Maximesh or similar) located over the outlet pipes draining to the infiltration pit and the kerb. (Similar to a Mascot GRC stormwater discharge control pit, product code DS3SDC).

b. The infiltration/rubble pit shall: -

i. have a minimum 300 mm of soil cover (600 mm where the pit is located under a garden/landscaping area).

ii. be located a minimum of 3.0 metres from the dwelling or other structure (closer if a structural engineer certifies that the infiltration area will not adversely affect the structure) and 2.1 metres from the adjacent side or rear boundaries.

iii. be constructed with a minimum 200 mm thick layer of 20 mm basalt/blue metal (or similar) that is wrapped in a suitable geotextile material covering with a high filtration rating (Geofabrics Bidim "A" range of filtration fabrics or equivalent). A suitable means of dispersing the stormwater over the area of infiltration is to be constructed. Other equivalent methods of infiltration may be adopted.

iv. have a minimum base area of 5.0 square metres (m²).

NOTE: The outlet from the silt arrestor pit to the infiltration area shall be located at least 50 mm below the outlet from the silt arrestor pit to the kerb and gutter.

c. The requirement for an infiltration/rubble pit will not be enforced should the underground soil conditions preclude the construction of the infiltration pit (eg rock is located within 300 mm of the base of the infiltration area). If the infiltration/rubble pit is not constructed then all site stormwater shall be discharged to the kerb and gutter via a sediment/silt arrestor pit (as detailed in note a. above).

All works shall be to the satisfaction of the certifying authority.

d. The overflow pipe/s from the rainwater tank/s shall be directed into the infiltration area.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

14. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning &*

Assessment Regulation 2000, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

15. Smoke alarms are required to be installed in accordance with the relevant provisions of the Building Code of Australia (volume 2) and smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

16. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*', as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Construction Certificate, Principal Certifying Authority & Commencement of Works

17. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and

- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

Home Building Act 1989

18. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Public Utilities

19. A Public Utility Impact Assessment must be carried out to identify all public utility services located on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the building works.

Documentary evidence from the relevant public utility authorities confirming that their requirements have been or are able to be satisfied, must be submitted to the Principal Certifying Authority prior to the commencement of any works.

The owner/builder must make the necessary arrangements and meet the full cost for telecommunication companies, gas providers, Ausgrid, Sydney Water and other authorities to adjust, repair or relocate their services as required.

Landscaping

20. A landscape plan prepared by a qualified professional in the Landscape/Horticultural industry (must be a registered member of either AILDM or AILA) shall be submitted to, and be approved by the PCA, prior to the commencement of works and must detail the following:

- a) A Planting Plan & Plant Schedule which includes proposed species, botanic and common names, pot size at the time of planting, quantity, location, dimensions at maturity, maintenance practices (hedging, shaping etc), as well as any other landscape details to describe the proposed works;
- b) A predominance of species with low water requirements that can withstand poor quality sandy soils;
- c) A 1 x 25 litre (pot size at the time of planting) tree within the site, selecting a species which will attain a minimum height of between 4-7 metres at maturity;

Dilapidation Reports

21. A dilapidation report prepared by a professional engineer, building surveyor or other suitably qualified independent person must be submitted to the satisfaction of the Principal Certifying Authority prior to commencement of any demolition, excavation or building works, in the following cases:

- excavations for new dwellings, additions to dwellings, swimming pools or

the like which are proposed to be located within the *zone of influence* of the footings of any dwelling, associated garage or other substantial structure located upon an adjoining premises,

- new dwellings or additions to dwellings sited up to shared property boundaries (e.g. additions to a semi-detached dwelling or terraced dwellings),
- excavations for new dwellings, additions to dwellings, swimming pools or the like which are within rock and may result in vibration and or potential damage to any dwelling, associated garage or other substantial structure located upon an adjoining premises,
- as otherwise may be required by the Principal Certifying Authority.

The report (including photographs) are required to detail the current condition and status of any dwelling, associated garage or other substantial structure located upon the adjoining premises. A copy of the dilapidation report is to be given to the owners of the premises encompassed in the report/s before commencing any works.

Construction Noise & Vibration Management Plan

22. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works, to the satisfaction of the Council. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Temporary Site Fencing

23. Temporary site safety fencing must be provided to the perimeter of the site (unless the site is separated from the adjoining land by an existing structurally adequate fence, having a minimum height of 1.5 metres).

Temporary site fences are to have a height of 1.8 metres and be constructed of cyclone wire fencing, with geotextile fabric attached to the inside of the fence to provide dust control, or other material approved by Council.

Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

Temporary fences must be in place prior to the commencement of any demolition, excavation or building works and be maintained throughout construction.

If it is proposed to locate any site fencing, hoardings, amenities or articles upon any part of the footpath, nature strip or public place at any time, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services before placing any item or article on the road, footpath or nature strip.

Construction Site Management

24. A *Construction Site Management Plan* must be developed and implemented

prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing / hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

25. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*

- Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.

Demolition & Construction Waste

26. A *Demolition and Construction Waste Management Plan* (WMP) must be developed and implemented for the development.

The Waste Management Plan must provide details of the type and quantities of demolition and construction waste materials, proposed re-use and recycling of materials, methods of disposal and details of recycling outlets and land fill sites.

Where practicable waste materials must be re-used or recycled, rather than disposed and further details of Council's requirements including relevant guidelines and pro-forma WMP forms can be obtained from Council's Customer Service Centre or by telephoning Council on 9399 0999.

Details and receipts verifying the recycling and disposal of materials must be kept on site at all times and presented to Council officers upon request.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

27. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Road/Asset Opening Permit

28. A Road / Asset Opening Permit must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the Roads Act 1993 and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

For further information, please contact Council's Road / Asset Opening Officer on 9399 0691 or 9399 0999.

Tree Management

29. Approval is granted for removal of all existing vegetation within the site due to their small size and insignificance, as well as to accommodate the proposed works as shown, subject to full implementation of the approved landscaping.

Site Signage

30. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the principal *contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that “unauthorised entry to the work site is prohibited”.

Restriction on Working Hours

31. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

32. All work and activities must be carried out in accordance with the relevant regulatory requirements and Randwick City Council policies, including:
- Occupational Health & Safety Act 2000 & Regulations
 - WorkCover NSW Code of Practice for the Safe Removal of Asbestos
 - WorkCover NSW Guidelines and Codes of Practice
 - Australian Standard 2601 (2001) – Demolition of Structures
 - The Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Waste) Regulation 2005
 - Relevant DECCW/EPA Guidelines
 - Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

33. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (ie an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

34. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.

Details must be shown in a *Sediment and Erosion Control Plan*, including; a site plan; indicating the slope of land, access points & access control measures, location and type of sediment & erosion controls, location of existing vegetation to be retained, location of material stockpiles and storage areas, location of building operations and equipment, methods of sediment control, details of drainage systems and details of existing and proposed vegetation.

A copy of the Sediment and Erosion Control Plan must be provided to the Principal Certifying Authority and a copy must be maintained on site and be made available to Council officers upon request.

Public Safety & Site Management

35. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature

strip at any time.

- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- Bulk bins/waste containers must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

36. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
37. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring or piling are to be submitted to and approved by the Principal Certifying Authority for the development prior to commencing such excavations or works.

38. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:
- when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
 - when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (eg. semi-detached or terrace dwelling);
 - when constructing a wall to a dwelling or associated structure that is

located within 900mm of a dwelling located on the adjoining land.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in accordance with the abovementioned report, to the satisfaction of the *Principal Certifying Authority*.

Survey Requirements

39. A Registered Surveyor's check survey certificate or other suitable documentation must be obtained at the following stage/s of construction to demonstrate compliance with the approved setbacks, levels, layout and height of the building to the satisfaction of the Principal Certifying Authority (PCA):

- prior to construction (pouring of concrete) of the footings or first completed floor slab,
- upon completion of the building, prior to issuing an occupation certificate,
- as otherwise may be required by the PCA.

The survey documentation must be forwarded to the Principal Certifying Authority and a copy is to be forwarded to the Council, if the Council is not the Principal Certifying Authority for the development.

Building Encroachments

40. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the *Principal Certifying Authority* issuing an *Occupation Certificate*.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

41. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

42. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Council's Infrastructure, Vehicular Crossings & Road Openings

43. Prior to the issuing of an occupation certificate the applicant must meet the full cost for Council or a Council approved contractor to:
- a) Construct a new concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the new car space for the existing dwelling at the subject site.
 - b) Construct a new concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the car space for the new dwelling at the subject site.
 - c) Remove the redundant layback and to reinstate the area with concrete footpath, turf and integral kerb and gutter to Council's specification.
44. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
45. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to issuing an occupation certificate, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.
46. The naturestrip upon Council's footway shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu Turf or similar. Such works shall be installed prior to the issue of a final Occupation Certificate.

Stormwater Drainage

47. Prior to the issuing of an occupation certificate, the applicant shall submit to the Principal Certifying Authority (PCA) and Council, certification from a suitably qualified and experienced Hydraulic Engineer confirming that the design and construction of the stormwater drainage system complies with Australian Standard 3500.3:2003 (Plumbing & Drainage- Stormwater Drainage) and the conditions of this development approval. The certification

must be provided following inspection/s of the site stormwater drainage system by the certifying engineers and shall be provided to the satisfaction of the PCA.

Waste Management

48. Prior to the occupation of the development, the owner or applicant is required to contact Council's City Services department, to make the necessary arrangements for the provision of waste services for the additional premises.

Council's Infrastructure, Vehicular Crossings & Road Openings

49. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:

- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
- b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to issuing an occupation certificate, together with payment of the relevant fees.
- c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
- d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

External Lighting

50. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Waste Management

51. Adequate provisions are to be made within the premises for the storage and removal of waste and recyclable materials, to the satisfaction of Council.

Street Numbering

52. Street numbering must be provided to the front of the premises in a prominent position, in accordance with the Australia Post guidelines and AS/NZS 4819 (2003) to the satisfaction of Council.

Waste Management

53. Adequate provisions are to be made within the premises for the storage and

removal of waste and recyclable materials, to the satisfaction of Council.

Protection of the Environment Operations Act 1997 – Rainwater Tanks

54. The operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Department of Environment & Conservation Noise Control Guidelines.

Rainwater Tank Requirements

55. The installation of rainwater tanks shall comply with the following noise control requirements: -

- a) The operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Department of Environment & Conservation Noise Control Guidelines.

- b) Plant and equipment associated with rainwater tanks are to be enclosed in a sound absorbing enclosure or installed within a building, to minimise noise emissions and possible nuisance to nearby residents.
- c) The operation of plant and equipment associated with rainwater tanks are to be restricted to the following hours if the noise emitted can be heard within a habitable room in any other residential premises:
- before 8.00am or after 8.00pm on weekends or public holiday; or
 - before 7.00am or after 8.00pm on weekdays.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from Council or an Accredited Certifier
- Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.

A7 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

A8 The finished ground levels external to the building must be consistent with the development consent and are not to be raised, other than for the provision of approved paving or the like on the ground.

- A9 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A10 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.
- A11 Further information and details on Council's requirements for trees on development sites can be obtained from the recently adopted Tree Technical Manual, which can be downloaded from Council's website at the following link, <http://www.randwick.nsw.gov.au> - Looking after our environment – Trees – Tree Management Technical Manual; which aims to achieve consistency of approach and compliance with appropriate standards and best practice guidelines.

MOTION: (Andrews/Procopiadis) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D35/12 Development Application Report - 2 Coast Hospital Road, Little Bay (DA/129/2012) (DA/129/2012)

PL40/12

RESOLUTION: (Woodsmith/Andrews)

That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 129/2012 for internal fit-out and use of a vacant tenancy as a café, installation of an external illuminated wall sign and outdoor seating area within the Prince Henry Community Centre (Heritage Conservation Area) at No. 2 Coast Hospital Road, Little Bay, subject to the following conditions:

DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

- The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan No. / Title	Drawn by	Dated
Layout A-01	Studio Fourteen	07.11.11
Kitchen Layout A-02		07.11.11
Reflected Ceiling Plan A-03		07.11.11
External Elevation A-06		27.11.11
Elevations A-07		07.11.11
Internal Elevation A-08		07.11.11
Internal Elevation A-09		07.11.11
Internal Elevation A-10		07.11.11
Prince Henry Centre Café		Not dated but date stamped by

Outline of The Style of Business Proposal		Council on 29/2/12
Specification for proposed café at Prince Henry Centre Part Lot 73 DP 270427		Not dated but date stamped by Council on 29/2/12

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either an Accredited Certifier or Randwick City Council. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

2. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

Plan of Management

3. A Plan of Management shall be submitted to and approved by Council which details the measures to be implemented but not limited to:

- ensure compliance with the relevant conditions of approval,
- minimise the potential impact of the operation of the premises upon nearby residents,
- effectively minimise and manage anti-social behaviour,
- minimise noise emissions and associated nuisances,
- effectively manage and respond to resident complaints,
- ensure responsible service of alcohol and harm minimisation, and
- demonstrate how staff and any new staff will achieve these objectives;
- operational details regarding waste management and deliveries.

Long Service Levy Payments

4. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposits

5. The following security deposits requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to Council's assets and infrastructure; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$1,000.00 - Damage / Civil Works Security Deposit

The security deposits may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the works which confirms that there has been no damage to Council's assets and infrastructure.

The developer/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge and other assets prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Development Engineer upon issuing of an occupation certificate or completion of the civil works.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia & Relevant Standards

6. In accordance with section 80A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA).
7. Access and facilities for people with disabilities must be provided to new building work in accordance with the relevant requirements of the Building Code of Australia, Disability (Access to Premises – Buildings) Standards 2010, relevant Australian Standards and conditions of consent, to the satisfaction of the Certifying Authority. Details of the required access and facilities for people with disabilities are to be included in the plans/specifications for the construction certificate.
8. Detailed design drawings of the food storage (eg. cool room) and grease trap in the basement/parking area must be included in the plans/specifications for the construction certificate. The design must be consistent with relevant Australian Standards and Council requirements.
9. Detailed design drawings of the mechanical ventilation system in the kitchen (showing the location of discharge points) are to be included in the plans/specifications for the construction certificate. The design must be consistent with relevant Australian Standards and Council requirements.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification and Building Inspection Requirements

10. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- d) at least two days notice must be given to the Council, in writing, prior to commencing any works; and

Sydney Water

11. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

Prior to the commencement of excavation or building works, the approved Construction Certificate plans must be submitted to a Sydney Water Quick Check agent or Customer Centre, to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For Quick Check agent details please refer to Sydney Water's web site at www.sydneywater.com.au and go to the Building, Developing and Plumbing, then Quick Check or Building and Renovating or telephone 13 20 92.

The principal certifying authority must ensure that a Quick Check Agent/Sydney Water has appropriately stamped the plans before commencing works.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections during Construction

12. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Building & Demolition Work Requirements

13. All demolition and building work associated and activities must be carried out in accordance with the following requirements:
- Occupational Health & Safety Act 2000 & Regulations

- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Requirements, Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997
- The Protection of the Environment Operations (Waste) Regulation 2005
- DECC/EPA Waste Classification Guidelines
- Randwick City Council's Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.

Public Safety & Site Management

14. Public safety and convenience must be maintained at all times during construction works and the following requirements must be complied with:

- Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.
- Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- Site fencing, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council.

Applications to place site fencing, waste container or other articles in a public place can be made to Council's Health, Building and Regulatory Services department.

Restriction on Working Hours

15. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm

(except as detailed below)	<ul style="list-style-type: none"> • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted
Additional requirements for all development	<ul style="list-style-type: none"> • Saturdays and Sundays where the preceding Friday and/or the following Monday is a public holiday - No work permitted
Internal fit-out work within a commercial or industrial development which is not audible within any residential dwelling or commercial or industrial premises or meeting areas within the Prince Henry Community Centre.	<ul style="list-style-type: none"> • Monday to Saturday - No time limits (subject to column 1) • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Building Encroachments

16. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

17. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

Fire Safety Certificate Requirements

18. Prior to issuing an interim or final Occupation Certificate, a single and complete Fire Safety Certificate, which encompasses all of the essential fire safety measures contained in the *fire safety schedule* must be obtained and be submitted to Council, in accordance with the provisions of the *Environmental Planning and Assessment Regulation 2000*. The *Fire safety Certificate* must be consistent with the *Fire Safety Schedule* which forms part of the Construction Certificate.

A *Fire Safety Statement* must be provided to the Council on an annual basis, each year following the issue of a *Fire Safety Certificate*, which confirms that all the fire safety measures are operating in accordance with the relevant standards of performance.

A copy of the *Fire Safety Certificate/Fire Safety Statement* must be displayed in the building entrance/foyer at all times and a copy must also be forwarded to Fire and Rescue NSW.

Waste Management

19. Adequate provisions are to be made within the premises for the storage, collection and disposal of trade/commercial waste and recyclable materials, to the satisfaction of Council.

Trade/commercial waste materials must not be disposed in or through Council's domestic garbage service. All trade/commercial waste materials must be collected by Council's Trade Waste Service or a waste contractor authorised by the Waste Service of New South Wales and details of the proposed waste collection and disposal service are to be submitted to Council prior to commencing operation of the business.

The operator of the business must also arrange for the recycling of appropriate materials and make the necessary arrangements with an authorised waste services contractor accordingly.

20. Any liquid trade waste materials are to be disposed of in accordance with the requirements of the Sydney Water, Trade Waste Department (i.e. via a grease trap) and details of compliance are to be submitted to the Principal Certifying Authority prior to the commencement of any works.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

The following conditions have been applied to ensure that noise emissions from the development satisfy legislative requirements and maintain reasonable levels of amenity to the area:

21. **Within Three (3) months of commencement of the outdoor dining area being used** for the development and from time to time as may be requested by Council, a report must be obtained from a suitably qualified and experienced consultant in acoustics, and submitted to Council which demonstrates and certifies that noise from the use and operation from the development complies with the relevant provisions of the *Protection of the Environment Operations Act 1997*, NSW EPA/DECC Noise Control Manual & Industrial Noise Policy and conditions of Council's consent.
1. The acoustic report is to include (but not be limited) to;
 - Noise emission from the proposed development (e.g. operational noise, mechanical noise, monitoring from nearest affected residential premises during the use and operation of the premises when there is maximum occupancy to satisfy intrusiveness and amenity criteria)
 - Patron noise from the development having regard to the external dining

and the proposed hours of operation

- Background noise levels shall be taken between 10:00pm – 11:00pm in the absence of any other restaurants/cafes operating in the area.

Any recommendations or requirements which form part of this acoustic report are to be accepted in writing by Council's Manager Health & Building Regulatory Services prior to their implementation.

22. The sale, supply and consumption of alcohol must not take place at the premises except with or ancillary to the service of food to be consumed on the premises and the relevant liquor licence under the *Liquor Act 2007*.
23. The premises, in part or in whole (including outdoor dining area), are not to be used solely for the consumption of alcohol and patrons must be seated at a table all times.
24. Amplified music, entertainment or any other ancillary activity is not permitted within the public forecourt, except with prior development consent.
25. No additional signage is to be erected without development consent from Council.
26. The proposed use of the premises and the operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997* and Regulations.

In this regard, the operation of the premises and plant and equipment shall not give rise to a sound pressure level at any affected premises that exceeds the background ($L_{A90}, 15 \text{ min}$) noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A). The source noise level shall be assessed as an $L_{Aeq, 15 \text{ min}}$ and adjusted in accordance with the NSW Environmental Protection Authority's Industrial Noise Policy 2000 and Environmental Noise Control Manual (sleep disturbance).

27. The use of the premises and the operation of plant and equipment shall not give rise to the transmission of a vibration nuisance or damage to other premises.
28. The hours of the operation of the business are restricted to:

Monday to Thursday:	7.00am – 10.00pm
Friday and Saturday:	7.00am – 11.00pm
Sunday:	8.00am – 10.00pm

All food services to customers in the external dining area shall only be provided within the abovementioned hours of operation and all patrons must vacate the area and all outdoor furniture is to be removed within 30 minutes of the specified hours.

The hours specified above are subject to a review period in accordance with Section 80(A)(10B) of the Environmental Planning & Assessment Act 1979 and Division 14 of the Environmental Planning and Assessment Regulation 2000.

The hours of operation will be reviewed by Council within 12 months of the date of commencement. The operator of the premises must provide Council with appropriate supporting evidence (including, but not limited to, relevant acoustics measurements) to demonstrate compliance with all conditions of this consent as part of the review.

29. Deliveries of food and the like are restricted to the following hours to minimise any disturbances to the surrounding area.

Monday to Friday: 7.00am – 9.00pm
Saturday and Sunday: 8.00am – 9.00pm

This condition applies where noise being made whilst delivering can be heard from within any habitable room of any neighbouring residence and is only subject to change at the discretion of the Manager of Health, Building & Regulatory Services.

30. The L_{10} noise level emitted from the licensed premises shall not exceed the background noise level (L_{90}) in any Octave Band Centre Frequency (31.5Hz – 8kHz inclusive) by more than 5dB between 7.00am and 12.00 midnight at the boundary of any affected residence. The background noise level shall be measured in the absence of noise emitted from the licensed premises.

The L_{A10} noise level emitted from the licensed premises shall not exceed the background noise level (L_{A90}) in any Octave Band Centre Frequency (31.5Hz – 8kHz inclusive) between 12.00 midnight and 7.00am at the boundary of any affected residence. The background noise level shall be measured in the absence of noise emitted from the licensed premises.

Notwithstanding compliance with the above, the noise from the licensed premises shall not be audible within any habitable room in any residential premises between the hours of 12.00 midnight and 7.00am.

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from an Accredited Certifier or Council
- An Accredited Certifier or Council has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA), Disability (Access to Premises – Buildings) Standards 2010 and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards. You are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

A4 Any proposed amendments to the design and construction of the building may require a new development application or a section 96 amendment to the existing consent to be obtained from Council, before carrying out such works

A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article in a public place.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A6 There are to be no emissions or discharges from the premises, which will give rise to an environmental or public nuisance or result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

A7 In existing buildings, the levels of fire and occupant safety should be upgraded where necessary and details should be incorporated in the Construction Certificate to the satisfaction of the Certifying authority.

Where the levels of accessibility to existing buildings do not meet current standards, if practicable, the level of accessibility should also be upgraded in conjunction with the proposed development (e.g. via the installation of a 1:8 access ramp within the building) and details included in the construction certificate application.

Building owners, applicants and builders are advised to liaise with the appointed Certifying Authority prior to lodgement of the Construction Certificate.

A8 A separate development application and construction certificate or a complying development certificate (as applicable) must be obtained if the premises is to be used for any of the purposes detailed below:

- All food businesses (including premises used for the sale, storage, preparation and distribution of food and drinks)
- Hairdressing salons, Beauty salons, Businesses involving Skin Penetration & Piercing, Massage businesses
- Licensed premises, places of public entertainment and hotels
- Places of Shared Accommodation (including Boarding / Lodging Houses, Bed & Breakfast businesses, Backpackers, Residential Hotels or the like)
- Cooling Towers or Warm Water Systems
- External plant and equipment which is not encompassed in the development consent
- Business providing any form of sexual service (i.e. brothel or the like).

Business premises which are used for any of these purposes must comply with relevant public health and safety legislation and requirements and they must

be registered with Council prior to an Occupation Certificate being issued for the development. The relevant registration and inspection fee is also required to be paid to Council in accordance with Council's adopted Pricing Policy.

- A9 The applicant/owner is advised to engage the services of a suitably qualified and experienced Acoustic consultant, prior to finalising the design and construction of the development, to ensure that the relevant noise criteria and conditions of consent can be fully satisfied.

MOTION: (Woodsmith/Andrews) CARRIED UNANIMOUSLY - SEE RESOLUTION.

Miscellaneous Reports

Nil.

Notice of Rescission Motions

Nil.

The meeting closed at 7.21pm.

The minutes of this meeting were confirmed at the Planning Committee Meeting of the Council of the City of Randwick held on Tuesday, 8 May 2012.

.....
CHAIRPERSON