

THESE MINUTES ARE DRAFT UNTIL CONFIRMED AT THE NEXT MEETING OF THIS COUNCIL AND/OR COMMITTEE

MINUTES OF PLANNING COMMITTEE MEETING OF THE COUNCIL OF THE CITY OF RANDWICK HELD ON TUESDAY, 12 FEBRUARY 2013 AT 6:27PM

Present:

The Mayor, Councillor T Bowen (East Ward)

- | | |
|--------------|--|
| North Ward | - Councillors K Neilson, L Shurey & K Smith (Chairperson), |
| South Ward | - Councillors R Belleli, D'Souza & P Garcia |
| East Ward | - Councillors M Matson & B Roberts |
| West Ward | - Councillors G Moore, S Nash & H Stavrinou |
| Central Ward | - Councillors A Andrews, Cr T Seng (arrived 7.26pm) & G Stevenson (Deputy Chairperson) |

Officers present:

| | |
|--|-----------------|
| General Manager | Mr R Brownlee |
| Director City Services | Mr J Frangoules |
| Director City Planning | Ms S Truuvert |
| Director Governance & Financial Services | Mr G Banting |
| Manager Development Assessment | Mr K Kyriacou |
| Communications Manager | Mr J Hay |
| Senior Administrative Coordinator | Ms J Hartshorn |

The meeting was adjourned at 6.27pm and was resumed at 6.51pm.

Apologies

An apology was received from Cr Seng (for late arrival).

RESOLVED: (Nash/Andrews) that the apology received from Cr Seng (for late arrival) be accepted.

Confirmation of the Minutes

CONFIRMATION OF THE MINUTES OF THE PLANNING COMMITTEE MEETING HELD ON TUESDAY 4 DECEMBER 2012

PL1/13

RESOLUTION: (Andrews/Matson) that the Minutes of the Planning Committee Meeting held on Tuesday 4 December 2012 (copies of which were circulated to all Councillors) be and are hereby confirmed as a correct record of the proceedings of that meeting.

Declarations of Pecuniary and Non-Pecuniary Interests

- a) Cr Neilson declared a non significant non pecuniary interest in Item D10/13 as the objector is known to her.
- b) Cr Neilson declared a significant non pecuniary interest in Item D9/13 as the objector is known to her. Cr Neilson indicated that she would not take part in the debate or the vote on this matter.

Address of Council by Members of the Public

Prior to consideration of the Agenda by the Committee, deputations were received in respect of the following matters:

D1/13 48 CUZCO STREET, SOUTH COOGEE (DA/238/2012)

Objector Clive Stiff

Applicant Tom Hardwick

D2/13 35 BREAM STREET, COOGEE (DA/714/2012)

Applicant Richard Moore

D3/13 16 DOUGLAS STREET, CLOVELLY (DA/335/2012)

Applicant Neil Hill (representing the applicant)

D7/13 3R MARINE PARADE, MAROUBRA (DA/659/2012)

Applicant David Simpson (representing the applicant)

D9/13 66 GUBBUTEH ROAD, LITTLE BAY (DA/781/2008/D)

Objector Corrado Palleschi (representing the objector)

D12/13 15 SEASIDE PARADE, SOUTH COOGEE (DA/465/2012)

Objector Roland Brown

Cr Seng arrived at the meeting at this point (7.26pm).

Applicant Alan Sandilands

The meeting was adjourned at 7.34pm and was resumed at 7.50pm.

Urgent Business

Nil.

Development Application Reports

D1/13 Development Application Report - 48 Cuzco Street, South Coogee (DA/238/2012)

PL2/13

RESOLUTION: (Andrews/Neilson) that Council, as the consent authority, grant development consent under Section 80 and 80A of the Environmental Planning and Assessment Act 1979 (as amended) to Development Application No. DA/238/2012 for substantial alterations and additions to the existing dwelling including new upper level at 48 Cuzco Street, South Coogee subject to the schedule of conditions outlined in this report:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| Plan | Issue | Drawn by | Stamped |
|-----------------------------|---------------|-----------------|------------------|
| DA002 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA003 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA004 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA005 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA006 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA007 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA008 | 03 07.09.2012 | MCK Architects | 7 September 2012 |
| DA009 | 03 07.09.2012 | MCK Architects | 7 September 2012 |
| DA010 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA011 | 02 12.06.2012 | MCK Architects | 12 June 2012 |
| DA015 Colours/ Materials | 02 12.06.2012 | MCK Architects | 12 June 2012 |

| BASIX Certificate | No. | Dated |
|--------------------------|------------|---------------|
| 48 Cuzco Street , Coogee | 422749S | 05 April 2012 |

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

2. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

Section 94A Development Contributions

3. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$1,204,846.00, the following applicable monetary levy must be paid to Council: \$12,048.46

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate [or subdivision certificate] being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the

Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

4. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Sydney Water

5. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Developing* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans prior to issuing the construction certificate.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

6. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

7. Smoke alarms are required to be installed in dwellings in accordance with the relevant provisions of the Building Code of Australia (volume 2), smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

8. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

Stormwater Drainage

9. A surface water/stormwater drainage system must be provided in accordance with the following requirements, to the satisfaction of the Certifying Authority and details are to be included in the construction certificate:-

- a) Surface water/stormwater drainage systems must be provided in accordance with the relevant requirements of the Building Code of Australia (Volume 2);
- b) The surface water/stormwater must be drained and discharged to the street gutter or, subject to site suitability, the stormwater may be drained to a suitably designed absorption pit;
- c) Any absorption pits or soaker wells should be located not less than 3m from any adjoining premises and the stormwater must not be directed to any adjoining premises or cause a nuisance;
- d) External paths and ground surfaces are to be constructed at appropriate levels and be graded and drained away from the building and adjoining premises, so as not to result in the entry of water into the building, or cause a nuisance or damage to the adjoining premises;
- e) Details of any proposed drainage systems or works to be carried out in the road, footpath or nature strip must be submitted to and approved by Council before commencing these works.

Building & Design

10. The external walls of the dwelling must be located not less than 900mm from the site boundary.
11. Eaves, gutters, hoods and similar structures or attachments are required to be setback from the side boundaries of the allotment a minimum distance of 450mm.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the 'Principal Certifying Authority' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

12. Prior to the commencement of any building works, the following requirements

must be complied with:

- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

13. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Dilapidation Reports

14. A dilapidation report prepared by a professional engineer, building surveyor or other suitably qualified independent person must be submitted to the satisfaction of the Principal Certifying Authority prior to commencement of any demolition, excavation or building works, in the following cases:
 - excavations for new dwellings, additions to dwellings, swimming pools or the like which are proposed to be located within the *zone of influence* of the footings of any dwelling, associated garage or other substantial structure located upon an adjoining premises,
 - new dwellings or additions to dwellings sited up to shared property boundaries (e.g. additions to a semi-detached dwelling or terraced dwellings),
 - excavations for new dwellings, additions to dwellings, swimming pools or the like which are within rock and may result in vibration and or potential damage to any dwelling, associated garage or other substantial structure located upon an adjoining premises,
 - as otherwise may be required by the Principal Certifying Authority.

The report (including photographs) are required to detail the current condition and status of any dwelling, associated garage or other substantial structure located upon the adjoining premises, which may be affected by the subject works. A copy of the dilapidation report is to be given to the owners of the premises encompassed in the report/s before commencing any works.

Construction Noise & Vibration Management Plan

15. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Construction Site Management Plan

16. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing/hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

17. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as

applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste demolition/building materials
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Public Utilities

18. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.
19. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid, and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

20. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction

certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

21. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:

- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
- name, address and telephone number of the *Principal Certifying Authority*,
- a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

22. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|---|---|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |
| Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like | <ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted |

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

23. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Work Health & Safety Act 2011 and Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Regulations
- Relevant DECCW/EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

24. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

25. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

26. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

- b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.

- c) The road, footpath, vehicular crossing and nature strip must be

maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.

- d) Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.
- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- g) Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

27. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
28. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring, piling or other measures are to be submitted to and approved by the Principal Certifying Authority.

29. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:
 - when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
 - when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (e.g. semi-detached or terrace dwelling);

- when constructing a wall to a dwelling or associated structure that is located within 900mm of a dwelling located on the adjoining land.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in accordance with the abovementioned report, to the satisfaction of the *Principal Certifying Authority*.

Building Encroachments

30. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Road/Asset Opening Permit

31. A *Road/Asset Opening Permit* must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road/Asset Opening Permit* must be complied with.

For further information, please contact Council's Road/Asset Opening Officer on 9399 0691 or 9399 0999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the *Principal Certifying Authority* issuing an *Occupation Certificate*.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

32. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

33. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Occupant Safety

34. Openable windows to a room, corridor, stairway or the like with a floor level more than 4m above the external ground/surface level, must be designed and

constructed to reduce the likelihood of a child accessing and falling through the window opening.

Options may include one or more of the following measures:

- The window having a minimum sill height of 1.5m above the internal floor level,
- Providing a window locking device at least 1.5m above the internal floor level,
- Fixing or securing the window (e.g. by screws or a window locking device) to restrict or to be able to secure the extent of the opening to a maximum width of 125mm,
- Installing a fixed heavy-duty gauge metal screen over the opening (excluding upon any front or street elevation of the building) e.g. A metal security screen or metal security mesh and frame system, but not standard fly-screen material,
- Other appropriate effective safety measures or barrier.

The relevant measures must be implemented prior to the issue of an occupation certificate.

Council's Infrastructure, Vehicular Crossings, street verge

35. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
36. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
 - a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Pre-paid Works Application Form, prior to issuing an occupation certificate, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.
37. That part of the naturestrip upon Council's footway which is damaged during the construction of the proposed works shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu turf or similar. Such works shall be completed at the applicants expense prior to the issue of a final Occupation Certificate.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Use of premises

38. The premises must only be used as a single residential dwelling and must not be used for dual or multi-occupancy purposes.

External Lighting

39. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Plant & Equipment

40. The operation of all plant and equipment upon the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an LAeq, 15 min sound pressure level at any affected premises that exceeds the background LA90, 15 min noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment & Heritage (EPA) Noise Control Guidelines.

Air Conditioners

41. Air conditioning plant and equipment shall not be operated during the following hours if the noise emitted can be heard within a habitable room in any other residential premises, or, as otherwise specified in relevant Noise Control Regulations:

- before 8.00am or after 10.00pm on any Saturday, Sunday or public holiday; or
- before 7.00am or after 10.00pm on any other day.

Rainwater Tanks

42. The operation of plant and equipment associated with rainwater tanks are to be restricted to the following hours if the noise emitted can be heard within a habitable room in any other residential premises:

- before 8.00am or after 8.00pm on weekends or public holiday; or
- before 7.00am or after 8.00pm on weekdays.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each

offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

A2 Demolition, building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from Council or an Accredited Certifier
- Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.

A7 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A8 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

MOTION: (Andrews/Neilson) CARRIED UNANIMOUSLY - SEE RESOLUTION.

**D2/13 Development Application Report - 35 Bream Street, Coogee
(DA/714/2012)**

PL3/13

RESOLUTION: (Roberts/Andrews) that Council as the consent authority grant its development consent under of Section 80 and 80A of the Environmental Planning and Assessment Act 1979 to Development Application No. DA/714/2012 for the demolition of existing carport and construction of a new front double carport, new front fence and installation of rainwater tank at 35 Bream Street, Coogee, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received by Council</i> |
|-------------|-----------------|-----------------|----------------------------|
| 12043-1 | A. Bullen | 21 October 2012 | 5 November 2012 |

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirement:
 - a. The new concrete vehicular crossing shall be widened to 4m at kerb opposite the vehicular entrance to the site to improve car manoeuvrability.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must

be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

4. The colours, materials and finishes of the external surfaces are to be compatible with the existing building and adjacent development to maintain the integrity and amenity of the building and the streetscape. Any metal roof sheeting is to be pre-painted (e.g. Colourbond) to limit the level of reflection and glare.

Long Service Levy Payments

5. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposit

6. The following damage/civil works security deposit requirement must be complied with as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$600.00 - Damage/Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Design Alignment levels

7. The design alignment level (the finished level of concrete, paving or the like) at the property boundary for driveways, access ramps and pathways or the like, must match the back of the existing footpath along the full site frontage.

The design alignment level/s at the property boundary as issued by Council and their relationship to the footpath must be indicated on the building plans for the construction certificate (a construction note is considered satisfactory). The design alignment level at the street boundary, as issued by the Council, must be strictly adhered to.

Any enquiries regarding this matter should be directed to Council's Development Engineer on 9399 0881.

8. The above alignment levels and the site inspection by Council's Development Engineer have been issued at a prescribed fee of \$135.00 (inclusive of GST). This amount is to be paid prior to a construction certificate being issued for the development.

Stormwater Drainage

9. Surface water/stormwater (from the redeveloped portion of the site) must be drained and discharged to the street gutter or suitably designed absorption pit, to the satisfaction of the Certifying Authority and details are to be included in the construction certificate application for the development.

Absorption pits or soaker wells should be located not less than 2.1m from any boundary and 3.0m from a structure and the stormwater must not be directed to any adjoining premises or cause a nuisance.

Details of any works proposed to be carried out in or on a public road/footway are to be submitted to and approved by Council prior to commencement of works.

Sydney Water

10. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Development* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

11. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the 'Principal Certifying Authority' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

12. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
 - d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
 - e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

13. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Noise & Vibration

14. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW DECC Guidelines must be satisfied at all times.

Public Utilities

15. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any

public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.

16. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid, and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

17. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Site Signage

18. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

19. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|---|---|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |
| Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like | <ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted |

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional

circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

20. The demolition of buildings must be carried out in accordance with Australian Standard 2601 (2001) – Demolition of Structures and the relevant requirements of WorkCover NSW, Randwick City Council's Asbestos Policy and the *Protection of the Environment Operations Act 1997*.

Removal of Asbestos Materials

21. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements and Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal Certifying Authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately, in accordance with the relevant conditions of consent.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Public Safety & Site Management

22. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a

professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

- b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- d) Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.
- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.

Support of Adjoining Land, Excavations & Retaining Walls

23. Excavations and adjoining land must be adequately supported at all times and the following requirements must be satisfied:

- a) In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
- b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.
- c) Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:
 - when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
 - when demolishing or constructing a wall of a dwelling that is built to a common or shared boundary (e.g. semi-detached or terrace dwelling);
 - as otherwise required by the *Principal Certifying Authority*.

The work and provision of support to the adjoining land, must be carried out in accordance with the abovementioned report, to the satisfaction of

the *Principal Certifying Authority*.

Building Encroachments

24. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Road / Asset Opening Permit

25. A Road/Asset Opening Permit must be obtained from Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the Roads Act 1993 and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

The owner/builder must ensure that all works within or upon the road reserve, footpath, nature strip or other public place are completed to the satisfaction of Council, prior to the issuing of a final occupation certificate for the development.

For further information, please contact Council's Road/Asset Opening Officer on 9399 0691 or 9399 0999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the *'Principal Certifying Authority'* issuing an *'Occupation Certificate'*.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

26. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

Council's Infrastructure, Vehicular Crossings, street verge

27. The applicant must meet the full cost for Council or a Council approved contractor to:
- a. Construct a 4.0m wide concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the site.
 - b. Remove any redundant concrete vehicular crossing and layback and to reinstate the area with concrete footpath, turf and integral kerb and gutter to Council's specification.
28. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
29. All external civil work to be carried out on Council property (including the

installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:

- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Pre-paid Works Application Form, prior to an occupation certificate being issued for the development, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.
30. That part of the naturestrip upon Council's footway which is damaged during the construction of the proposed works shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu turf or similar. Such works shall be completed at the applicant's expense.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Plant & Equipment

31. The operation of all plant and equipment on the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A1 Demolition, building or excavation work must not be commenced until;
- A Construction Certificate has been obtained from Council or an Accredited Certifier
 - Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
 - Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.
- A2 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.
- A3 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.
- A4 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article in a public place.
- For further information please contact Council's Building Approvals & Certification team on 9399 0944.
- A5 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A6 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:
- the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the *Access to Neighbouring Land Act 2000*, or
 - an easement under section 88K of the *Conveyancing Act 1919*, or
 - an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.
- Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).
- A7 Demolition work and removal of asbestos materials:

- *A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.*
- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*

- A8 Any external lighting to the premises should be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.
- A9 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

[Reasons for decision:

1. On the basis of planning grounds, given the existing use of the structure.
2. Given that the proposal will result in no loss of on street parking and an increase in the width of the driveway.
3. On the basis of public interest considerations.]

AMENDMENT: (Neilson/Matson) that the application be deferred to enable the submission of amended plans that reduce the proposed solid element to the street and provide for an open carport. **LOST.**

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

| FOR | AGAINST |
|--------------------|----------------------|
| Councillor Bowen | Councillor Andrews |
| Councillor D'Souza | Councillor Belleli |
| Councillor Garcia | Councillor Nash |
| Councillor Matson | Councillor Roberts |
| Councillor Moore | Councillor Seng |
| Councillor Neilson | Councillor Smith |
| Councillor Shurey | Councillor Stavrinou |
| | Councillor Stevenson |
| Total (7) | Total (8) |

MOTION: (Roberts/Andrews) CARRIED – SEE RESOLUTION.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

| FOR | AGAINST |
|----------------------|--------------------|
| Councillor Andrews | Councillor Moore |
| Councillor Belleli | Councillor Neilson |
| Councillor Bowen | Councillor Shurey |
| Councillor D'Souza | |
| Councillor Garcia | |
| Councillor Matson | |
| Councillor Nash | |
| Councillor Roberts | |
| Councillor Seng | |
| Councillor Smith | |
| Councillor Stavrinou | |
| Councillor Stevenson | |
| Total (12) | Total (3) |

D3/13 Development Application Report - 16 Douglas Street, Clovelly (DA/335/2012)

PL4/13

RESOLUTION: (Matson/Shurey) that Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/335/2012 for the construction of a new two (2) storey dwelling house with double garage, rear in-ground swimming pool, and associated plant room, at No.16 Douglas Street, Clovelly, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Rev</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received by Council</i> |
|------------------------------------|------------|------------------------|----------------|----------------------------|
| CD-02 – Site Plan & landscape plan | A | Sarkis Hill Architects | 24 May 2012 | 25 May 2012 |
| CD-03 - Proposed ground floor | A | | 5 October 2012 | 5 October 2012 |
| CD-04 – Proposed first floor | C | | | |
| CD-05 – Sections | | | | |
| CD-06 – Sections | | | | |
| CD-07 – Elevations | | | | |
| CD-08 - Elevations | | | | |

| <i>BASIX Certificate</i> | <i>No.</i> | <i>Dated</i> |
|--------------------------|------------|--------------|
| Single Dwelling | 430168S | 24 May 2012 |

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements:
 - a. Filtering equipment associated with the pool shall be contained within an acoustic enclosure. The enclosure shall be designed and constructed by a suitably qualified person and meeting the requirements of Condition 63. The pool plant equipment and enclosure shall be identified on the construction certificate plans to the satisfaction of the Principal Certifying Authority.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the

Assessment Regulation 2000, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

4.
 - a) An amended schedule of colours, materials and finishes, consistent with the requirements of part b), c) and d), is to be submitted to and approved by the Director of City Planning prior to the issue of a construction certificate for the development.
 - b) The colours, materials and finishes of the external surfaces to the building are to be compatible with the adjacent development to maintain the integrity and amenity of the building and the streetscape.
 - c) All materials used within the development shall be treated so as to minimise the impact of reflectivity upon neighbouring sites. This may be achieved through powder coating or anodizing treatments.
 - o The zinc cladding proposed at first floor level on the south and west elevations shall be suitably treated for glare prior to installation.
 - d) Specific material and colour treatment proposed to the western boundary walls shall be provided within the amended schedule as required by part a), above. Specifically;
 - o The material finish of the boundary walls shall be amended to provide enhanced visual interest and soften the impact of bulk from the neighbouring sites;
 - o The boundary walls shall be finished in a medium colour tone.

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$368,500.00, the following applicable monetary levy must be paid to Council: \$3685.00.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate [or subdivision certificate] being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Sydney Water Requirements

7. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Development* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans prior to issuing the construction certificate.

Security Deposit

8. The following damage/civil works security deposit requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$1000.00 - Damage/Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Design Alignment levels

9. The design alignment level (the finished level of concrete, paving or the like) at the property boundary for driveways, access ramps and pathways or the like, must match the back of the existing footpath along the full site frontage.

The design alignment level/s at the property boundary as issued by Council and their relationship to the footpath must be indicated on the building plans for the construction certificate. The design alignment level at the street boundary, as issued by the Council, must be strictly adhered to.

Any enquiries regarding this matter should be directed to Council's Development Engineer on 9399 0881.

10. The above alignment levels and the site inspection by Council's Development Engineering Section have been issued at a prescribed fee of \$535 calculated at \$46.00 (inclusive of GST) per metre of site frontage. This amount is to be paid prior to a construction certificate being issued for the development.

Driveway Design

11. The internal access driveway must be designed and constructed in accordance with the following requirements;
- The levels of the driveway must match the alignment levels at the property boundary (as specified by Council).
 - The gradient of the driveway shall not exceed 1 in 10 (10%)
 - The internal driveway shall be reduced in width to a maximum of 5.0m at the front property alignment (measured along the line of the front property alignment) and re-configured to accept vehicles from Douglas Street at right angles to the street alignment while also allowing adequate vehicular access into the proposed double garage.

Details of compliance with the above requirements are to be included in the construction certificate documentation;

Sydney Water

12. Prior to the issuing of a construction certificate the approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect any Sydney Water asset's sewer and water mains, stormwater drains and/or easement, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au for Quick Check agent details and Guidelines for Building Over/Adjacent to Sydney Water Assets.

Stormwater Drainage

13. **Stormwater drainage plans have not been approved as part of this development consent.** Prior to the issuing of a construction certificate, detailed drainage plans with levels reduced to Australian Height Datum (AHD), shall be prepared by a suitably qualified Hydraulic Engineer and be submitted to and approved by the certifying authority. A copy of the plans shall be forwarded to Council, if Council is not the certifying authority.

The drainage plans must demonstrate compliance with the Building Code of Australia, Australian Standard AS3500.3:2003 (Plumbing and Drainage - Stormwater Drainage) and the relevant conditions of this development approval.

14. Generally all site stormwater shall be piped to a sediment/silt arrester pit that then drains to Council's kerb and gutter in front of the site in Douglas Street.

NOTES:

- a. The sediment/silt arrester pit shall be constructed: -
- (i) within the site at or near the street boundary.
 - (i) with a child proof and corrosion resistant fastening system (e.g. spring loaded jay-bolt).
 - (ii) with a minimum of 4 x 90 mm diameter weep holes (preferably located in the walls of the pit at the floor level) and with a suitable geotextile material **with a high filtration rating** located around the weep holes.

level of the outlet pipelines.

(iv) with a **galvanised** heavy duty screen (Lysaght RH3030 Maximesh or similar) located over the outlet pipe draining to the kerb. (Similar to a Mascot GRC stormwater discharge control pit, product code DS3SDC).

(v) A sign adjacent to this pit stating that:

"This sediment/silt arrester pit shall be regularly inspected and cleaned."

Note: Sketch details of a standard sediment/silt arrester pit can be obtained from Council's Drainage Engineer.

b. The overflow pipe/s from any rainwater tank/s shall be directed into the sediment arrester pit.

15. Any stormwater runoff which cannot be directed to the kerb and gutter at the front of the property (via the sediment arrester pit as detailed above) shall be discharged either:

a) Through private drainage easements to Council's kerb and gutter (or underground drainage system); OR

b) To a separate suitably sized infiltration area. As a guide, infiltration areas which do not have an overflow to the street shall be sized based on a minimum requirement of 1 m² of infiltration area (together with 1 m³ of storage volume) for every 20 m² of roof/impervious area draining to the infiltration area.

Prior to the use of infiltration in areas where there is no formal overland escape route to Council's kerb and gutter/street drainage system, a geotechnical investigation will be required to determine whether the ground is suitable for infiltration. Should rock and/or a water table be encountered within two metres of the proposed base of the infiltration pit, or the ground conditions comprise low permeability soils such as clay, infiltration may not be appropriate.

NOTE: Should the applicant be unable to obtain a private drainage easement over properties to the rear of the development site (to facilitate stormwater discharge in accordance with option a)); and ground conditions preclude the use of infiltration (Option b), consideration may then be given to the use of a charged system or a pump out system to drain that portion of the site that cannot be drained by gravity to the kerb and gutter at the front of the property.

16. Should a charged system be required to drain any portion of the site, the charged system must be designed with suitable clear-outs/inspection points at pipe bends and junctions.

17. Should a pump system be required to drain any portion of the site the system must be designed with a minimum of two pumps being installed, connected in parallel (with each pump capable of discharging at the required discharge rate) and connected to a control board so that each pump will operate alternatively. The pump wet well shall be sized for the 1 in 100 year, 2 hour storm assuming both pumps are not working.

The pump system must also be designed and installed strictly in accordance with Randwick City Council's Stormwater Code.

18. All pump out water must pass through a stilling pit prior to being discharged by

gravity to the kerb and gutter.

19. All site stormwater which is discharged into an infiltration/absorption tank and/or discharged from the site via easement, must also be taken through a sediment/silt arrester pit.

Protection of neighbours trees

20. In order to ensure retention of the *Acmena smithii* (Lilly Pilly) located beyond the western boundary, within 43 Fern Street, as well as the row of *Archontophoenix cunninghamiana* (Bangalow Palms) adjacent the southeast corner of the site, within 18 Douglas Street, and the *Jacaranda mimosifolia* (Jacaranda) within 4 Nolan Street in good health, the following measures are to be undertaken:

- a. All documentation submitted for the Construction Certificate application must show the retention of these neighbouring trees, with the position and diameter of both their trunks and canopies/crowns to be clearly and accurately shown on all drawings.
- b. To minimise the possibility of root damage, there must be no strip footings associated with new masonry walls/boundary fencing or raised planter boxes along the southern and eastern boundaries, in the area between the pool plant room and the covered terrace respectively.
- c. All initial excavations for the new dwelling, within a 2 metre radius of the Lilly Pilly, as well as for the masonry wall along the eastern edge of the covered terrace, also within a 2 metre radius of the Bangalow Palms, measured off the dividing fence adjacent the centreline of their trunks, must be initially dug by hand, to a minimum depth of 600mm, and a minimum width of 200mm, being careful not to damage any roots during this process.
- d. Prior to commencing works in these areas, the applicant must contact Council's Landscape Development Officer on 9399-0613, giving at least working days notice, to arrange an inspection of these trenches and any roots encountered.
- e. Where approval is given for the pruning of roots that are in direct conflict with the works, they must be cut cleanly by hand, and the affected area backfilled with clean site soil as soon as practically possible. Alternatively, if significant roots which need to be retained are found, both components will need to be flexible enough to allow a re-design to ensure their preservation.
- f. Should the pruning of any additional branches from these neighbouring trees be sought, only where they overhang the common boundary and need to be pruned to avoid damage to the trees or interference with the works, the applicant must contact Council's Landscape Development Officer on 9399-0613 to arrange an inspection to determine the exact location and extent of pruning that is permissible.
- g. If permission is granted, it must be carried out in accordance with Council's instructions, only by an Arborist who holds a minimum of AQF Level III in Arboriculture, and to the requirements of Australian Standard AS 4373-2007 'Pruning of Amenity Trees,' and NSW Work Cover Code of Practice for the Amenity Tree Industry (1998).
- h. To protect the Jacaranda, there is to be no storage of materials or machinery or site office/sheds, nor is cement to be mixed or chemicals spilt/disposed of and no stockpiling of soil or rubble within a 2 metre radius of the southeast corner, with all Site Management Plans needing to acknowledge these requirements.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the

development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

21. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

22. Smoke alarms are required to be installed in accordance with the relevant provisions of the Building Code of Australia (volume 2) and smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

23. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'* (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

24. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent

plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

Home Building Act 1989

25. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Dilapidation Reports

26. A dilapidation report prepared by a professional engineer, building surveyor or other suitably qualified independent person must be submitted to the satisfaction of the Principal Certifying Authority prior to commencement of any demolition, excavation or building works, in the following cases:

- excavations for new dwellings, additions to dwellings, swimming pools or the like which are proposed to be located within the *zone of influence* of the footings of any dwelling, associated garage or other substantial structure located upon an adjoining premises,
- new dwellings or additions to dwellings sited up to shared property boundaries (e.g. additions to a semi-detached dwelling or terraced dwellings),
- excavations for new dwellings, additions to dwellings, swimming pools or the like which are within rock and may result in vibration and or potential damage to any dwelling, associated garage or other substantial structure located upon an adjoining premises,
- as otherwise may be required by the Principal Certifying Authority.

The report (including photographs) are required to detail the current condition and status of any dwelling, associated garage or other substantial structure located upon the adjoining premises. A copy of the dilapidation report is to be given to the owners of the premises encompassed in the report/s before commencing any works.

Construction Noise & Vibration Management Plan

27. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and

NSW DECC Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW DECC Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works, to the satisfaction of the Council. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Construction Site Management Plan

28. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing/hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

29. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented

- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Demolition & Construction Waste

30. A *Demolition and Construction Waste Management Plan* (WMP) must be developed and implemented for the development, to the satisfaction of Council.

The Waste Management Plan must provide details of the type and quantities of demolition and construction waste materials, proposed re-use and recycling of materials, methods of disposal and details of recycling outlets and land fill sites.

Where practicable waste materials must be re-used or recycled, rather than disposed and further details of Council's requirements including relevant guidelines and pro-forma WMP forms can be obtained from Council's Customer Service Centre or by telephoning Council on 9399 0999.

Details and receipts verifying the recycling and disposal of materials must be kept on site at all times and presented to Council officers upon request.

Public Utilities

31. A *Public Utility Impact Assessment* must be carried out to identify all public utility services located on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the building works.

Documentary evidence from the relevant public utility authorities confirming that their requirements have been or are able to be satisfied, must be submitted to the Principal Certifying Authority prior to the commencement of any works.

The owner/builder must make the necessary arrangements and meet the full cost for telecommunication companies, gas providers, Ausgrid, Sydney Water and other authorities to adjust, repair or relocate their services as required.

Landscaping

32. A landscape plan prepared by a qualified professional in the Landscape/Horticultural industry (must be a registered member of either AILD or AILA) shall be submitted to, and be approved by, the PCA, prior to the commencement of works, and must detail the following:

- a) A Planting Plan & Plant Schedule which includes proposed species, botanic and common names, pot size at the time of planting, quantity,

- location, dimensions at and any other details required to describe the proposed works;
- b) A predominance of suitably selected and located decorative species which are not dependant on high rates of moisture and fertilizer for survival;
 - c) At least 1 x 25 litre (pot size at the time of planting) feature tree within the site, selecting a species which will attain a minimum height of between 4-7 metres at maturity;
 - d) Evergreen screen planting selecting a species which will attain a minimum height of 2.5m at maturity shall be provided within a 1 metre wide garden bed along the eastern and southern boundaries, between the covered terrace and pool respectively.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

33. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

34. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
 - name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

35. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|--|--|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |

| | |
|---|---|
| Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like | <ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted |
|---|---|

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

36. All work and activities must be carried out in accordance with the relevant regulatory requirements and Randwick City Council policies, including:

- Work Health and Safety Act 2011
- Occupational Health and Safety (Hazardous Substances) Regulation 2001
- Occupational Health and Safety (Asbestos Removal Work) Regulation 2001
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997
- Protection of the Environment Operations (Waste) Regulation 2005
- Relevant Office of Environment & Heritage / Environment Protection Authority (EPA) and WorkCover NSW Guidelines.
- Randwick City Council Asbestos Policy (adopted 13 September 2005)

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

37. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying

Authority.

- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

38. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.

Details must be shown in a *Sediment and Erosion Control Plan*, including; a site plan; indicating the slope of land, access points & access control measures, location and type of sediment & erosion controls, location of existing vegetation to be retained, location of material stockpiles and storage areas, location of building operations and equipment, methods of sediment control, details of drainage systems and details of existing and proposed vegetation.

A copy of the Sediment and Erosion Control Plan must be provided to the Principal Certifying Authority and a copy must be maintained on site and be made available to Council officers upon request.

Public Safety & Site Management

39. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

- b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- d) Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- e) Sediment and erosion control measures, must be implemented

throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.

- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- g) Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.
- h) Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

40. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.

41. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring, piling or other measures are to be submitted to and approved by the Principal Certifying Authority.

42. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:

- when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
- when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (e.g. semi-detached or terrace dwelling);
- when constructing a wall to a dwelling or associated structure that is located within 900mm of a dwelling located on the adjoining land.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in accordance with the abovementioned report, to the satisfaction of the

*Principal Certifying Authority.***Survey Requirements**

43. A Registered Surveyor's check survey certificate or other suitable documentation must be obtained at the following stage/s of construction to demonstrate compliance with the approved setbacks, levels, layout and height of the building to the satisfaction of the Principal Certifying Authority (PCA):
- prior to construction (pouring of concrete) of the footings or first completed floor slab,
 - upon completion of the building, prior to issuing an occupation certificate,
 - as otherwise may be required by the PCA.

The survey documentation must be forwarded to the Principal Certifying Authority and a copy is to be forwarded to the Council, if the Council is not the Principal Certifying Authority for the development.

Building Encroachments

44. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Road/Asset Opening Permit

45. A *Road/Asset Opening Permit* must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road / Asset Opening Permit* must be complied with.

For further information, please contact Council's Road / Asset Opening Officer on 9399 0691 or 9399 0999.

Site Amenities

46. Temporary toilet facilities are to be provided, at or in the vicinity of the work site throughout the course of demolition and construction, to the satisfaction of WorkCover NSW and the toilet facilities must be connected to a public sewer or other sewage management facility approved by Council.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the *'Principal Certifying Authority'* issuing an *'Occupation Certificate'*.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

47. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and

conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

48. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Occupant Safety

49. Openable windows to a room, corridor, stairway or the like with a floor level more than 4m above the external ground/surface level, must be designed and constructed to reduce the likelihood of a child accessing and falling through the window opening.

Options may include one or more of the following measures:

- The window having a minimum sill height of 1.5m above the internal floor level,
- Providing a window locking device at least 1.5m above the internal floor level,
- Fixing or securing the window (e.g. by screws or a window locking device) to restrict or to be able to secure the extent of the opening to a maximum width of 125mm,
- Installing a fixed heavy-duty gauge metal screen over the opening (excluding upon any front or street elevation of the building) e.g. A metal security screen or metal security mesh and frame system, but not standard fly-screen material,
- Other appropriate effective safety measures or barrier.

The relevant measures must be implemented prior to issue of an *occupation certificate*.

Swimming Pool Safety

50. Swimming pools are to be provided with childproof fences and self-locking gates, in accordance with the *Swimming Pools Act 1992* and regulations.

The swimming pool is to be surrounded by a fence having a minimum height of 1.2m, that separates the pool from any residential building situated on the premises and from any place (whether public or private) adjoining the premises; and that is designed, constructed and installed in accordance with AS 1926.1 - 2007.

Gates to pool area shall be a maximum width of 1 metre, and be self-closing and latching; the gate is required to open outwards from the pool area and prevent a small child opening the gate or door when the gate or door is closed.

A 'warning notice' must be erected in a prominent position in the immediate vicinity of the swimming pool, in accordance with the provisions of the *Swimming Pools Regulation 2008*, detailing pool safety requirements, resuscitation techniques and the importance of the supervision of children at all times.

Spa Pool Safety

51. Spa pools are to be provided with a child resistant barrier, in accordance with the provisions of the *Swimming Pools Act 1992* and regulations.

A 'warning notice' must be erected in a prominent position in the immediate vicinity of the swimming pool, in accordance with the provisions of the *Swimming Pools Regulation 2008*, detailing pool safety requirements, resuscitation techniques and the importance of the supervision of children at all times.

Swimming Pool & Spa Pool Requirements

52. Swimming pools (and spa pools) are to be designed, installed and operated in accordance with the following general requirements:
- a) Backwash of the pool filter and other discharge of water is to be drained to the sewer in accordance with the requirements of the Sydney Water Corporation; and
 - b) All pool overflow water is to be drained away from the building and adjoining premises, so as not to result in a nuisance or damage to premises; and
 - c) Water recirculation and filtrations systems are required to comply with AS 1926.3 – 2010: Swimming Pool Safety – Water Recirculation and Filtration Systems; and
 - d) Pool plant and equipment is to be enclosed in a sound absorbing enclosure or installed within a building, to minimise noise emissions and possible nuisance to nearby residents.

Notification of Swimming Pools & Spa Pools

53. Written notification must be provided to Council advising of the installation and completion of the Swimming Pool (or Spa Pool), to satisfy the requirements of the *Swimming Pools Act 1992*.

Council's "Notification & Registration of a Swimming Pool" (which can be found on Council's website under 'Find a Form') form must be completed and forwarded to Council prior to any Occupation Certificate being issued for the pool.

Council's Infrastructure, Vehicular Crossings & Road Openings

54. Prior to the issuing of an occupation certificate the applicant must meet the full cost for Council or a Council approved contractor to:
- a) Construct a maximum 5.0m wide concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the site.
55. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
56. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Pre-paid Works Application Form, prior to issuing an occupation certificate, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil

works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.

- d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.

57. The nature-strip upon Council's footway shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu Turf or similar. Such works shall be installed prior to the issue of a final Occupation Certificate.

Stormwater Drainage

58. Prior to the issuing of an occupation certificate, the applicant shall submit to the Principal Certifying Authority (PCA) and Council, certification from a suitably qualified and experienced Hydraulic Engineer confirming that the design and construction of the stormwater drainage system complies with Australian Standard 3500.3:2003 (Plumbing & Drainage- Stormwater Drainage) and the conditions of this development approval. The certification must be provided following inspection/s of the site stormwater drainage system by the certifying engineers and shall be provided to the satisfaction of the PCA.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Use of premises

59. The premises is to be used as a single residential dwelling only at all times and must not be used for dual or multi-occupancy purposes.

External Lighting

60. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Street Numbering

61. Street numbering must be provided to the front of the premises in a prominent position, in accordance with the Australia Post guidelines and AS/NZS 4819 (2003) to the satisfaction of Council.

Waste Management

62. Adequate provisions are to be made within the premises for the storage and removal of waste and recyclable materials, to the satisfaction of Council.

Protection of the Environment Operations Act 1997 – Swimming Pools & Spa Pools/ Plant & Equipment

63. The operation of all plant and equipment on the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to

an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment & Heritage (EPA) Noise Control Guidelines.

Swimming/Spa Pools

64. The pool plant and equipment shall not be operated during the following hours if the noise emitted can be heard within a habitable room in any other residential premises, or, as otherwise specified in relevant Noise Control Regulations:

- before 8.00am or after 8.00pm on any Sunday or public holiday; or
- before 7.00am or after 8.00pm on any other day.

Air Conditioners

65. Air conditioning plant and equipment shall not be operated during the following hours if the noise emitted can be heard within a habitable room in any other residential premises, or, as otherwise specified in relevant Noise Control Regulations:

- before 8.00am or after 10.00pm on any Saturday, Sunday or public holidays; or
- before 7.00am or after 10.00pm on any other day.

Rainwater Tanks

66. The operation of plant and equipment associated with rainwater tanks are to be restricted to the following hours if the noise emitted can be heard within a habitable room in any other residential premises:

- before 8.00am or after 8.00pm on weekends or public holidays; or
- before 7.00am or after 8.00pm on weekdays.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

A2 Demolition, building or excavation work must not be commenced until;

- A Construction Certificate has been obtained from Council or an Accredited Certifier
- Council or an Accredited Certifier has been appointed as the Principal Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.
- A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.
- A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.
- For further information please contact Council's Building Approvals & Certification team on 9399 0944.
- A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.
- A7 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:
- the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the *Access to Neighbouring Land Act 2000*, or
 - an easement under section 88K of the *Conveyancing Act 1919*, or
 - an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.
- Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).
- A8 The finished ground levels external to the building must be consistent with the development consent and are not to be raised, other than for the provision of approved paving or the like on the ground.
- A9 Prior to commencing any works, the owner/builder should contact Dial Before You Dig on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A10 The applicant is to advise Council in writing and/or photographs of any signs of

existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

- A11 Further information and details on Council's requirements for trees on development sites can be obtained from the recently adopted Tree Technical Manual, which can be downloaded from Council's website at the following link, <http://www.randwick.nsw.gov.au> - Looking after our environment – Trees – Tree Management Technical Manual; which aims to achieve consistency of approach and compliance with appropriate standards and best practice guidelines.

MOTION: (Matson/Shurey) CARRIED - SEE RESOLUTION.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

| FOR | AGAINST |
|----------------------|----------------------|
| Councillor Belleli | Councillor Andrews |
| Councillor Bowen | Councillor Moore |
| Councillor D'Souza | Councillor Roberts |
| Councillor Garcia | Councillor Stavrinou |
| Councillor Matson | |
| Councillor Nash | |
| Councillor Neilson | |
| Councillor Seng | |
| Councillor Shurey | |
| Councillor Smith | |
| Councillor Stevenson | |
| Total (11) | Total (4) |

D4/13 Development Application Report - 14 Reservoir Street, Little Bay (DA/66/2012/A)

PL5/13

RESOLUTION: (Andrews/Stavrinou) that Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/66/2012 to modify the existing development consent to delete the swimming pools and associated decks to the rear of the dwellings, increase the depth of the first floor balcony of No.14, reduce the size of the rear ground floor deck of No.14A and alter the internal ceiling cladding of No.14, at 14-14A Reservoir Street Little Bay subject to the following conditions:

- **Amend Condition No. 1 to read:**
1. The development must be implemented substantially in accordance with the plans and supporting information listed below and endorsed with Council's approved stamp,

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> |
|-------------|-----------------|--------------|
| 012/0002-1 | GM | 02.02.12 |
| 012/0002-2 | GM | 02.02.12 |
| 012/0002-3 | GM | 02.02.12 |
| 012/0002-4 | GM | 02.02.12 |
| 012/0002-5 | GM | 02.02.12 |
| 012/0002-6 | GM | 02.02.12 |
| 012/0002-7 | GM | 02.02.12 |
| 012/0002-8 | GM | 02.02.12 |
| 012/0002-9 | GM | 02.02.12 |

| <i>BASIX Certificate</i> | <i>No.</i> | <i>Dated</i> |
|--------------------------|------------|--------------|
| | | |

| | | |
|--|---------|-----------------|
| | 413746S | 3 February 2012 |
| | 413747S | 3 February 2012 |

except as amended by the **Section 96 plans as detailed below**, and as may be amended by the following conditions and as may be shown in red on the attached plans.

| Plan | Drawn by | Dated |
|---------------|-----------------|--------------|
| 012/0002s96-1 | GM | 24.10.12 |
| 012/0002s96-2 | GM | 24.10.12 |

| BASIX Certificate | No. | Dated |
|--------------------------|------------|-----------------|
| | 413746S_02 | 22 October 2012 |
| | 413747S_02 | 22 October 2012 |

MOTION: (Andrews/Stavrinos) CARRIED UNANIMOUSLY - SEE RESOLUTION.

**D5/13 Development Application Report - 86 Dudley Street, Coogee
(DA/452/2010/C)**

PL6/13

RESOLUTION: (Andrews/Stavrinos) that Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 452/2010 to modify the existing development consent and the design of the driveway at 86 Dudley Street Coogee subject to the following conditions:

1. Amended condition 1 to read:

The development must be implemented substantially in accordance with the following plans approved by the Land and Environment Court Judgment on 28 June 2011, numbered 2010-005-A01 to 2010-005-A04 – all issue: E, dated March, 2011 and received by Council on 15 March 2011, the application form and on any supporting information received with the application, as amended by the following:

- Section 96AA plans
- **Section 96**
- Section 96 'B' plan numbered 2010-005-A01, dated 12.12.2011 and received by Council on 14 December 2011, and
- **Section 96 'C' plan numbered 2010-005-A01, Issue S96-J, dated 25.01.2012** and received by Council on 18 June 2012.

only in so far as they relate to the modifications detailed in the Section 96 applications and highlighted in the Section 96 plans as amended by the following conditions and as may be shown in red on the attached plans.

| Plan | Drawn by | Dated | Received by Council |
|------------------------------|------------------------------------|--------------|----------------------------|
| 2010-005-A01, Issue S96-H | Brenchley Architects Pty Ltd | 16/11/2011 | 17 November 2011 |
| 2010-005-A02 Issue S96-H | | | |
| 2010-005-A03 Issue S96-H | | | |
| 2010-005-A04 Issue S96-H | | | |
| 2010-005-A05 Issue S96-H | | 08/08/2011 | 12 August 2011 |

2. Amend Condition No. 14a) to read:

- 14a) Prior to the issuing of an Occupation Certificate the applicant must meet the full cost for Council or a Council approved contractor to:
- a. Construct a full width heavy duty concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the site. The western edge of the vehicular crossing shall be located a maximum of 1metre from the centreline of the existing power pole located to the west of the proposed vehicular crossing. Council's preference, however is for the vehicular crossing to be located as close as possible to the power pole and the applicant must liaise with Ausgrid to determine the minimum offset permissible. The vehicular crossing shall be constructed in accordance with advice from Ausgrid.

MOTION: (Andrews/Stavrinou) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D6/13 Development Application Report - Shop 2/393 Anzac Parade, Kingsford - DA/797/2012

PL7/13

RESOLUTION: (Andrews/Stavrinou) that Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/797/2012 for permission an internal fit-out and change of use of the premises for remedial and traditional Thai massage and new signage, at Shop 2/393 Anzac Parade, Kingsford, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received</i> |
|-----------------------|-----------------|---------------|-----------------|
| 12.153 (Sheet 1 of 1) | John Spiteri | December 2012 | 3 December 2012 |

2. The minimum clear distance from the existing footpath in Anzac Parade to the underside of the proposed under-awning advertising sign, (i.e. the sign to be installed above the footpath in Anzac Parade), shall be 2.60 metres.
3. The under awning sign shall be internally illuminated only.
4. The intensity of the light in the illuminated sign shall be designed so as not to cause a nuisance to nearby residents or motorists and to ensure that light overspill does not affect the amenity of the area.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

5. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

7. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Development* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans prior to issuing the construction certificate.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Building Code of Australia & Fire Safety

8. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance are to be provided in the construction certificate.
9. In existing buildings, the following works are to be carried out to ensure

minimum levels of fire safety (as applicable) to the satisfaction of the Certifying Authority:

- Any residential parts of the building must be provided with a smoke detection and alarm system, in accordance with the relevant provisions of the Building Code of Australia.
- Any residential part/s of the building are to be suitably fire-separated from the commercial area encompassed in this development application.

Details of the abovementioned items and other building and fire safety works are to be included in the construction certificate.

Access & Facilities

10. Access and/or facilities for people with disabilities must be provided to new buildings and new building work in accordance with the relevant provisions of the Building Code of Australia, Disability (Access to Premises – Buildings) Standards 2010, to the satisfaction of the Certifying Authority.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

11. **Prior to the commencement of any building (including 'fit-out' work), a construction certificate must be obtained from the Council or an accredited certifier**, in accordance with the provisions of the Environmental Planning & Assessment Act 1979 and Environmental Planning & Assessment Regulation 2000.

A copy of the construction certificate, the approved plans and development consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment

Certification, PCA & other Regulatory Requirements

12. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and

- d) at least two days notice must be given to the Council, in writing, prior to commencing any works; and
- e) the relevant requirements of the *Home Building Act 1989* (as applicable) must be complied with and details provided to the Principal Certifying Authority and Council.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Building Inspections

13. The works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Excavations & Support of Adjoining Land

14. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.

Permitted Working Hours

15. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|---|---|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |
| Excavating of rock, use of jack-hammers, pile-drivers or the like | <ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted |
| Internal work only within a commercial or industrial development, located in a commercial or industrial zone, which is not audible within any residential dwelling or commercial or industrial premises | <ul style="list-style-type: none"> • Monday to Saturday - No time limits (subject to column 1) • Sunday & public holidays - No work permitted |

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the

standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Construction Site Management, Public Health & Safety

16. Public health, safety and convenience must be maintained at all times during demolition and building works and the following requirements must be complied with at all times (as applicable):

- a) Demolition work must be carried out in accordance with Australian Standard, AS2601 (2001) - The Demolition of Structures and a Demolition Work Plan is required to be developed and implemented to the satisfaction of the Principal Certifying Authority prior to commencing any demolition works.
- b) The demolition, removal, storage and disposal of any materials containing asbestos must be carried out in accordance with the relevant requirements of WorkCover NSW, Council's Asbestos Policy and the following requirements:
 - A licence must be obtained from WorkCover NSW for the removal of friable asbestos and or more than 10m² of bonded asbestos (i.e. fibro)
 - Asbestos waste must be disposed of in accordance with the *Protection of the Environment Operations Act 1997* & relevant Regulations
 - A sign must be provided to the site/building stating "Danger Asbestos Removal In Progress"
 - A Clearance Certificate or Statement must be obtained from a suitably qualified person (i.e. Occupational Hygienist) upon completion of the asbestos removal works, which is to be submitted to the Principal Certifying Authority and Council prior to issuing an Occupation Certificate.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

- c) A sign must be provided and maintained in a prominent position throughout the works, which contains the following details:
 - name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".
- d) The roadway, footpath and nature strip must be maintained in a good, safe condition and free from any obstructions, trip hazards, materials, soils or debris at all times. Any damage caused to the road, footway or nature strip must be repaired immediately, to the satisfaction of Council.
- e) Building materials, sand, soil, waste materials, construction equipment or other materials or articles must not be placed upon the footpath,

roadway or nature strip at any time and the footpath, nature strip and road must be maintained in a clean condition and free from any obstructions, soil and debris at all times.

- f) Bulk bins, waste containers or other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container or other articles in a public place can be made to Council's Health, Building & Regulatory Services department.
- g) During demolition and construction, sediment laden stormwater run-off shall be controlled using the sediment control measures outlined in the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to the satisfaction of Council.
- h) Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

If it is proposed to locate any site fencing, hoardings or items upon any part of the footpath, nature strip or any public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services department beforehand. Details and plans are to be submitted with the application, together with payment of the weekly charge in accordance with Council's adopted Pricing Policy.

- i) Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents.

The requirements and practices contained in the *Protection of the Environment Operations Act 1997* and relevant DECC Construction Noise and Vibration Guidelines are to be satisfied and a Construction Noise and Vibration Management Plan is to be developed and implemented throughout the works to the satisfaction of Council.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

17. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation or use of the development encompassed in this development consent (including alterations, additions and 'fit-out' work to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

Fire Safety Certificate Requirements

18. Prior to issuing an interim or final Occupation Certificate, a single and complete *Fire Safety Certificate*, encompassing all of the essential fire safety measures contained in the *fire safety schedule* must be obtained and be submitted to Council, in accordance with the provisions of the *Environmental Planning and Assessment Regulation 2000*. The *Fire Safety Certificate* must be consistent with the *Fire Safety Schedule* which forms part of the Construction Certificate.

A copy of the *Fire Safety Certificate* must be displayed in the building entrance/foyer at all times and a copy of the *Fire Safety Certificate* and *Fire Safety Schedule* must also be forwarded to Fire & Rescue NSW.

Waste Management

19. Adequate provisions are to be made within the premises for the storage, collection and disposal of trade/commercial waste and recyclable materials, to the satisfaction of Council.
20. Any trade/commercial waste materials must not be disposed in or through Council's domestic garbage service. All trade/commercial waste materials must be collected by Council's Trade Waste Service or a waste contractor authorised by the Waste Service of New South Wales. Details of the proposed waste collection and disposal service are to be submitted to Council prior to commencing operation of the business.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

21. The hours of operation of the business are restricted to:

Hours of Operation

Monday to Saturday: 9:00am – 9:00pm

Sunday: 9:00am – 8:00pm

Public Health & Environmental Amenity

22. The use and operation of the business must be carried out in accordance with the relevant requirements of the Public Health Act 2010, Public Health Regulation 2012 and associated guidelines and codes of best practice, at all times.
23. The use and operation of the premises shall not give rise to an environmental health or public nuisance.

There are to be no emissions or discharges from the premises which give rise to a public nuisance or result in an offence under the *Protection of the Environment Operations Act 1997* and Regulations.

24. The use of the premises and the operation of all plant and equipment must not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997* and Regulations.

In this regard, the operation of the premises and plant and equipment shall not give rise to a sound pressure level at any affected premises that exceeds the

background (L_{A90}), 15 min noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A). The source noise level shall be assessed as an $L_{Aeq, 15 \text{ min}}$ and adjusted in accordance with the NSW Environmental Protection Authority's Industrial Noise Policy 2000 and Environmental Noise Control Manual (sleep disturbance).

25. The business may be the subject of a routine inspection by Council's Environmental Health officer's and relevant inspection fees are payable, as provided in Council's annual Pricing Policy.
26. The premises must be maintained in a clean, healthy and sanitary condition at all times.
27. The operation of the premises is to be restricted to massage only. The premise is not to be used for the purpose of a brothel and in this regard, no sexual services are to be offered in association with the massage usage.
28. Any other treatments/services other than massage will require a separate application to Council and relevant approval shall be obtained (as required) prior to commencement.
29. The owner of the subject site must advise Council in writing of any change in the tenant that is operating the massage shop and advise the new tenant that they must provide Council with the qualifications of all staff involved in providing massage services prior to commencing the new operation.

Fire Safety Statements

30. A single and complete *Fire Safety Statement* (encompassing all of the fire safety measures upon the premises) must be provided to the Council in accordance with the requirements of the *Environmental Planning & Assessment Regulation 2000*.

The *Fire Safety Statement* must be provided on an annual basis, each year following the issue of the *Fire Safety Certificate* and other period if any of the fire safety measures are identified as a *critical fire safety measure* in the *Fire Safety Schedule*.

The *Fire Safety Statement* is required to confirm that all the fire safety measures have been assessed by a properly qualified person and are operating in accordance with the standards of performance specified in the *Fire Safety Schedule*.

A copy of the *Fire Safety Statement* must be displayed in the building entrance/foyer at all times and a copy must also be forwarded to Fire & Rescue NSW.

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these legislative requirements is an offence and may result in the commencement of legal proceedings, issuing of `on-the-spot`

penalty infringements or service of a notice and order by Council.

- A2 The assessment of this development application does not include an assessment of the proposed building work under the Building Code of Australia (BCA) and Disability (Access to Premises – Buildings) Standards 2010.

All new building work must comply with the BCA and relevant Australian Standards and details of compliance must be provided in the Construction Certificate application.

- A3 In existing buildings, the levels of fire and occupant safety should be upgraded where necessary and details should be incorporated in the Construction Certificate to the satisfaction of the Certifying authority.

Where the levels of accessibility to existing buildings do not meet current standards, if practicable, the level of accessibility should also be upgraded in conjunction with the proposed development (e.g. via the installation of a 1:8 access ramp within the building) and details included in the construction certificate application.

Building owners, applicants and builders are advised to speak to the appointed Certifying Authority prior to lodgement of the Construction Certificate.

MOTION: (Andrews/Stavrinos) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D7/13 Development Application Report - 3R Marine Parade, Maroubra (DA/659/2012)

PL8/13

RESOLUTION: (Andrews/Matson) –

- A. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/659/2012 for alterations and additions to the existing Maroubra Surf Life Saving Club including new first floor addition, internal lift and wc, disabled access ramp and associated awning structure at No. 3R Marine Parade, Maroubra, subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> |
|------------------------------|-----------------|--------------|
| Dwg No – 034/12 Sheet 1 of 5 | Classic Plans | 11/10/12 |
| Dwg No – 034/12 Sheet 2 of 5 | Classic Plans | 11/10/12 |
| Dwg No – 034/12 Sheet 3 of 5 | Classic Plans | 11/10/12 |
| Dwg No – 034/12 Sheet 4 of 5 | Classic Plans | 11/10/12 |

Dwg No – 034/12 Sheet 5 of 5

Classic Plans

11/10/12

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either an Accredited Certifier or Randwick City Council. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

2. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

3. The colours, materials and finishes of the external surfaces to the building are to be compatible with the subject property to maintain the integrity and amenity of the building and the streetscape.

Details of the proposed colours, materials and textures (i.e. a schedule and brochure/s or sample board) are to be submitted to and approved by Council's Manager Development Assessments prior to issuing a construction certificate for the development.

Section 94A Development Contributions

4. In accordance with Council's Section 94A Development Contributions Plan effective from 2 July 2007, based on the development cost of \$385,000 the following applicable monetary levy must be paid to Council: \$3,850.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

5. Any required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, is to be forwarded to the Long Service Levy Corporation or the Council, prior to the issuing of a Construction Certificate, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Sydney Water Requirements

6. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Development* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans prior to issuing the construction certificate.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia & Relevant Standards

7. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance are to be provided in the construction certificate.
8. All new building work, including alterations and additions, are to be carried out in accordance with the relevant provisions of the Building Code of Australia (BCA) and details are to be included in the Construction Certificate, to the satisfaction of the Certifying Authority.
9. The applicant must submit a report to the Principal Certifying Authority with the Construction Certificate Application, prepared by a practising, consulting structural engineer, certifying the structural adequacy of the existing dwelling to support the superimposed loads of the proposed alterations and additions.
10. In existing buildings, the following works are to be carried out to ensure minimum levels of fire safety (as applicable) to the satisfaction of the Certifying Authority:
 - Any new or replacement ceilings walls and floor linings and doorways are required to satisfy the relevant requirements of the Building Code of Australia.
 - Any residential parts of the building must be provided with a smoke detection and alarm system, in accordance with the relevant provisions of the Building Code of Australia.

Details of the above works are to be included in the construction certificate, to the satisfaction of the Certifying Authority

Access & Facilities

11. Access and/or facilities for people with disabilities must be provided to all new building work in accordance with any relevant provisions of the Building Code of Australia Disability (Access to Premises – Buildings) Standards 2010, to the satisfaction of the Certifying Authority and details are to be provided with the Construction Certificate application.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'*, as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Regulatory Requirements

12. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
 - d) at least two days notice must be given to the Council, in writing, prior to commencing any works; and
 - e) the relevant requirements of the *Home Building Act 1989* (as applicable) must be complied with and details provided to the Principal Certifying Authority and Council.

Demolition Work & Removal of Asbestos Materials

13. Demolition work must be carried out in accordance with the following requirements:
- a) Demolition work must be carried out in accordance with Australian Standard, AS2601 (2001) - The Demolition of Structures and a Demolition Work Plan is required to be developed and implemented to the satisfaction of the Principal Certifying Authority prior to commencing any demolition works.
 - b) The demolition, removal, storage and disposal of any materials containing asbestos must be carried out in accordance with the relevant requirements of WorkCover NSW, Council's Asbestos Policy and the

following requirements:

- A licence must be obtained from WorkCover NSW for the removal of friable asbestos and or more than 10m² of bonded asbestos (i.e. fibro)
- Asbestos waste must be disposed of in accordance with the *Protection of the Environment Operations Act 1997* & relevant Regulations
- A sign must be provided to the site/building stating "Danger Asbestos Removal In Progress"
- A Clearance Certificate or Statement must be obtained from a suitably qualified person (i.e. Occupational Hygienist) upon completion of the asbestos removal works, which is to be submitted to the Principal Certifying Authority and Council prior to issuing an Occupation Certificate.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Construction Noise & Vibration

14. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant provisions of the *Protection of the Environment Operations Act 1997* must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A Construction Noise and Vibration Management Plan, prepared in accordance with the DECC Construction Noise Guideline, by a suitably qualified person is to be developed and implemented throughout the works, to the satisfaction of the Council. A copy of the plan must be provided to the Council and Principal Certifying Authority prior to the commencement of site works.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Building Inspection Requirements

15. The works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Excavations & Support of Adjoining Land

16. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately

supported at all times.

17. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations are to be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Retaining walls, shoring, or piling must be designed and installed in accordance with appropriate professional standards and the relevant requirements of the Building Code of Australia and Australian Standards. Details of proposed retaining walls, shoring or piling are to be submitted to and approved by the Principal Certifying Authority for the development prior to commencing such excavations or works.

Permitted Working Hours

18. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|--|--|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Construction Site Management

19. Public health, safety and convenience must be maintained at all times during demolition and building works and the following requirements must be complied with at all times:

- a) A sign must be provided and maintained in a prominent position throughout the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".
- b) The roadway, footpath and nature strip must be maintained in a good,

safe condition and free from any obstructions, trip hazards, materials, soils or debris at all times. Any damage caused to the road, footway or nature strip must be repaired immediately, to the satisfaction of Council.

- c) Building materials, sand, soil, waste materials, construction equipment or other materials or articles must not be placed upon the footpath, roadway or nature strip at any time and the footpath, nature strip and road must be maintained in a clean condition and free from any obstructions, soil and debris at all times.
- d) Bulk bins, waste containers or other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container or other articles in a public place can be made to Council's Building Services section.
- e) During demolition and construction, sediment laden stormwater run-off shall be controlled using the sediment control measures outlined in the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to the satisfaction of Council.

Details of the proposed sediment control measures are to be detailed in the *site management plan* which must be submitted to the Principal Certifying Authority and Council prior to the commencement of any site works. The sediment and erosion control measures must be implemented prior to the commencement of any site works and be maintained throughout construction. A copy of the plan is to be maintained on-site and be made available to Council officers upon request.

- f) Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding (having a minimum height of 1.5m) is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible. If necessary, an overhead (B Class type) hoarding may be required to protect the public or occupants of the adjoining premises from falling articles or materials.

If it is proposed to locate any site fencing, hoardings or items upon any part of the footpath, nature strip or any public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services department beforehand. Details and plans are to be submitted with the application, together with payment of the weekly charge in accordance with Council's adopted Pricing Policy.

- g) Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.
- h) A Road/Asset Opening application must be submitted to and be approved by Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the Road/Asset Opening Permit must be complied with.

All works within or upon the road reserve, footpath, nature strip or other public place are to be completed to the satisfaction of Council, prior to the issuing of an occupation certificate for the development. For further information, please contact Council's Road/Asset Opening Officer on 9399 0691 or 9399 0999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificates & Requirements

20. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation or use of the development encompassed in this development consent (including alterations, additions and 'fit-out' work to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

Fire Safety Certificate Requirements

21. Prior to issuing an interim or final Occupation Certificate, a single and complete *Fire Safety Certificate*, encompassing all of the essential fire safety measures contained in the *fire safety schedule* must be obtained and be submitted to Council, in accordance with the provisions of the *Environmental Planning and Assessment Regulation 2000*. The *Fire Safety Certificate* must be consistent with the *Fire Safety Schedule* which forms part of the Construction Certificate.

A copy of the *Fire Safety Certificate* must be displayed in the building entrance/foyer at all times and a copy of the *Fire Safety Certificate* and *Fire Safety Schedule* must also be forwarded to Fire & Rescue NSW.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Fire Safety Statements

22. A single and complete *Fire Safety Statement* (encompassing all of the fire safety measures upon the premises) must be provided to the Council in accordance with the requirements of the *Environmental Planning & Assessment Regulation 2000*.

The *Fire Safety Statement* must be provided on an annual basis, each year

following the issue of the *Fire Safety Certificate* and other period if any of the fire safety measures are identified as a *critical fire safety measure* in the *Fire Safety Schedule*.

The *Fire Safety Statement* is required to confirm that all the fire safety measures have been assessed by a properly qualified person and are operating in accordance with the standards of performance specified in the *Fire Safety Schedule*.

A copy of the *Fire Safety Statement* must be displayed in the building entrance/foyer at all times and a copy must also be forwarded to Fire & Rescue NSW.

Environmental Amenity

23. The use and operation of the premises shall not give rise to an environmental health or public nuisance, cause a vibration nuisance or, result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

Waste Management

24. Adequate provisions are to be made within the premises for the storage, collection and disposal of trade/commercial waste and recyclable materials, to the satisfaction of Council.

Any trade/commercial waste materials must not be disposed in or through Council's domestic garbage service. All trade/commercial waste materials must be collected by Council's Trade Waste Service or a waste contractor authorised by the Waste Service of New South Wales and details of the proposed waste collection and disposal service are to be submitted to the Principal Certifying Authority and Council prior to commencing operation of the business.

The operator of the business must also arrange for the recycling of appropriate materials and make the necessary arrangements with an authorised waste services contractor accordingly.

Operational Hours

25. The hours of operation are restricted to 7:30am – 6:30pm Saturday, Sunday and Public Holidays. Occasional mid-week use: 5:00pm – 10:00pm during resuscitation and first aid training.

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times. Failure to comply with these legislative requirements is an offence and may result in the commencement of legal proceedings, issuing of `on-the-spot` penalty infringements or service of a notice and order by Council.
- A2 Building or excavation work must not be commenced until;
- A Construction Certificate has been obtained from an Accredited Certifier or Council
 - An Accredited Certifier or Council has been appointed as the Principal

Certifying Authority for the development

- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.

- A3 The assessment of this development application does not include an assessment of the proposed building work under the Building Code of Australia (BCA) and Disability (Access to Premises – Buildings) Standards 2010.

All new building work must comply with the BCA and relevant Australian Standards and details of compliance must be provided in the Construction Certificate application.

- A4 In existing buildings, the levels of fire and occupant safety should be upgraded where necessary and details should be incorporated in the Construction Certificate to the satisfaction of the Certifying authority.

Where the levels of accessibility to existing buildings do not meet current standards, if practicable, the level of accessibility should also be upgraded in conjunction with the proposed development (e.g. via the installation of a 1:8 access ramp within the building) and details included in the construction certificate application.

Building owners, applicants and builders are advised to liaise with the appointed Certifying Authority prior to lodgement of the Construction Certificate.

Any proposed amendments to the design and construction of the building may require a new development application or a section 96 amendment to the existing consent to be obtained from Council, before carrying out such works

- A5 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

- A6 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A7 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article in a public place.

For further information please contact Council's Building Approvals & Certification team on 9399 0944.

A8 There are to be no emissions or discharges from the premises, which will give rise to an environmental or public nuisance or result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

A9 In existing buildings, the levels of fire and occupant safety should be upgraded where necessary and details should be incorporated in the Construction Certificate to the satisfaction of the Certifying authority.

Where the levels of accessibility to existing buildings do not meet current standards, if practicable, the level of accessibility should also be upgraded in conjunction with the proposed development (e.g. via the installation of a 1:8 access ramp within the building) and details included in the construction certificate application.

Building owners, applicants and builders are advised to liaise with the appointed Certifying Authority prior to lodgement of the Construction Certificate.

The applicant/owner is advised to engage the services of a suitably qualified and experienced Acoustic consultant, prior to finalising the design and construction of the development, to ensure that the relevant noise criteria and conditions of consent can be fully satisfied.

B. That Council make a donation to the Maroubra Surf Life Saving Club equivalent to the amount of the required s94 contribution for this development application (being \$3,850) and that this be funded from the 2012-13 Contingency Fund.

MOTION: (Andrews/Matson) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D8/13 Development Application Report - 205 Oberon Street, Coogee - DA/500/2010/A

PL9/13

RESOLUTION: (Andrews/Stavrinos) that Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/500/2010/A for permission to alter the internal layout of the dwellings, changes to openings on elevations, alter the shape of the rear first floor balcony, relocation of skylight, changes to the retaining wall in the rear yard including new stairs, at No. 205 Oberon Street, Coogee, subject to the following conditions:

1. The development must be implemented substantially in accordance with the plans numbered DA01 to DA14 and stamped received by Council on 11 February 2011, the application form and on any supporting information received with the application, except as may be amended by the **Section 96 plans numbered S9601 – S9614, Issue S96, dated 23/10/12 and received by Council on 24 October 2012 only in so far as they relate to**

the modifications highlighted on the Section 96 plans and detailed in the Section 96 application, except as may be amended by the following conditions and as may be shown in red on the attached plans:

MOTION: (Andrews/Stavrinou) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D9/13 Development Application Report - 66 Gubbuteh Road, Little Bay - DA/781/2008/D

Having declared a significant non pecuniary interest in this matter earlier in the meeting, Cr Neilson left the chamber during the debate and the vote on the matter.

PL10/13

RESOLUTION: (Andrews/Stavrinou) that Council, as the responsible Consent Authority grant consent under Section 96 of the Environmental Planning and Assessment Act 1979 to modify Development consent No. DA/781/2008 for permissible to modify approved development by deleting Condition no. 61 of the original consent relating to the rear ground floor pergola at 66 Gubbuteh Road, Little Bay, in the following manner:

- **Amend Condition No.1**

1. The development must be implemented substantially in accordance with the plans numbered DA01 dated 2/9/08 and received by Council 30/10/08 and plans numbered DA02 to DA05 dated May 2009 and received by Council 2/6/09, the application form and on any supporting information received with the application, as amended by the:

- Section 96 'A' plans numbered 0610, Issue D, Sheets S9601 – S9603 dated 16 November 2009 and received by Council 19th November 2009;
- Section 96 'B' plans labelled 'pool layout plan' dated 16/11/2010 and 'southern wall detail' dated 04/11/2010 and received by Council 18th November 2010;
- Section 96 'C' plans numbered 0610, Issue E, Sheets S9601 – S9603, dated 08/11/2011 and received by Council on 07/12/2011;
- **Section 96 'D' plans numbered 0610, Issue F, Sheets S9601 – S9604, dated 13 September 2012 and received by Council on 25 October 2012;**

only in so far as they relate to the modifications highlighted on the Section 96 plans and detailed in the Section 96 application, except as may be amended by the following conditions and as may be shown in red on the attached plans:

- **Delete Condition No. 61**

- **Add Condition No. 62**

62. The deck areas of the subject development must not be further enclosed by way of transparent or opaque screens, blinds, walls, windbreaks etc., whether fixed, operable or removable.

MOTION: (Andrews/Stavrinou) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D10/13 Development Application Report - 14 Govett Street, Randwick - DA/251/2011/A

PL11/13

RESOLUTION: (Neilson/Shurey) –

A. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979,

as amended to Development Application No. DA/251/2011/A for permission to modify the approved development by internal alterations, set back of air conditioning units, addition of skylights, changes to some windows, garage set back from lane way, addition of toilet by garage, addition of planter box by garage and alteration to exterior materials at 14 Govett Street, Randwick in the following manner:

- **Amend Condition 1 to read:**

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received by Council</i> |
|--------------|----------------------------|--------------|----------------------------|
| DA.02, Rev b | Matthew Stubbs Partners | July 2011 | 2 August 2011 |
| DA.03, Rev b | | | |
| DA.04, Rev b | | | |
| DA.05, Rev b | | | |
| DA.06, Rev b | | | |
| DA.07, Rev b | | | |

| <i>BASIX Certificate</i> | <i>No.</i> | <i>Dated</i> | <i>Received by Council</i> |
|--------------------------|------------|-----------------|----------------------------|
| Single Dwelling | 378664S | 20 October 2011 | 20 October 2011 |

except as amended by the **Section 96 plans as detailed below**, and as may be amended by the following conditions and as may be shown in red on the attached plans:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received</i> |
|-------------|----------------------------|--------------|------------------|
| DA02, Rev B | Matthew Stubbs Partners | March 2012 | 15 November 2012 |
| DA03, Rev B | | | |
| DA04, Rev B | | | |
| DA05, Rev B | | | |
| DA07, Rev B | | | |

| <i>BASIX Certificate</i> | <i>No.</i> | <i>Dated</i> | <i>Received</i> |
|--------------------------|------------|-----------------|------------------|
| Single Dwelling | 424349S | 18 October 2012 | 12 December 2012 |

B. That the specified hours of operation of the air conditioning unit be forwarded to the objector.

MOTION: (Neilson/Shurey) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D11/13 Development Application Report - 121 Houston Road, Kingsford (DA/678/2012)

PL12/13

RESOLUTION: (Andrews/Nash) –

A. That Council supports the objections under State Environmental Planning Policy No. 1 – Development Standards in respect to non-compliance with State Environmental Planning Policy – Affordable Housing relating to maximum floor area of secondary dwellings on the grounds that the proposed development complies with the objectives of the SEPP – Affordable Housing and will not adversely affect the amenity of the locality, and that the Department of Planning

be advised accordingly.

- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 678/2012 for the construction of a secondary dwelling at 121 Houston Road Kingsford subject to the following conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

| <i>Plan</i> | <i>Drawn by</i> | <i>Dated</i> | <i>Received by Council</i> |
|---------------------|-----------------|--------------|----------------------------|
| 120501-DA02 Issue A | HD | 05/10/12 | 22/10/12 |
| 120501-DA03 Issue A | HD | 05/10/12 | 22/10/12 |
| 120501-DA04 Issue A | HD | 05/10/12 | 22/10/12 |
| 120501-DA05 Issue A | HD | 05/10/12 | 22/10/12 |
| 120501-DA06 Issue A | HD | 05/10/12 | 22/10/12 |

| <i>BASIX Certificate No.</i> | <i>Dated</i> | <i>Received by Council</i> |
|------------------------------|-------------------------------|-------------------------------|
| A149210 | 17 th October 2012 | 22 nd October 2012 |

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

2. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

3. Details of the proposed colours, materials and textures (i.e. a schedule and brochure/s or sample board) are to be submitted to and approved by Council's Manager Development Assessments prior to issuing a construction certificate for the development.

Long Service Levy Payments

4. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposit

5. The following damage/civil works security deposit requirement must be complied with as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$600.00 - Damage/Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Stormwater Drainage

6. Stormwater runoff (from the redeveloped portion of the site) must be drained and discharged to the street gutter in front of the site to the satisfaction of the certifying authority and details of the proposed stormwater drainage system are to be included in the construction certificate details for the development.

Details of any works proposed to be carried out in or on a public road/footway are to be submitted to and approved by Council prior to commencement of works.

Sydney Water

7. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneypwater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see *Building and Development* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

8. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Smoke Alarms

9. Smoke alarms are required to be installed in dwellings in accordance with the relevant provisions of the Building Code of Australia (volume 2), smoke alarms must comply with AS3786. Smoke alarms must be connected to the consumer mains electric power supply and provided with a battery back-up. Details of compliance are to be included in the construction certificate.

BASIX Requirements

10. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the 'Principal Certifying Authority' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

11. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

12. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Site Management Plan

13. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing/hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;

- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

14. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste demolition/building materials
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Public Utilities

15. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.
16. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid, and Sydney Water to adjust/repair/relocate their services

as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

17. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

18. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

19. Building, demolition and associated site works must be carried out in accordance with the following requirements:

| Activity | Permitted working hours |
|---|---|
| All building, demolition and site work, including site deliveries (except as detailed below) | <ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted |
| Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like | <ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted |

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of

the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

20. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Work Health & Safety Act 2011 and Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Regulations
- Relevant DECCW/EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

21. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

22. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater –

Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

23. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.

c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.

d) Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.

e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.

f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.

g) Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

24. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.

Building Encroachments

25. There must be no encroachment of any structures or building work onto

Council's road reserve, footway, nature strip or public place.

Road/Asset Opening Permit

26. A *Road/Asset Opening Permit* must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road/Asset Opening Permit* must be complied with.

For further information, please contact Council's Road/Asset Opening Officer on 9399 0691 or 9399 0999.

Tree Management

27. Permission is granted for the minimal and selective pruning of those branches from the northwest aspect of the *Robinia pseudoacacia 'Frisia'* (Golden Robinia) which is located beyond the southern site boundary, within the rear yard of the neighbouring property at no.123, only where they overhang the common boundary, and need to be pruned in order to avoid damage to the tree during the course of construction.
28. This approval does not imply any right of entry onto a neighbouring property nor does it allow pruning beyond a common boundary; however, where such measures are desirable in the best interests of correct pruning procedures, and ultimately, the ongoing health of this tree, the applicant must negotiate with the neighbour/tree owner for access to perform this work.
29. All pruning must be undertaken by an Arborist who holds a minimum of AQF Level III in Arboriculture, and to the requirements of Australian Standard AS 4373-2007 'Pruning of Amenity Trees,' and NSW Work Cover Code of Practice for the Amenity Tree Industry (1998).

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

30. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

31. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation

Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Council's Infrastructure, Vehicular Crossings, street verge

32. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
33. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
 - b) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Pre-paid Works Application Form, prior to an occupation certificate being issued for the development, together with payment of the relevant fees.
 - c) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
 - d) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$1,500) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 Demolition, building or excavation work must not be commenced until;
- A Construction Certificate has been obtained from Council or an Accredited Certifier
 - Council or an Accredited Certifier has been appointed as the Principal

- Certifying Authority for the development
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.
- A3 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.
- A4 Council's *Building Approvals & Certification team* can issue Construction Certificates and be your Principal Certifying Authority for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council's *Building Approvals & Certification team* on 9399 0944.
- A5 A Local Approval application must be submitted to and be approved by Council's Building Approvals & Certification team prior to commencing any of the following activities on a footpath, road, nature strip or in any public place: -
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.
- For further information please contact Council's Building Approvals & Certification team on 9399 0944.
- A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place, to the satisfaction of the Certifying Authority.
- A7 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A8 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:
- the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the *Access to Neighbouring Land Act 2000*, or
 - an easement under section 88K of the *Conveyancing Act 1919*, or
 - an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.
- A9 Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land)
- A10 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

MOTION: (Andrews/Nash) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D12/13 Development Application Report - 15 Seaside Parade, South Coogee (DA/465/2012)

PL13/13

RESOLUTION: (Andrews/Stavrinos) that the application be deferred to enable the deficiencies in the documentation/plans (particularly with respect to fencing details; RLs indicating appropriate levels in comparison to the height scale of the proposal and similar structures located on the adjoining properties; and also plans to show the location of existing windows, opening decks and outdoor areas on adjacent sites) to be addressed.

MOTION: (Andrews/Stavrinos) CARRIED - SEE RESOLUTION.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

| FOR | AGAINST |
|----------------------|--------------------|
| Councillor Andrews | Councillor Neilson |
| Councillor Belleli | Councillor Shurey |
| Councillor Bowen | Councillor Smith |
| Councillor D'Souza | |
| Councillor Garcia | |
| Councillor Matson | |
| Councillor Moore | |
| Councillor Nash | |
| Councillor Roberts | |
| Councillor Seng | |
| Councillor Stavrinos | |
| Councillor Stevenson | |
| Total (12) | Total (3) |

Miscellaneous Reports

M1/13 Miscellaneous Report - Joint Regional Planning Panel (JRPP) - Appointment of alternate members by the General Manager (F2009/00256)

PL14/13

RESOLUTION: (Nash/Matson) that:

- a) Councillors Shurey, Moore, Garcia, Roberts and Smith be appointed as additional Councillors to act as alternate members of the Joint Regional Planning Panel.
- b) Council delegate its authority to the General Manager to appoint an additional alternate Joint Regional Planning Panel member who is not a Councillor.

MOTION: (Nash/Matson) CARRIED - SEE RESOLUTION.

M2/13 Miscellaneous Report - Online Lodgement of Development Applications (F2005/00799)

PL15/13

RESOLUTION: (Andrews/Roberts) that Council note the introduction of a new online service that allows customers to lodge development applications through the internet.

MOTION: (Andrews/Roberts) CARRIED - SEE RESOLUTION.

Notice of Rescission Motions

Nil.

The meeting closed at 8.25pm.

The minutes of this meeting were confirmed at the Planning Committee Meeting of the Council of the City of Randwick held on Tuesday, 12 March 2013.

.....
CHAIRPERSON