

THESE MINUTES ARE DRAFT UNTIL CONFIRMED AT THE NEXT MEETING OF THIS COUNCIL AND/OR COMMITTEE

**MINUTES OF PLANNING COMMITTEE MEETING OF THE
COUNCIL OF THE CITY OF RANDWICK HELD ON
TUESDAY, 11 JULY 2017 AT 6:03PM**

Present:

The Mayor, Councillor N D'Souza (South Ward)

North Ward - Councillors K Neilson, L Shurey & K Smith

South Ward - Councillor R Belleli

East Ward - Councillors T Bowen (arrived 6.43pm),
M Matson & B Roberts (arrived 6.34pm)

West Ward - Councillors G Moore, S Nash & H Stavrinou
(Chairperson)

Central Ward - Councillors T Seng & G Stevenson (arrived
6.14pm)

Officers present:

General Manager	Mr R Brownlee
Director City Services	Mr J Frangoules
Director City Planning	Ms S Truvert
Director Governance & Financial Services	Mr J Smith
Manager Development Assessment	Mr K Kyriacou
Senior Administrative Coordinator	Ms J Hartshorn
Communications Manager	Mr J Hay
Executive Manager	Mr L Fitzgerald

Apologies/Granting of Leave of Absences

Apologies were received from Crs Andrews and Garcia.

RESOLVED: (Neilson/Matson) that the apologies received from Crs Andrews and Garcia be accepted and leave of absences from the meeting be granted.

Confirmation of the Minutes

**CONFIRMATION OF THE MINUTES OF THE PLANNING COMMITTEE MEETING
HELD ON TUESDAY 13 JUNE 2017**

PL52/17

RESOLUTION: (Smith/Shurey) that the Minutes of the Planning Committee Meeting held on Tuesday 13 June 2017 (copies of which were circulated to all Councillors) be and are hereby confirmed as a correct record of the proceedings of that meeting.

Declarations of Pecuniary and Non-Pecuniary Interests

- a) Cr Neilson declared a non-significant non pecuniary interest in Item D57/17 as she knows the speaker (a former Randwick City Council Councillor and Mayor).
- b) Cr Neilson declared a non-significant non pecuniary interest in Item D60/17 as some of the residents are known to her.
- c) Cr Matson declared a non-significant non pecuniary interest in Item D57/17 as he knows the speaker (a former Randwick City Council Councillor and Mayor).
- d) Cr D'Souza declared a non-significant non pecuniary interest in Item D57/17 as he knows the speaker (a former Randwick City Council Councillor and Mayor).
- e) All Liberal Councillors present at the meeting declared a non-significant non pecuniary interest in Item D57/17 as one of the speakers is a former Councillor of Woollahra Council.
- f) Cr Moore declared a non-significant non pecuniary interest in Item D57/17 as he knows the speaker (a former Randwick City Council Councillor and Mayor).
- g) Cr Stavrinou declared a non-significant non pecuniary interest in Item D54/17 as the applicants are known to him.
- h) Cr Bowen declared a significant non pecuniary interest in Item D57/17 as he owned a property in the strata in the past, but has not owned the property for approximately 8 years. Cr Bowen indicated that he would not take part in the debate or the vote on the matter.

Address of Council by Members of the Public

Prior to consideration of the Agenda by the Committee, deputations were received in respect of the following matters:

D56/17 2 ROBEY STREET, MAROUBRA (DA/785/2016)

Applicant Mr Evan Gilchrist (representing the applicant)

D57/17 159 ARDEN STREET, COOGEE (DA/455/2015/B)

Objector Mr Anthony Boskovitz (representing the objector)

Applicant Mr Dominic Sullivan (representing the applicant)

D59/17 23-23S GILDERTHORPE AVENUE, RANDWICK (DA/769/2016)

Objector Ms Katrina Drewer (representing the objectors)

Applicant Mr Ed Archibald

D60/17 1 COOGEE STREET, RANDWICK (DA/555/2016) (DEFERRED)

Objector Mr Chris Maloney

Applicant Mr Spiro Raissis

The meeting was adjourned at 7.08pm and was resumed at 7.32pm.

Cr Nash did not return to the meeting when it was resumed at 7.32pm.

Urgent Business

Nil.

Development Application Reports**D54/17 Development Application Report - 353-355 Anzac Parade, Kingsford (DA/4/2017)**

PL53/17

RESOLUTION: (Smith/Roberts) –

- A. That Council supports the exceptions to development standards under Clause 4.6 of Randwick Local Environmental Plan 2012 in respect to non-compliance with Clause 4.3 of Randwick Local Environmental Plan 2012, relating to Height of Buildings, on the grounds that the proposed development complies with the objectives of the above clause, and will not adversely affect the amenity of the locality, and that the Department of Planning & Environment be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 4/2017 for Integrated development for demolition of the existing structures, construction of shop top housing integrated development comprising a part 7 storey, part 4 storey development in 2 building forms retails fronting Anzac Parade, with 5 residential levels above, 1 retail level with 3 residential levels fronting Houston Lane, comprising 18 dwellings, basement parking for 28 vehicles, at No. 353-355 Anzac Parade, KINGSFORD, subject to the following non standard conditions and the standard conditions contained in the development application compliance report attached to this report:

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements:
- The floor ceiling height at the first floor level of the Anzac Parade Building must be 3.0m.
 - Four (4) apartments must be identified on the floor plans pursuant to Condition No. 1 of this consent as being "adaptable dwellings" in accordance with Australia Standard 4299 Adaptable housing.

MOTION: (Smith/Roberts) CARRIED UNANIMOUSLY - SEE RESOLUTION.**D55/17 Development Application Report - 9 Seaside Parade, South Coogee (DA/303/2013/B)**

PL54/17

RESOLUTION: (Smith/Moore) that Council, as the consent authority, grants development consent under Sections 96 of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/303/2013 to modify the approved development by alteration to setbacks, decks, internal changes, new pedestrian entry with canopy, vehicle entry forecourt, alterations to car hoist, garage and plant room, alteration to stair and some boundary walls, new planter on level 3, extend roof over level 2 patio, alter swimming pool, alter level 2 planter, external stairs, provide pizza oven to level 2 terrace, new deck in garden, new arches between pool and planter on level 1 at No. 9 Seaside Parade, Coogee NSW 2034, subject to the following non standard conditions and the standard conditions contained in the development application compliance report attached to this report:

Non-standard conditions**• Amended Condition No. 1 to read:**

- The development must be implemented substantially in accordance with the plans and documents listed below, the application form and on any supporting

information received with the application,

Plan	Drawn by	Dated	Received by Council
DA2002B	MPR	3/10/13	4/10/13
DA2003B	MPR	3/10/13	4/10/13
DA2004C	MPR	7/11/13	7/11/13
DA2005B	MPR	3/10/13	4/10/13
DA2006B	MPR	3/10/13	4/10/13
DA2007B	MPR	3/10/13	4/10/13
DA2008C	MPR	7/11/13	7/11/13
DA2009B	MPR	3/10/13	4/10/13
DA2010B	MPR	3/10/13	4/10/13
DA2011B	MPR	3/10/13	4/10/13
DA2012B	MPR	3/10/13	4/10/13
DA2013B	MPR	3/10/13	4/10/13
DA2014B	MPR	3/10/13	4/10/13

BASIX Certificate No.	Dated	Received by Council
483625S	21 May 2013	22 May 2013

as amended by the **Section 96 plans and documents listed below, only in so far as they relate to the modifications highlighted on the Section 96 plans and detailed in the Section 96 application:**

Plan	Drawn by	Dated	Received by Council
DA 02 (B-a)	MHNDUnion	16.11.2016	23 February 2017
DA 03 (B-a)		16.11.2016	23 February 2017
DA 04 (B-a)		20.02.2017	23 February 2017
DA 05 (B)		16.11.2016	18 November 2016
DA 06 (B)		16.11.2016	18 November 2016
DA 07 (B)		16.11.2016	18 November 2016
DA 08 (B)		16.11.2016	18 November 2016
DA 09 (B-a)		16.11.2016	23 February 2017
DA 10 (B)		16.11.2016	18 November 2016
DA 11 (B)		16.11.2016	18 November 2016
DA 12 (B)		16.11.2016	18 November 2016
DA 13 (B-a)		20.02.2017	23 February 2017
DA 22 (B)		20.02.2017	23 February 2017
DA 23 (B)		20.02.2017	23 February 2017
LPDA 17 - 146/1 Rev B	Conzept	15.11.16	18 November 2016

BASIX Certificate No.	Dated	Received by Council
483625S_02	17 November 2016	18 November 2016

except as may be amended by the following conditions and as may be shown in red on the attached plans:

**Amend condition 2 to read:
Amendment of Plans & Documentation**

2. The approved plans and documents must be amended in accordance with the following requirements:
 - i. The following window/s must have a minimum sill height of 1.6m above floor level, or alternatively, the window/s are to be fixed and be provided

with translucent, obscured, frosted or sandblasted glazing below this specified height:

- North-facing windows of bedroom 3 (level 5)
- North facing window of living room (level 5)

Alternatively, external privacy screens may be attached to the windows nominated to a minimum height of 1.6m above the internal floor level. The external privacy screens must be configured to restrict overlooking into the habitable rooms and rear yard of the neighbouring dwellings.

The external screens shall be designed as follows:

- Fixed lattice/slats with individual openings not more than 30mm wide;
- Fixed vertical or horizontal louvres with the individual blades angled and spaced appropriately to prevent overlooking into the private open space or windows of the adjacent dwellings.

Treatment of the all windows and approved privacy screens must be installed prior to the issue of any occupation certificate.

Condition 2ii is amended to read:

- ii. The treatment of the fence along the northern and southern side boundary shall be carried out to good workmanship to ensure consistency with the material and colour scheme of the neighbouring dwellings. Details of colours and materials and finishes for fencing shall be submitted to Council's Manager of Development Assessment for approval prior to an construction of the side boundary fencing/walls encompassed within this application.

Condition 2iii is amended to read:

- iii. A light weight privacy sceren to a height of 1.5m shall be erected along the northern edge of the rear level 4 deck. Details must be submitted to and approved by Councils Manager Development Assessment for approval prior to issuing an amended Construction Certificate and prior to installation of the privacy screen.
- iv. Condition 2iv is deleted.
- v. Conditoin 2v is retained.

Amend Condition 2vi to read:

- vi. The land levels along the southern side passageway shall be reduced by 450mm down to RL21.75 and the southern side boundary wall/fence shall be no higher than 1.6m above the finished land level of RL21.75.
- vii. Condition 2vii is deleted.
- viii. The Banksia Serata in the rear yard shall be located 3m from the northern side boundary adjoining No. 7 Seaside Parade.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

FOR	AGAINST
Councillor Belleli	Councillor Bowen
Councillor D'Souza	Councillor Matson
Councillor Moore	

Councillor Neilson
 Councillor Roberts
 Councillor Seng
 Councillor Shurey
 Councillor Smith
 Councillor Stavrinou
 Councillor Stevenson
Total (10)

Total (2)

**D56/17 Development Application Report - 2 Robey Street, Maroubra
 (DA/785/2016)**

PL55/17

RESOLUTION: (Smith/Shurey) –

- A. That Council supports the exceptions to development standards under Clause 4.6 of Randwick Local Environmental Plan 2012 in respect to non-compliance with the Floor Area Standard as detailed in the State Environmental Planning Policy (SEPP) – Affordable Rental Housing 2009 on the grounds that the proposed development complies with the objectives of the above LEP and will not adversely affect the amenity of the locality, and that the Department of Planning & Environment be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. 785/2016 for alterations and additions to the existing secondary dwelling at No. 2 Robey Street Maroubra subject to the standard conditions contained in the development application compliance report.

MOTION: (Smith/Shurey) CARRIED UNANIMOUSLY - SEE RESOLUTION.

**D57/17 Development Application Report - 159 Arden Street, Coogee
 (DA/455/2015/B)**

Note: Having previously declared an interest, Cr Bowen left the chamber and took no part in the debate or voting on this matter.

PL56/17

RESOLUTION: (Smith/Seng) that Council as the consent authority, grant its consent under Section 96 of the Environmental Planning and Assessment Act 1979 as amended to modify Development Consent No DA/455/2015/B for permission to delete deferred commencement condition number 1 for 159 Arden Street in the following manner:

1. Deferred Commencement Conditions – Condition 1 is deleted in its entirety.
2. General Conditions – Condition 1 is amended by the insertion of the **bold and underlined** words/numbers and deletion of ~~struck-out~~ words/numbers as follows:

1. Approved Plans & Supporting Documentation

The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by the details pursuant to the deferred commencement conditions and other conditions of this consent

Plan	Drawn By	Dated	Received
DA100 (Revision 056)	ASA Architects	09/09/16	

		06/04/17	
DA101 (Revision 03)	ASA Architects	09/09/16	
DA102 (Revision 03)	ASA Architects	09/09/16	
DA300 (Revision 03)	ASA Architects	09/09/16	
DA301 (Revision 04)	ASA Architects	09/09/16	

3. Requirements before a Construction Certificate can be Issued – insertion of the following new condition:

Car Space Dimensions

- "8. a. Prior to the issuing of a Construction Certificate the plans are to be amended to show both car spaces at the eastern end of the basement car park, either side of the proposed storage areas, with a minimum width of 2.90m. Details of compliance are to be to the satisfaction of the Certifying Authority."

4. Requirements prior to issue of an Occupation Certificate – insertion of the following new conditions:

Strata Plan Amendments

- "53. a. Prior to the issuing of any form of an Occupation Certificate the Strata Plan is to be amended to reflect the allocation of the 6 car spaces (1 car space for each unit) as well as floors, external walls and ceilings as constructed. The amended strata plan/s must correspond to those structures depicted in the approved building plans for the site.

Signposting Storage Areas

- b. Prior to the issuing of any form of an Occupation Certificate the storage areas at the eastern end of the car park are to be clearly signposted as "No Parking for Motor Vehicles". The Certifying Authority is to ensure compliance with this requirement."

MOTION: (Smith/Seng) CARRIED UNANIMOUSLY - SEE RESOLUTION.

Cr Bowen returned to the meeting at this point (7.38pm).

D58/17 Development Application Report - 133 Coogee Bay Road, Coogee (DA/173/2017)

PL57/17

RESOLUTION: (Smith/Moore) –

- A. That Council supports the exceptions to development standards under Clause 4.6 of Randwick Local Environmental Plan 2012 in respect to non-compliance with Clauses 4.4 of Randwick Local Environmental Plan 2012, relating to Floor Space Ratio, on the grounds that the proposed development complies with the objectives of the above clauses, and will not adversely affect the amenity of the locality, and that the Department of Planning & Environment be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/173/2017 for addition of two lower level bedrooms in existing residential flat building with new windows on eastern side, at No. 133 Coogee Bay Road, Coogee, subject to the following standard conditions contained in this report:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

- The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Dated
01 Site Plan	YS Architects	March 2017
02 Ground Floor Plan	YS Architects	March 2017
03 First Floor Plan	YS Architects	March 2017
04 Levels 2 & 3	YS Architects	March 2017
05 North Elevation	YS Architects	March 2017
06 East Elevation	YS Architects	March 2017
07 N-S Section	YS Architects	March 2017

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either an Accredited Certifier or Randwick City Council. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Long Service Levy

- Any required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, is to be forwarded to the Long Service Levy Corporation or the Council, prior to the issuing of a Construction Certificate, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Sydney Water Requirements

- All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to a Sydney Water Quick Check agent, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

If suitable, the plans will be appropriately stamped. For details please refer to the Sydney Water web site at www.sydneywater.com.au for:

- Quick Check agents details - see *Building and Developing* then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets - see *Building and Developing* then *Building and Renovating*, or telephone 13 20 92.

The Principal Certifying Authority must ensure that a Sydney Water Quick Check Agent has appropriately stamped the plans prior to issuing the construction certificate.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Building Code of Australia & Fire Safety

4. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance are to be provided in the construction certificate.
5. All new building work (including alterations, additions, fit-out work and fire safety works are to be carried out in accordance with the relevant provisions of the Building Code of Australia (BCA) and details are to be included in the Construction Certificate, to the satisfaction of the Certifying Authority.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Regulatory Requirements

6. Prior to the commencement of any building works, the following requirements must be complied with:
 - a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and

- d) at least two days' notice must be given to the Council, in writing, prior to commencing any works; and
- e) the relevant requirements of the *Home Building Act 1989* (as applicable) must be complied with and details provided to the Principal Certifying Authority and Council.

Demolition Work & Removal of Asbestos Materials

7. Demolition work must be carried out in accordance with the following requirements:

- a) Demolition work must be carried out in accordance with Australian Standard, AS2601 (2001) - The Demolition of Structures and a Demolition Work Plan is required to be developed and implemented to the satisfaction of the Principal Certifying Authority prior to commencing any demolition works.
- b) The demolition, removal, storage and disposal of any materials containing asbestos must be carried out in accordance with the relevant requirements of WorkCover NSW, Council's Asbestos Policy and the following requirements:
 - A licence must be obtained from WorkCover NSW for the removal of friable asbestos and or more than 10m² of bonded asbestos (i.e. fibro)
 - Asbestos waste must be disposed of in accordance with the *Protection of the Environment Operations Act 1997* & relevant Regulations
 - A sign must be provided to the site/building stating "Danger Asbestos Removal In Progress"
 - A Clearance Certificate or Statement must be obtained from a suitably qualified person (i.e. Occupational Hygienist) upon completion of the asbestos removal works, which is to be submitted to the Principal Certifying Authority and Council prior to issuing an Occupation Certificate.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Construction Noise & Vibration

8. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant provisions of the *Protection of the Environment Operations Act 1997* must be satisfied at all times.

Public Utilities

- 9. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.
- 10. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid, and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Building Inspection Requirements

11. The works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Excavations & Support of Adjoining Land

12. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
13. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations are to be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Permitted Working Hours

14. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted
Additional requirements for all development (except for single residential dwellings)	<ul style="list-style-type: none"> • Saturdays and Sundays where the preceding Friday and/or the following Monday is a public holiday - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must

be obtained to vary the standard permitted working hours.

Construction Site Management

15. Public health, safety and convenience must be maintained at all times during demolition and building works and the following requirements must be complied with at all times:

- a) A sign must be provided and maintained in a prominent position throughout the works, which contains the following details:
 - name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours,
 - name, address and telephone number of the *Principal Certifying Authority*,
 - a statement stating that "unauthorised entry to the work site is prohibited".
- b) The roadway, footpath and nature strip must be maintained in a good, safe condition and free from any obstructions, trip hazards, materials, soils or debris at all times. Any damage caused to the road, footway or nature strip must be repaired immediately, to the satisfaction of Council.
- c) Building materials, sand, soil, waste materials, construction equipment or other materials or articles must not be placed upon the footpath, roadway or nature strip at any time and the footpath, nature strip and road must be maintained in a clean condition and free from any obstructions, soil and debris at all times.
- d) Bulk bins, waste containers or other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container or other articles in a public place can be made to Council's Building Services section.
- e) During demolition and construction, sediment laden stormwater run-off shall be controlled using the sediment control measures outlined in the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to the satisfaction of Council.

Details of the proposed sediment control measures are to be detailed in the *site management plan* which must be submitted to the Principal Certifying Authority and Council prior to the commencement of any site works. The sediment and erosion control measures must be implemented prior to the commencement of any site works and be maintained throughout construction. A copy of the plan is to be maintained on-site and be made available to Council officers upon request.

- f) Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding (having a minimum height of 1.5m) is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible. If necessary, an overhead (B Class type) hoarding may be required to protect the public or occupants of the adjoining premises from falling articles or materials.

If it is proposed to locate any site fencing, hoardings or items upon any part of the footpath, nature strip or any public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services department beforehand. Details and plans are to be submitted with the application, together with payment of the weekly charge in accordance with Council's adopted Pricing Policy.

- g) Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.
- h) A Road / Asset Opening application must be submitted to and be approved by Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

All works within or upon the road reserve, footpath, nature strip or other public place are to be completed to the satisfaction of Council, prior to the issuing of an occupation certificate for the development. For further information, please contact Council's Road / Asset Opening Officer on 9399 0691 or 9399 0999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Notes: An Occupation Certificate must be obtained from the PCA prior to occupation and use of the premises.

For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

- 16. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation or use of the development encompassed in this development consent (including alterations, additions and 'fit-out' work to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

Fire Safety Certificate Requirements

- 17. Prior to issuing an interim or final Occupation Certificate, a single and complete *Fire Safety Certificate*, encompassing all of the essential fire safety measures contained in the *fire safety schedule* must be obtained and be submitted to Council, in accordance with the provisions of the *Environmental Planning and*

Assessment Regulation 2000. The *Fire Safety Certificate* must be consistent with the *Fire Safety Schedule* which forms part of the Construction Certificate.

A copy of the *Fire Safety Certificate* must be displayed in the building entrance/foyer at all times and a copy of the *Fire Safety Certificate* and *Fire Safety Schedule* must also be forwarded to Fire & Rescue NSW.

18. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
19. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's "Crossings and Entrances – Contributions Policy" and "Residents' Requests for Special Verge Crossings Policy" and the following requirements:
 - a) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Civil Works Application Form. Council will respond, typically within 4 weeks, with a letter of approval outlining conditions for working on Council land, associated fees and workmanship bonds. Council will also provide details of the approved works including specifications and construction details.
 - b) Works on Council land, must not commence until the written letter of approval has been obtained from Council and heavy construction works within the property are complete. The work must be carried out in accordance with the conditions of development consent, Council's conditions for working on Council land, design details and payment of the fees and bonds outlined in the letter of approval.
 - c) The civil works must be completed in accordance with the above, prior to the issuing of an occupation certificate for the development, or as otherwise approved by Council in writing.

Strata Plans

20. Prior to the issuing of any form of an Occupation Certificate, new strata plans are to be prepared for the site to incorporate the additional floor area into the affected strata lots. The new strata plans must also demonstrate compliance with the following;
 - a) Both of the 3 bedroom units (Units 1 & 2) must be allocated a carspace that shall form part of the newly formed strata lots. Utility lots will no longer be permissible. This is to ensure the 3 bedrooms units are allocated an appropriate amount of parking.
 - b) All floors, external walls and ceilings depicted in the new strata plans must be constructed.
 - c) The applicant shall create suitable right of carriageway, easements for services and internal stormwater lines, as required.
21. A formal application for a strata certificate is required to be submitted to and approved by the Council or accredited certifier and all strata plan conditions of this development consent are required to be satisfied prior to the release of the strata subdivision plans.

GENERAL ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This

information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times. Failure to comply with these legislative requirements is an offence and may result in the commencement of legal proceedings, issuing of `on-the-spot` penalty infringements or service of a notice and order by Council.
- A2 All new building work (including alterations, additions and building renovations) must comply with the Building Code of Australia (BCA) and relevant Australian Standards and details of compliance must be provided in the Construction Certificate application.
- A3 Building owners and occupiers should consider implementing appropriate measures to prevent children from falling from high-level window openings and balconies (e.g. by installing window locking devices; installing heavy-duty screens to window openings; limiting the dimensions of any openings to 125mm; ensuring balustrades to balconies are at least 1m high and; locating fixtures, fittings and furniture away from high-level windows and balconies).
- For further information about preventing falls from windows and balconies refer to www.health.nsw.gov.au/childsafety or pick-up a brochure from Council's Customer Service Centre.
- A4 Underground assets (e.g. pipes, cables etc.) may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.
- A5 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

MOTION: (Smith/Moore) CARRIED UNANIMOUSLY - SEE RESOLUTION.

D59/17 Development Application Report - 23-23S Gilderthorpe Avenue, Randwick (DA/769/2016)

PL58/17

RESOLUTION: (Roberts/Stevenson) that the application be deferred to allow for the submission of amended plans.

MOTION: (Roberts/Stevenson) CARRIED - SEE RESOLUTION.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

FOR	AGAINST
Councillor Belleli	Councillor D'Souza
Councillor Bowen	Councillor Matson

Councillor Moore	Councillor Neilson
Councillor Roberts	Councillor Shurey
Councillor Seng	Councillor Smith
Councillor Stavrinou	
Councillor Stevenson	
Total (7)	Total (5)

D60/17 Development Application Report - 1 Coogee Street, Randwick (DA/555/2016) (Deferred)

PL59/17

RESOLUTION: (Smith/Belleli) –

- A. That Council supports the exceptions to development standards under Clause 4.6 of Randwick Local Environmental Plan 2012 in respect to non-compliance with Clause 4.3 of Randwick Local Environmental Plan 2012, relating to Height of Buildings, on the grounds that the proposed development complies with the objectives of the above clauses, and will not adversely affect the amenity of the locality, and that the Department of Planning & Infrastructure be advised accordingly.
- B. That Council, as the consent authority, grants development consent under Sections 80 and 80A of the Environmental Planning and Assessment Act 1979, as amended, to Development Application No. DA/555/2016 for demolition of the existing structures, construction of a new 3 storey residential flat building comprising of 8 apartments, 10 car spaces and rooftop terraces, at No. 1 Coogee Street, Randwick, subject to the conditions:

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Dated	Received by Council
DA 1.00 Rev G	Hill Thalys	24/3/17	24 March 2017
DA 2.01 Rev G		24/3/17	24 March 2017
DA 2.02 Rev G		24/3/17	24 March 2017
DA 2.03 Rev G		24/3/17	24 March 2017
DA 2.04 Rev G		24/3/17	24 March 2017
DA 3.00 Rev G		24/3/17	24 March 2017
DA 3.01 Rev G		24/3/17	24 March 2017
DA 3.02 Rev G		24/3/17	24 March 2017
DA 3.03 Rev G		24/3/17	24 March 2017
DA 3.04 Rev G		24/3/17	24 March 2017
DA 3.05 Rev G		24/3/17	24 March 2017
DA 3.06 Rev G		24/3/17	24 March 2017
DA 3.07 Rev G		24/3/17	24 March 2017
DA 5.00 Rev D		29/7/2016	15 August 2016

BASIX Certificate No.	Dated	Received by Council
748541M_02	14 August 2016	15 August 2016

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements:

a. Privacy screens having a height of 1.6m above floor level must be provided to the following parts of the development:

- Eastern sides of rear balconies to apartments 3 & 7;
- Eastern sides of the stair and landing providing access between parking level and level 1.

The privacy screens must be constructed of metal or timber and the total area of any openings within the privacy screen must not exceed 25% of the area of the screen. Alternatively, the privacy screen may be constructed with translucent, obscured, frosted or sandblasted glazing in a suitable frame.

b. The balconies located on the eastern side of apartments 2 & 3 in the middle of the development including associated balustrades shall be deleted from the development. The door openings associated with bedrooms in this part of the development shall be replaced with windows with a minimum sill height of 1.2m above internal floor level.

c. The rear roof terraces and associated structures including stairs associated with apartments 7 & 8 shall be deleted from the development in order to ensure a fair sharing of views from the neighbouring properties at No. 32 and No. 34 Milford Street.

d. The proposed side boundary fence located on the eastern side boundary (behind the front building line) shall be installed at a height of 1800mm, measured above the finished ground level within the subject site.

On sloping sites or at changes in ground levels, the maximum height of the fence may exceed the abovementioned specified height by up to 150mm maximum adjacent to any required 'step-downs' or changes in ground level.

The applicant and owner is advised that the relevant provisions of the Dividing Fences Act 1991 are to be satisfied accordingly and any necessary approvals or agreements should be obtained from the owner/s of the adjoining land beforehand.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

3. The requirements and amendments detailed in the 'General Conditions' must

be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

4. a) The colours, materials and finishes of the external surfaces are to be compatible with the existing building and adjacent development to maintain the integrity and amenity of the building and the streetscape.

External materials, finishes and colours of the building are required to match, as closely as possible, the existing building and any metal roof sheeting is to be pre-painted (e.g. Colourbond) to limit the level of reflection and glare.

- b) Details of the proposed colours, materials and textures (i.e. a schedule and brochure/s or sample board) are to be submitted to and approved by [Council's Manager Development Assessments prior to issuing a construction certificate for the development.

Section 94A Development Contributions

5. In accordance with Council's Section 94A Development Contributions Plan effective from 21 April 2015, based on the development cost of \$1,541,681.00 the following applicable monetary levy must be paid to Council: \$15,416.81.

The levy must be paid in **cash, bank cheque** or by **credit card** prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment. Please contact Council on telephone 9399 0999 or 1300 722 542 for the indexed contribution amount prior to payment.

To calculate the indexed levy, the following formula must be used:

$$\text{IDC} = \text{ODC} \times \text{CP2/CP1}$$

Where:

IDC = the indexed development cost

ODC = the original development cost determined by the Council

CP2 = the Consumer Price Index, All Groups, Sydney, as published by the ABS in respect of the quarter ending immediately prior to the date of payment

CP1 = the Consumer Price Index, All Groups, Sydney as published by the ABS in respect of the quarter ending immediately prior to the date of imposition of the condition requiring payment of the levy.

Council's Section 94A Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Long Service Levy Payments

6. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

The following conditions are applied to provide adequate security against damage to Council's infrastructure:

Security Deposit

7. The following damage / civil works security deposit requirement must be complied with, as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:

- \$5000.00 - Damage / Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Sydney Water

8. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to the Sydney Water **Tap in™** online service, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

The Sydney Water Tap in™ online service replaces the Quick Check Agents as of 30 November 2015

The **Tap in™** service provides 24/7 access to a range of services, including:

- Building plan approvals
- Connection and disconnection approvals
- Diagrams
- Trade waste approvals
- Pressure information
- Water meter installations
- Pressure boosting and pump approvals
- Change to an existing service or asset, e.g. relocating or moving an asset.

Sydney Water's **Tap in™** online service is available at:

<https://www.sydneywater.com.au/SW/plumbing-building-developing/building/sydney-water-tap-in/index.htm>

The Principal Certifying Authority must ensure that the developer/owner has submitted the approved plans to Sydney Water Tap in online service.

Tree Protection Measures

9. In order to ensure retention of the *Callistemon viminalis* (Bottlebrush) located on Council's Coogee Street verge, just past the eastern site boundary, in front of the adjoining site at no.3 in good health, the following measures are to be undertaken:

- a. All documentation submitted for the Construction Certificate application must show its retention, with the position and diameter of both its trunk and canopy to be clearly and accurately shown on all plans in relation to the proposed works.
- b. Any excavations associated with the installation of new services, pipes, stormwater systems or similar over this frontage can only be located along either side of the new vehicle crossing, with all hydraulic service plans to demonstrate compliance with this requirement.
- c. The Construction Certificate plans must show that the eastern edge of the new vehicle crossing will be constructed at a minimum setback of **2 metres** from the eastern site boundary, as is shown on the Carpark-Ground Plan, dwg DA2.01, issue F, dated 30/11/16.
- d. This tree is to be physically protected by the installation of 1.8 metre high steel mesh/chainwire fencing, which shall be located a minimum distance of **1.5 metres** to its east and west (measured off the outside edge of its trunk at ground level), matching up with the back of the kerb to its south, and pedestrian footpath to its north, in order to completely enclose this tree for the duration of works.
- e. This fencing shall be installed prior to the commencement of demolition and construction works and shall remain in place until all works are completed, to which, signage containing the following words shall be clearly displayed and permanently attached: "TREE PROTECTION ZONE (TPZ), DO NOT REMOVE/ENTER".
- f. If additional trunk or branch protection is required, this can be provided by way of wrapping layers of geo-textile, underfelt or Hessian around affected areas, to which lengths of evenly spaced hardwood timbers shall be placed around their circumference, and are then to be secured by 8 gauge wires or steel strapping at 300mm spacing. NO nailing to the trunk.
- g. Other than the approved works, the applicant is not authorised to perform any other works to this public tree, and must contact Council's Landscape Development Officer on 9399-0613 **should pruning or similar works appear necessary, giving suitable notice**. If approval is given, it can only be performed by Council, wholly at the applicants cost, with payment to be received prior to the issue of any Occupation Certificate.
- h. Within the TPZ, there is to be no storage of materials, machinery or site office/sheds, nor is cement to be mixed or chemicals spilt/disposed of and no stockpiling of soil or rubble, with all Site Management Plans needing to acknowledge these requirements.
- i. Where roots are encountered which are in direct conflict with the approved works, they may be cut cleanly by hand (using only hand held tools, not machinery), with the affected area to be backfilled with clean site soil as soon as practically possible.
- j. The PCA must ensure compliance with all of these requirements, both on the plans as well as on-site during the course of construction, and prior to issuing any type of Occupation Certificate.
- k. A refundable deposit in the form of cash, credit card or cheque for an amount of **\$500.00** must be paid at the Cashier on the Ground Floor of the Administrative Centre, **prior to a Construction Certificate being issued for the development**, in order to ensure compliance with the conditions listed in this consent, and ultimately, preservation of the tree.

The refundable deposit will be eligible for refund following the issue of an Occupation Certificate, subject to completion and submission of Council's 'Security Deposit Refund Application Form', and pending a satisfactory inspection by Council's Landscape Development Officer (9399-0613).

Any contravention of Council's conditions relating to the tree at any time during the course of the works, or prior to the issue of an Occupation Certificate, may result in Council claiming all or part of the lodged security in order to perform any rectification works necessary, as per the

requirements of 80A (6) of the Environmental Planning and Assessment Act 1979.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

10. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

BASIX Requirements

11. In accordance with section 80A(11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

Traffic conditions

12. Adequate provisions are to be made to provide pedestrian visibility and safety. All new walls (and/or landscaping) adjacent to vehicular crossings should not exceed a height of 600mm above the internal driveway level for a distance of 1.5m within the site or new walls (including landscaping) should splayed 1.5 metres by 1.5 metres. Details of compliance, to the satisfaction of the certifying authority, are to be included in the construction certificate documentation.
13. The vehicular access driveways, internal circulation ramps and the carpark areas, (including, but not limited to, the ramp grades, carpark layout and height clearances) are to be in accordance with the requirements of AS2890.1:2004. The Construction Certificate plans must demonstrate compliance with these requirements.

Design Alignment levels

14. The design alignment level (the finished level of concrete, paving or the like) at the property boundary for driveways, access ramps and pathways or the like shall be;

Access Driveway (Coogee St)

- **Match the back of the existing footpath at all points along the**

full site frontage.

The design alignment level/s at the property boundary as issued by Council and their relationship to the footpath must be indicated on the building plans for the construction certificate. The design alignment level at the street boundary, as issued by the Council, must be strictly adhered to.

Any enquiries regarding this matter should be directed to Council's Development Engineer on 9399 6881.

15. The above alignment levels and the site inspection by Council's Development Engineering Section have been issued at a prescribed fee of \$465 calculated at \$56.00 (inclusive of GST) per metre of site frontage. This amount is to be paid prior to a construction certificate being issued for the development.
16. The gradient of the internal access driveway must be designed and constructed in accordance with AS 2890.1 (2004) – Off Street Car Parking and the levels of the driveway must match the alignment levels at the property boundary (as specified by Council). Details of compliance are to be included in the construction certificate.

The height of the building must not be increased to satisfy the required driveway gradients.

17. Stormwater drainage plans have not been approved as part of this development consent. Engineering calculations and plans with levels reduced to Australian Height Datum in relation to site drainage shall be prepared by a suitably qualified Hydraulic Engineer and submitted to and approved by the certifying authority prior to a construction certificate being issued for the development. A copy of the engineering calculations and plans are to be forwarded to Council, prior to a construction certificate being issued, if the Council is not the certifying authority. The drawings and details shall include the following information:
 - a) A detailed drainage design supported by a catchment area plan, at a scale of 1:100 or as considered acceptable to the Council or an accredited certifier, and drainage calculations prepared in accordance with the Institution of Engineers publication, Australian Rainfall and Run-off, 1987 edition.
 - b) A layout of the proposed drainage system including pipe sizes, type, grade, length, invert levels, etc., dimensions and types of all drainage pipes and the connection into Council's stormwater system.
 - c) The separate catchment areas within the site, draining to each collection point or surface pit are to be classified into the following categories:
 - i. Roof areas
 - ii. Paved areas
 - iii. Grassed areas
 - iv. Garden areas
 - d) Where buildings abut higher buildings and their roofs are "flushed in" to the higher wall, the area contributing must be taken as: the projected roof area of the lower building, plus one half of the area of the vertical wall abutting, for the purpose of determining the discharge from the lower roof.
 - e) Proposed finished surface levels and grades of car parks, internal driveways and access aisles which are to be related to Council's design

alignment levels.

- f) The details of any special features that will affect the drainage design eg. the nature of the soil in the site and/or the presence of rock etc.
18. The site stormwater drainage system is to be provided in accordance with the following requirements;
- a) The stormwater drainage system must be provided in accordance with the relevant requirements of Building Code of Australia and the conditions of this consent, to the satisfaction of the *Certifying Authority* and details are to be included in the construction certificate.
- b) The stormwater must be discharged (by gravity) either:
- i. Directly to the kerb and gutter or drainage system in front of the subject site in Coogee Street; or
- ii. To a suitably designed infiltration system (subject to confirmation in a geotechnical investigation that the ground conditions are suitable for the infiltration system)
- c) Should stormwater be discharged to Council's street drainage system, an on-site stormwater detention system must be provided to ensure that the maximum discharge from the site does not exceed that which would occur during a **1 in 5** year storm of one hour duration for existing site conditions. All other stormwater run-off from the site for all storms up to the 1 in 20 year storm is to be retained on the site for gradual release to the street drainage system, to the satisfaction of the certifying authority.
- An overland escape route or overflow system (to Council's street drainage system) must be provided for storms having an average recurrence interval of 100 years (1 in 100 year storm), or, alternatively the stormwater detention system is to be provided to accommodate the 1 in 100 year storm.
- d) Should stormwater be discharged to an infiltration system the following requirements must be met;
- i. Infiltration systems/Absorption Trenches must be designed and constructed generally in accordance with Randwick City Council's Private Stormwater Code.
- ii. The infiltration area shall be sized for all storm events up to the 5% AEP (1 in 20 year) storm event with provision for a formal overland flow path to Council's Street drainage system. Should no formal overland escape route be provided for storms greater than the 5% AEP (1 in 20yr) design storm, the infiltration system shall be sized for the 1% AEP (1 in 100yr) storm event.
- iii. Infiltration areas must be a minimum of 3.0 metres from any structure (Note: this setback requirement may not be necessary if a structural engineer or other suitably qualified person certifies that the infiltration area will not adversely affect the structure)
- iv. Infiltration areas must be a minimum of 2.1 metres from any site boundary unless the boundary is common to Council land (eg. a road, laneway or reserve).
- e) Determination of the required cumulative storage (in the on-site detention and/or infiltration system) must be calculated by the mass curve technique as detailed in Technical Note 1, Chapter 14 of the Australian Rainfall and Run-off Volume 1, 1987 Edition.

Where possible any detention tanks should have an open base to infiltrate stormwater into the ground. Infiltration should not be used if ground water and/or any rock stratum is within 2.0 metres of the base of the tank.

- f) Should a pump system be required to drain any portion of the site the system must be designed with a minimum of two pumps being installed, connected in parallel (with each pump capable of discharging at the permissible discharge rate) and connected to a control board so that each pump will operate alternatively. The pump wet well shall be sized for the 1 in 100 year, 2 hour storm assuming both pumps are not working.

The pump system must also be designed and installed strictly in accordance with Randwick City Council's Private Stormwater Code.

- g) Generally all internal pipelines must be capable of discharging a 1 in 20 year storm flow. However the minimum pipe size for pipes that accept stormwater from a surface inlet pit must be 150mm diameter. The site must be graded to direct any surplus run-off (i.e. above the 1 in 20 year storm) to the proposed drainage (detention/infiltration) system.
- h) A sediment/silt arrestor pit must be provided within the site near the street boundary prior to discharge of the stormwater to Council's drainage system and prior to discharging the stormwater to any absorption/infiltration system.

Sediment/silt arrestor pits are to be constructed generally in accordance with the following requirements:

- The base of the pit being located a minimum 300mm under the invert level of the outlet pipe.
- The pit being constructed from cast in-situ concrete, precast concrete or double brick.
- A minimum of 4 x 90 mm diameter weep holes (or equivalent) located in the walls of the pit at the floor level with a suitable geotextile material with a high filtration rating located over the weep holes.
- A galvanised heavy-duty screen being provided over the outlet pipe/s (Mascot GMS multipurpose filter screen or equivalent).
- The grate being a galvanised heavy-duty grate that has a provision for a child proof fastening system.
- A child proof and corrosion resistant fastening system being provided for the access grate (e.g. spring loaded j-bolts or similar).
- Provision of a sign adjacent to the pit stating, "This sediment/silt arrestor pit shall be regularly inspected and cleaned".

Sketch details of a standard sediment/silt arrestor pit may be obtained from Council's Drainage Engineer.

- i) The floor level of all habitable, retail, commercial and storage areas located adjacent to any detention and/or infiltration systems with above ground storage must be a minimum of 300mm above the maximum water level for the design storm or alternately a permanent 300mm high water proof barrier is to be provided.

(In this regard, it must be noted that this condition must not result in any increase in the heights or levels of the building. Any variations to the heights or levels of the building will require a new or amended

development consent from the Council prior to a construction certificate being issued for the development).

- j) The maximum depth of ponding in any above ground detention areas and/or infiltration systems with above ground storage shall be as follows (as applicable):
- i. 150mm in uncovered open car parking areas (with an isolated maximum depth of 200mm permissible at the low point pit within the detention area)
 - ii. 300mm in landscaped areas (where child proof fencing is not provided around the outside of the detention area and sides slopes are steeper than 1 in 10)
 - iii. 600mm in landscaped areas where the side slopes of the detention area have a maximum grade of 1 in 10
 - iv. 1200mm in landscaped areas where a safety fence is provided around the outside of the detention area
 - v. Above ground stormwater detention areas must be suitably signposted where required, warning people of the maximum flood level.

Note: Above ground storage of stormwater is not permitted within basement car parks or store rooms.

- k) A childproof and corrosion resistant fastening system shall be installed on access grates over pits/trenches where water is permitted to be temporarily stored.
- l) A 'V' drain (or equally effective provisions) are to be provided to the perimeter of the property, where necessary, to direct all stormwater to the detention/infiltration area.
- m) Mulch or bark is not to be used in on-site detention areas.
- n) Site discharge pipelines shall cross the verge at an angle no less than 45 degrees to the kerb line and must not encroach across a neighbouring property's frontage unless approved in writing by Council's Development Engineering Coordinator.
- o) Any onsite detention/infiltration systems shall be located in areas accessible by residents of all units.
- p) Should a charged system be required to drain any portion of the site, the charged system must be designed such that;
- i. There are suitable clear-outs/inspection points at pipe bends and junctions.
 - ii. The maximum depth of the charged line does not exceed 1m below the gutter outlet.

Site seepage

19. The proposed development shall comply with the following requirements to ensure the adequate management of Site seepage and sub-soil drainage:
- a) Seepage/ground water and subsoil drainage (from planter boxes etc) must not be collected & discharged directly or indirectly to Council's street gutter or underground drainage system
 - b) Adequate provision is to be made for the ground water to drain around the basement carpark (to ensure the basement will not dam or slow the movement of the ground water through the development site).

- c) The walls of the basement level/s of the building are to be waterproofed/tanked to restrict the entry of any seepage water and subsoil drainage into the basement level/s of the building and the stormwater drainage system for the development.
- d) Sub-soil drainage systems may discharge via infiltration subject to the hydraulic consultant/engineer being satisfied that the site and soil conditions are suitable and the seepage is able to be fully managed within the site, without causing a nuisance to any premises and ensuring that it does not drain or discharge (directly or indirectly) to the street gutter.
- e) Details of the proposed stormwater drainage system including methods of tanking the basement levels and any sub-soil drainage systems (as applicable) must be prepared or approved by a suitably qualified and experienced Professional Engineer to the satisfaction of the Certifying Authority and details are to be included in the construction certificate. **A copy of the proposed method for tanking the basement levels must be forwarded to Council if Council is not the Certifying Authority.**

Waste Management

20. Waste Management provisions must be implemented in accordance with the Waste Management Plan submitted with the development application (Prepared by Spiro Raissis dated stamped by Council 15th August 2016, subject to the following amendments:-
- Full Details of demolition and construction waste, including materials to be re-used or recycled are to be provided.
 - Details of proposed recycling and waste disposal contractors are to be provided

The amended waste and recycling storage and removal strategy for all of the development is required to be submitted to and approved by Council's Director of City Planning prior to the issuing of a construction certificate.

21. The garbage room shall be sized to contain a total of 10 x 240 litre bins (comprising 4 garbage bins, 4 recycle bins & 2 green waste and with adequate provisions for access to all bins. Details showing compliance are to be included in the construction certificate.
22. The waste storage areas are to be provided with a tap and hose and the floor is to be graded and drained to the sewer to the requirements of Sydney Water.

Landscape Plan

23. The Certifying Authority/PCA must ensure that the Landscape Plans submitted as part of the approved Construction Certificate are substantially consistent with the Landscape Plan, Sections & Planting Plans by Jila, dwg's LA01-03, Issue A, dated 28/7/16.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the 'Principal Certifying Authority' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

24. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority (PCA)* must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

In relation to residential building work, the principal contractor must be the holder of a contractor licence, in accordance with the provisions of the Home Building Act 1989.

Home Building Act 1989

25. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Dilapidation Reports

26. A dilapidation report prepared by a professional engineer, building surveyor or other suitably qualified independent person must be submitted to the satisfaction of the Principal Certifying Authority prior to commencement of any demolition, excavation or building works, in the following cases:
- excavations for new dwellings, additions to dwellings, swimming pools or the like which are proposed to be located within the *zone of influence* of the footings of any dwelling, associated garage or other substantial structure located upon an adjoining premises,
 - new dwellings or additions to dwellings sited up to shared property boundaries (e.g. additions to a semi-detached dwelling or terraced dwellings),
 - excavations for new dwellings, additions to dwellings, swimming pools or the like which are within rock and may result in vibration and or potential damage to any dwelling, associated garage or other substantial structure located upon an adjoining premises,
 - as otherwise may be required by the Principal Certifying Authority.

The report (including photographs) are required to detail the current condition

and status of any dwelling, associated garage or other substantial structure located upon the adjoining premises, which may be affected by the subject works. A copy of the dilapidation report is to be given to the owners of the premises encompassed in the report/s before commencing any works.

Construction Noise & Vibration Management Plan

27. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW EPA Guidelines must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies.

A *Construction Noise Management Plan*, prepared in accordance with the NSW EPA Construction Noise Guideline by a suitably qualified person, is to be implemented throughout the works. A copy of the strategy must be provided to the Principal Certifying Authority and Council prior to the commencement of works on site.

Construction Site Management Plan

28. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing / hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the commencement of any site works and be maintained throughout the works, to the satisfaction of Council.

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Demolition Work Plan

29. A Demolition Work Plan must be prepared for the development in accordance with Australian Standard AS2601-2001, Demolition of Structures and relevant environmental/occupational health and safety requirements.

The Demolition Work Plan must include the following information (as applicable):

- The name, address, contact details and licence number of the Demolisher /Asbestos Removal Contractor
- Details of hazardous materials (including asbestos)
- Method/s of demolition (including removal of any asbestos)
- Measures and processes to be implemented to ensure the health & safety of workers and community
- Measures to be implemented to minimise any airborne dust and asbestos
- Methods and location of disposal of any hazardous materials (including asbestos)
- Other relevant details, measures and requirements to be implemented
- Details of re-use, recycling and disposal of waste demolition/building materials
- Date the demolition works will commence

The Demolition Work Plan must be submitted to the Principal Certifying Authority (PCA), not less than two (2) working days before commencing any demolition work. A copy of the Demolition Work Plan must be maintained on site and be made available to Council officers upon request.

If the work involves asbestos products or materials, a copy of the Demolition Work Plan must also be provided to Council not less than 2 days before commencing those works.

Notes

- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*
- *Refer to the conditions within the "Requirements During Construction & Site Work", for further details and requirements relating to demolition work, removal of any asbestos and public safety.*

Construction Traffic Management

30. An application for a 'Works Zone' and Construction Traffic Management Plan must be submitted to Councils Integrated Transport Department, and approved by the Randwick Traffic Committee, for a 'Works Zone' to be provided in Judge Street for the duration of the demolition & construction works.

The 'Works Zone' must have a minimum length of 12m and extend for a minimum duration of three months. The suitability of the proposed length and duration is to be demonstrated in the application for the Works Zone. The application for the Works Zone must be submitted to Council at least six (6) weeks prior to the commencement of work on the site to allow for assessment and tabling of agenda for the Randwick Traffic Committee.

The requirement for a Works Zone may be varied or waived only if it can be demonstrated in the Construction Traffic Management Plan (to the satisfaction of Council's Traffic Engineers) that all construction related activities (including all loading and unloading operations) can and will be undertaken wholly within the site. The written approval of Council must be obtained to provide a Works Zone or to waive the requirement to provide a Works Zone prior to the commencement of any site work.

31. A detailed Construction Site Traffic Management Plan must be submitted to and approved by Council, prior to the commencement of any site work.

The Construction Site Traffic Management Plan must be prepared by a suitably qualified person and must include the following details, to the satisfaction of Council:

- A description of the demolition, excavation and construction works

- A site plan/s showing the site, roads, footpaths, site access points and vehicular movements
- Any proposed road and/or footpath closures
- Proposed site access locations for personnel, deliveries and materials
- Size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site)
- Provision for loading and unloading of goods and materials
- Impacts of the work and vehicular movements on the road network, traffic and pedestrians
- Proposed hours of construction related activities and vehicular movements to and from the site
- Current/proposed approvals from other Agencies and Authorities (including NSW Roads & Maritime Services, Police and State Transit Authority)
- Any activities proposed to be located or impact upon Council's road, footways or any public place
- Measures to maintain public safety and convenience

The approved Construction Site Traffic Management Plan must be complied with at all times, and any proposed amendments to the approved Construction Site Traffic Management Plan must be submitted to and be approved by Council in writing, prior to the implementation of any variations to the Plan.

32. Any necessary approvals must be obtained from NSW Police, Roads & Maritime Services, Transport, and relevant Service Authorities, prior to commencing work upon or within the road, footway or nature strip.

Public Utilities

33. A public utility impact assessment must be carried out on all public utility services located on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the building works. The assessment should include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of services.
34. Documentary evidence from the relevant public utility authorities confirming they have agreed to the proposed works and that their requirements have been or are able to be satisfied, must be submitted to the Principal Certifying Authority prior to the commencement of any demolition, excavation or building works.

The owner/builder must make the necessary arrangements and meet the full cost for telecommunication companies, gas providers, Ausgrid, Sydney Water and other service authorities to adjust, repair or relocate their services as required.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

35. The building works must be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning &*

Assessment Act 1979 and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

The *Principal Certifying Authority* must specify the relevant stages of construction to be inspected and a satisfactory inspection must be carried out, to the satisfaction of the *Principal Certifying Authority*, prior to proceeding to the subsequent stages of construction or finalisation of the works (as applicable).

Site Signage

36. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:

- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
- name, address and telephone number of the *Principal Certifying Authority*,
- a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

37. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Demolition Work Requirements

38. The demolition of buildings and the removal, storage, handling and disposal of building materials must be carried out in accordance with the relevant requirements of WorkCover NSW, the NSW Department of Environment, Climate Change & Water and Randwick City Council policies, including:

- Work Health & Safety Act 2011 and Regulations
- WorkCover NSW Code of Practice for the Safe Removal of Asbestos
- WorkCover NSW Guidelines and Codes of Practice
- Australian Standard 2601 (2001) – Demolition of Structures
- The Protection of the Environment Operations Act 1997 and Regulations

- Relevant EPA Guidelines
- Randwick City Council Asbestos Policy

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.

Removal of Asbestos Materials

39. Work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:

- Relevant Occupational Health & Safety legislation and WorkCover NSW requirements
- Randwick City Council's Asbestos Policy
- A WorkCover licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by WorkCover or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'DANGER ASBESTOS REMOVAL IN PROGRESS' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Operations (Waste) Regulation 2005*. Details of the landfill site (which must be lawfully able to receive asbestos materials) must be provided to the Principal Certifying Authority.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos removal contractor, building consultant, architect or experienced licensed building contractor), must be provided to Council and the Principal certifying authority upon completion of the asbestos related works which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Sediment & Erosion Control

40. Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction. Details are to be included in the *Construction Site Management Plan*.

Public Safety & Site Management

41. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:

- a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel

reinforcement mesh as fencing is not permissible.

- b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- d) Building operations such as brick cutting, washing tools or equipment and mixing mortar are not permitted on public footpaths, roadways, nature strips, in any public place or any location which may lead to the discharge of materials into the stormwater drainage system.
- e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom, to Council's satisfaction.
- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- g) Temporary safety fencing is to be provided to any swimming pools under construction, pending the completion of all building work and the pool must not be filled until a fencing inspection has been carried out and approved by the principal certifying authority.

Support of Adjoining Land, Excavations & Retaining Walls

42. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
43. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring, piling or other measures are to be submitted to and approved by the Principal Certifying Authority.

44. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:

- when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
- when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (e.g. semi-detached or terrace dwelling);
- when constructing a wall to a dwelling or associated structure that is located within 900mm of a dwelling located on the adjoining land;
- as may be required by the *Principal Certifying Authority*.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in accordance with the abovementioned report, to the satisfaction of the *Principal Certifying Authority*.

Building Encroachments

45. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Site Seepage & Stormwater

46. Details of the proposed connection and or disposal of any site seepage, groundwater or construction site stormwater to Council's stormwater drainage system must be submitted to and approved by Council's Development Engineering Coordinator, prior to commencing these works, in accordance with section 138 of the *Roads Act 1993*.

Details must include the following information:

- Site plan
- Hydraulic engineering details of the proposed disposal/connection of groundwater or site stormwater to Council/s drainage system
- Volume of water to be discharged
- Location and size of drainage pipes
- Duration, dates and time/s for the proposed works and disposal
- Details of water quality and compliance with the requirements of the *Protection of the Environment Act 1997*
- Details of associated plant and equipment, including noise levels from the plant and equipment and compliance with the requirements of the *Protection of the Environment Act 1997* and associated Regulations and Guidelines
- Copy of any required approvals and licences from other Authorities (e.g. A water licence from the Department of Planning/Department of Water & Energy).
- Details of compliance with any relevant approvals and licences

Road/Asset Opening Permit

47. Any openings within or upon the road, footpath, nature strip or in any public place (i.e. for proposed drainage works or installation of services), must be carried out in accordance with the following requirements, to the satisfaction of Council:

- a) A *Road / Asset Opening Permit* must be obtained from Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road / Asset Opening Permit* must be complied with.
- b) Council's Road / Asset Opening Officer must be notified at least 48 hours in advance of commencing any excavation works and also immediately

upon completing the works (on 9399 0691 or 0409 033 921 during business hours), to enable any necessary inspections or works to be carried out.

- c) Relevant *Road / Asset Opening Permit* fees, construction fees, inspection fees and security deposits, must be paid to Council prior to commencing any works within or upon the road, footpath, nature strip or other public place,
- d) The owner/developer must ensure that all works within or upon the road reserve, footpath, nature strip or other public place are completed to the satisfaction of Council, prior to the issuing of a *final occupation certificate* or occupation of the development (whichever is sooner).
- e) Excavations and trenches must be back-filled and compacted in accordance with AUSPEC standards 306U.
- f) Excavations or trenches located upon a road or footpath are required to be provided with 50mm depth of cold-mix bitumen finish, level with the existing road/ground surface, to enable Council to readily complete the finishing works at a future date.
- g) Excavations or trenches located upon turfed areas are required to be back-filled, compacted, top-soiled and re-turfed with Kikuyu turf.
- h) The work and area must be maintained in a clean, safe and tidy condition at all times and the area must be thoroughly cleaned at the end of each days activities and upon completion.
- i) The work can only be carried out in accordance with approved hours of building work as specified in the development consent, unless the express written approval of Council has been obtained beforehand.
- j) Sediment control measures must be implemented in accordance with the conditions of development consent and soil, sand or any other material must not be allowed to enter the stormwater drainage system or cause a pollution incident.
- k) The owner/developer must have a Public Liability Insurance Policy in force, with a minimum cover of \$10 million and a copy of the insurance policy must be provided to Council prior to carrying out any works within or upon the road, footpath, nature strip or in any public place.

Roadway

48. If it is necessary to excavate below the level of the base of the footings of the adjoining roadways, the person acting on the consent shall ensure that the owner/s of the roadway is/are given at least seven (7) days notice of the intention to excavate below the base of the footings. The notice is to include complete details of the work.

Traffic Management

49. Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.
50. All work, including the provision of barricades, fencing, lighting, signage and traffic control, must be carried out in accordance with the NSW Roads and Traffic Authority publication - 'Traffic Control at Work Sites' and Australian Standard AS 1742.3 – Traffic Control Devices for Works on Roads, at all times.

51. All conditions and requirements of the NSW Police, Roads & Maritime Services, Transport and Council must be complied with at all times.

Stormwater Drainage

52. Adequate provisions must be made to collect and discharge stormwater drainage during construction of the building to the satisfaction of the principal certifying authority.

The prior written approval of Council must be obtained to connect or discharge site stormwater to Council's stormwater drainage system or street gutter.

Tree Removal

53. Due to their small size and insignificance, no objections are raised to removing all vegetation throughout the site where necessary so as to accommodate the works as shown, including the two *Howea fosteriana* (Kentia Palms) along the rear boundary, towards the northeast corner of the site, subject to full implementation of the approved landscaping.

Pruning

54. Permission is granted for the minimal and selective pruning of only those fronds from the western aspect of the two *Cyathea cooperi* (Tree Ferns) that are located in the rear yard of the adjoining site to the east, no.3, against the common boundary, only where they overhang into the subject site, and need to be pruned in order to avoid damage to them; or; interference with the approved works.
55. This approval does not imply any right of entry onto a neighbouring property nor does it allow pruning beyond a common boundary; however, where such measures are desirable in the best interests of correct pruning procedures, and ultimately, the ongoing health of these tree ferns, the applicant must negotiate with the neighbour/tree owner for access to perform this work.
56. All pruning must be undertaken by an Arborist who holds a minimum of AQF Level III in Arboriculture, and to the requirements of Australian Standard AS 4373-2007 'Pruning of Amenity Trees,' and NSW Work Cover Code of Practice for the Amenity Tree Industry (1998).

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

57. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The relevant requirements of the *Environmental Planning & Assessment Act 1979* and

conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

BASIX Requirements

58. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Council's Infrastructure, Vehicular Crossings & Road Openings

59. The owner/developer must meet the full cost for a Council approved contractor to:
- a) Construct a full width concrete vehicular crossing and layback at kerb opposite the vehicular entrance to the site, to Council's specifications and requirements.
 - b) Re-construct kerb and gutter for the full site frontage on Coogee Street and extend to the kerb tangent point in Judge Street adjacent to the power pole.
 - c) Carry out a full depth, 1 metre wide, road construction in front of the reconstructed kerb and gutter, to Council's specifications and requirements.
 - d) Re/construct a 1.3m wide concrete footpath along the full site frontage in Coogee Street. Any unpaved areas on the nature strip must be turfed and landscaped to Council's specification.
 - e) Install 'No Stopping' sign immediately to the west of the finished crossing to ensure vehicle will not park to the west of the new crossing.
60. Prior to issuing a final occupation certificate or occupation of the development (whichever is sooner), the owner/developer must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
61. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's "Crossings and Entrances – Contributions Policy" and "Residents' Requests for Special Verge Crossings Policy" and the following requirements:
- a) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Civil Works Application Form. Council will respond, typically within 4 weeks, with a letter of approval outlining conditions for working on Council land, associated fees and workmanship bonds. Council will also provide details of the approved works including specifications and construction details.
 - b) Works on Council land, must not commence until the written letter of approval has been obtained from Council and heavy construction works within the property are complete. The work must be carried out in accordance with the conditions of development consent, Council's conditions for working on Council land, design details and payment of the fees and bonds outlined in the letter of approval.
 - c) The civil works must be completed in accordance with the above, prior to the issuing of an occupation certificate for the development, or as otherwise approved by Council in writing.

**Service Authorities
Sydney Water Requirements**

62. A Section 73 Compliance Certificate, under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation. An Application for a Section 73 Certificate must be made through an authorised Water Servicing Coordinator. For details, please refer to the Sydney Water web site www.sydneywater.com.au > Building and developing > Developing your Land > Water Servicing Coordinator or telephone 13 20 92.

Please make early contact with the Water Servicing Co-ordinator, as building of water/sewer extensions may take some time and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to the Principal Certifying Authority and the Council **prior to issuing an Occupation Certificate.**

Undergrounding of Power

63. At no cost to Council, the existing overhead power feed between the mains distribution pole in the street and the development site, shall be relocated to an underground (UGOH) connection. All work shall be to the requirements and satisfaction of Ausgrid.

Stormwater Drainage

64. A "restriction on the use of land" and "positive covenant" (under section 88E of the Conveyancing Act 1919) shall be placed on the title of the subject property to ensure that the onsite detention/infiltration system is maintained and that no works which could affect the design function of the detention/infiltration system are undertaken without the prior consent (in writing) from Council. Such restriction and positive covenant shall not be released, varied or modified without the consent of the Council.

Notes:

- a. The "restriction on the use of land" and "positive covenant" are to be to the satisfaction of Council. A copy of Council's standard wording/layout for the restriction and positive covenant may be obtained from Council's Development Engineer.
- b. The works as executed drainage plan and hydraulic certification must be submitted to Council prior to the "restriction on the use of land" and "positive covenant" being executed by Council.
65. A works-as-executed drainage plan prepared by a registered surveyor and approved by a suitably qualified and experienced hydraulic consultant/engineer must be forwarded to the Principal Certifying Authority and the Council. The works-as-executed plan must include the following details (as applicable):
- The location of any detention basin/s with finished surface levels;
 - Finished site contours at 0.2 metre intervals;
 - Volume of storage available in any detention areas;
 - The location, diameter, gradient and material (i.e. PVC, RC etc) of all stormwater pipes;
 - The orifice size/s (if applicable);
 - Details of any infiltration/absorption systems; and
 - Details of any pumping systems installed (including wet well volumes).
66. The applicant shall submit to the Principal Certifying Authority (PCA) and Council, certification from a suitably qualified and experienced Hydraulic Engineer, which confirms that the design and construction of the stormwater drainage system complies with the Building Code of Australia, Australian Standard AS3500.3:2003 (Plumbing & Drainage- Stormwater Drainage) and conditions of this development consent.

The certification must be provided following inspection/s of the site stormwater drainage system by the Hydraulic Engineers to the satisfaction of the PCA.

67. The applicant shall submit to the Principal Certifying Authority (PCA) and Council certification from a suitably qualified and experienced professional engineer, confirming that the walls of the basement have been fully tanked and waterproofed to prevent the entry of all groundwater in the basement level/s and that any required sub-soil drainage systems have been provided in accordance with the conditions of this consent..

Landscaping

68. Prior to issuing any type of Occupation Certificate, certification from a qualified professional in the landscape/horticultural industry must be submitted to, and be approved by, the PCA, confirming the date that the completed landscaping was inspected, and that it has been installed substantially in accordance with the Landscape Plan, Sections & Planting Plans by Jila, dwg 's LA01-03, Issue A, dated 28/7/16.
69. Suitable strategies shall be implemented to ensure that the landscaping is maintained in a healthy and vigorous state until maturity, for the life of the development.
70. The nature-strip upon Council's footway shall be excavated to a depth of 150mm, backfilled with topsoil equivalent with 'Organic Garden Mix' as supplied by Australian Native Landscapes, and re-turfed with Kikuyu Turf or similar. Such works shall be installed prior to the issue of a final Occupation Certificate.

Waste Management

71. Prior to the occupation of the development, the owner or applicant is required to contact Council's City Services department, to make the necessary arrangements for the provision of waste services for the premises.
72. The waste storage areas shall be clearly signposted.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

73. The car spaces within the development are for the exclusive use of the occupants of the building. The car spaces must not be leased to any person/company that is not an occupant of the building.

External Lighting

74. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Stormwater Detention/Infiltration System

75. The detention area/infiltration system must be regularly cleaned and maintained to ensure it functions as required by the design.

Residential Parking Permits

76. All prospective owners and tenants of the building must be notified that Council will not issue any residential parking permits to occupants/tenants of this

development.

77. A notice shall be placed in the foyer/common areas of the building advising tenants/occupiers that they are in a building which does not qualify for on-street resident parking permits.

Plant & Equipment

78. The operation of all plant and equipment upon the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment & Heritage (EPA) Noise Control Guidelines.

Air Conditioners

79. Air conditioning plant and equipment shall not be operated during the following hours if the noise emitted can be heard within a habitable room in any other residential premises, or, as otherwise specified in relevant Noise Control Regulations:

- before 8.00am or after 10.00pm on any Saturday, Sunday or public holiday; or
- before 7.00am or after 10.00pm on any other day.

Rainwater Tanks

80. The operation of plant and equipment associated with rainwater tanks are to be restricted to the following hours if the noise emitted can be heard within a habitable room in any other residential premises:

- before 8.00am or after 8.00pm on weekends or public holiday; or
- before 7.00am or after 8.00pm on weekdays.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A2 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A3 In accordance with the requirements of the *Environmental Planning & Assessment Act 1979*, building works, including associated demolition and excavation works (as applicable) must not be commenced until:
- A *Construction Certificate* has been obtained from an Accredited Certifier or Council,
 - An Accredited Certifier or Council has been appointed as the *Principal Certifying Authority* for the development,
 - Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.
- A4 Council's Building Certification & Fire Safety team can issue your *Construction Certificate* and be your *Principal Certifying Authority* for the development, to undertake inspections and ensure compliance with the development consent, relevant building regulations and standards of construction. For further details contact Council on 9399 0944.
- A5 Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.
- A6 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.
- A7 Further information and details on Council's requirements for trees on development sites can be obtained from the recently adopted Tree Technical Manual, which can be downloaded from Council's website at the following link, <http://www.randwick.nsw.gov.au> - Looking after our environment - Trees - Tree
- A8 A Local Approval application must be submitted to and be approved by Council prior to commencing any of the following activities on a footpath, road, nature strip or in any public place:
- Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.
- For further information please contact Council on 9399 0944.
- A9 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place.
- A10 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A11 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

A12 Smoke alarms are required to be installed in all residential dwellings, in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979* and the Building Code of Australia. Details should be included in the construction certificate application.

A13 Demolition work and removal of asbestos materials:

- *A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.*
- *It is the responsibility of the persons undertaking demolition work to obtain the relevant WorkCover licences and permits.*

A14 Any external lighting to the premises should be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

A15 Building owners and occupiers should consider implementing appropriate measures to prevent children from falling from high-level window openings and balconies (e.g. by installing window locking devices; installing heavy-duty screens to window openings; limiting the dimensions of any openings to 125mm; ensuring balustrades to balconies are at least 1m high and; locating fixtures, fittings and furniture away from high-level windows and balconies).

For further information about preventing falls from windows and balconies refer to www.health.nsw.gov.au/childsafety or pick-up a brochure from Council's Customer Service Centre

MOTION: (Smith/Belleli) CARRIED - SEE RESOLUTION.

A **DIVISION** was taken and the names of the Councillors voting FOR and AGAINST were as follows:

FOR	AGAINST
Councillor Belleli	Councillor Bowen
Councillor D'Souza	Councillor Matson
Councillor Moore	Councillor Neilson
Councillor Seng	Councillor Roberts
Councillor Smith	Councillor Shurey

Councillor Stavrinou (+ casting vote)	Councillor Stevenson
Total (7)	Total (6)

Miscellaneous Reports

Nil.

The meeting was adjourned at 7.49pm and was resumed at 8.28pm.

Confidential reports (closed session)

That the meeting move into closed session in order to consider confidential items.

Closed Session

M3/17 Confidential - AST Services Pty Ltd 1-59 Beauchamp Road, Matraville (DA/318/2008)

This matter is considered to be confidential under Section 10A(2) (g) Of the Local Government Act, as it deals with advice concerning litigation, or advice that would otherwise be privileged from production in legal proceedings on the ground of legal professional privilege.

PL60/17

RESOLUTION: (Smith/Neilson) that:

- a) Council withdraw Penalty Notice 3139792233 and Penalty Notice 3139678668, and
- b) that any future non-compliances with the Consent be addressed through the Orders provisions contained in Division 2A of Part 6 of the *Environmental Planning and Assessment Act 1979*, and
- c) AST Services Pty Ltd be advised of Council's determination of this matter, accordingly.

MOTION: (Smith/Neilson) CARRIED UNANIMOUSLY - SEE RESOLUTION.

Open Session

That the meeting move back into open session.

Notice of Rescission Motions

Nil.

The meeting closed at 8.37pm.

The minutes of this meeting were confirmed at the Planning Committee Meeting of the Council of the City of Randwick held on Tuesday, 8 August 2017.

.....
CHAIRPERSON