

Development Application Compliance Report



Folder /DA No:	DA/767/2017
PROPERTY:	385 Maroubra Road, MAROUBRA
Proposal:	Enclosure of an existing deck to the rear of the dwelling.
Recommendation:	Approval

Relevant Environment Planning Instruments:

1. Randwick LEP 2012

The subject site is zoned R2 Low Density Residential under Randwick LEP 2012 and the proposed building works are permissible in the R2 zone. The zoning objectives are addressed as follows:

The objectives of the R2 zone include:

- *To provide for the housing needs of the community within a low density residential environment.*
- *To enable other land uses that provide facilities or services to meet the day to day needs of residents.*
- *To recognise the desirable elements of the existing streetscape and built form or, in precincts undergoing transition, that contribute to the desired future character of the area.*
- *To protect the amenity of residents.*
- *To encourage housing affordability.*
- *To enable small-scale business uses in existing commercial buildings.*

The proposal is consistent with the relevant objective at bullet point (4) in that it would not result in any unreasonable amenity impacts to the adjoining properties (refer to the discussion in the Development Application Report).

The following Clauses of RLEP 2012 apply to the proposal:

Description	Council Standard	Proposed	Compliance (Yes/No/NA)
Floor Space Ratio (Maximum)	Merit Assessment for semi-detached dwellings on lots less than 300 sqm	0.63:1	Satisfactory
Height of Building (Maximum)	9.5 metres	4.5 metres	Yes

2. Randwick Comprehensive DCP

3.1 C1 Table: Low Density Residential

Randwick Development Control Plan

The DCP provisions are structured into two components, Objectives and Controls. The Objectives provide the framework for assessment under each requirement and outline key outcomes that a development is expected to achieve. The controls contain both numerical standards and qualitative provisions. Any proposed variations from the controls may be

considered only where the applicant successfully demonstrates that an alternative solution could result in a more desirable planning and urban design outcome.

The relevant provisions of the DCP are addressed in the table below. (Note: a number of control provisions that are not related to the proposal have been deliberately omitted.)

DCP Clause	Controls	Proposal	Compliance
	Classification	Zoning = R2	Yes
2	Site planning		
2.3	Site coverage		
	Up to 300 sqm = 60% 301 to 450 sqm = 55% 451 to 600 sqm = 50% 601 sqm or above = 45%	The proposed enclosure of the existing deck is within the footprint of the existing dwelling and would not increase site coverage above existing situation.	Yes
2.4	Landscaping and permeable surfaces		
	i) Up to 300 sqm = 20% ii) 301 to 450 sqm = 25% iii) 451 to 600 sqm = 30% iv) 601 sqm or above = 35% v) Deep soil minimum width 900mm. vi) Maximise permeable surfaces to front vii) Retain existing or replace mature native trees viii) Minimum 1 canopy tree (8m mature). Smaller (4m mature) If site restrictions apply. ix) Locating paved areas, underground services away from root zones.	The proposed enclosure of the existing deck is within the footprint of the existing dwelling and would not decrease the landscape or permeable surface compared to the existing situation.	Yes
2.5	Private open space (POS)		
	Dwelling & Semi-Detached POS		
	Up to 300 sqm = 5m x 5m 301 to 450 sqm = 6m x 6m 451 to 600 sqm = 7m x 7m 601 sqm or above = 8m x 8m	The proposed enclosure of the existing deck is within the footprint of the existing dwelling and would not change the private open space accessed directly from this space to the rear yard compared to the existing situation.	Yes
3	Building envelope		
3.1	Floor space ratio LEP 2012 = merit assessment	0.63:1	Satisfactory
3.2	Building height		
	Maximum overall height LEP 2012 = 9.5metres	4.5 metres	Yes
	i) Maximum external wall height = 7m (Minimum floor to ceiling height = 2.7m) ii) Sloping sites = 8m iii) Merit assessment if exceeded	4.5 metres	Yes

DCP Clause	Controls	Proposal	Compliance
3.3	Setbacks		
3.3.1	<p>Front setbacks</p> <p>i) Average setbacks of adjoining (if none then no less than 6m) Transition area then merit assessment.</p> <p>ii) Corner allotments: Secondary street frontage:</p> <ul style="list-style-type: none"> - 900mm for allotments with primary frontage width of less than 7m - 1500mm for all other sites <p>iii) do not locate swimming pools, above-ground rainwater tanks and outbuildings in front</p>	No change to existing	Yes
3.3.2	<p>Side setbacks:</p> <p>Semi-Detached Dwellings:</p> <ul style="list-style-type: none"> • Frontage less than 6m = merit • Frontage b/w 6m and 8m = 900mm for all levels <p>Dwellings:</p> <ul style="list-style-type: none"> • Frontage less than 9m = 900mm • Frontage b/w 9m and 12m = 900mm (Gnd & 1st floor) 1500mm above • Frontage over 12m = 1200mm (Gnd & 1st floor), 1500mm above. <p>Refer to 6.3 and 7.4 for parking facilities and outbuildings</p>	The proposed enclosure of the existing deck would maintain a minimum 1 metre setback consistent with the existing situation.	Yes
3.3.3	<p>Rear setbacks</p> <p>i) Minimum 25% of allotment depth or 8m, whichever lesser. Note: control does not apply to corner allotments.</p> <p>ii) Provide greater than aforementioned or demonstrate not required, having regard to:</p> <ul style="list-style-type: none"> - Existing predominant rear setback line - reasonable view sharing (public and private) - protect the privacy and solar access <p>iii) Garages, carports, outbuildings, swimming or spa pools, above-ground water tanks, and unroofed decks and terraces attached to the dwelling may encroach upon the required rear setback, in so far as they comply with other relevant provisions of this DCP.</p> <p>iv) For irregularly shaped lots = merit assessment on basis of:-</p> <ul style="list-style-type: none"> - Compatibility - POS dimensions comply - minimise solar access, privacy and view sharing impacts <p>Refer to 6.3 and 7.4 for parking facilities and outbuildings</p>	The proposed enclosure of the existing deck would decrease the rear setback by 3 metres compared to the existing unroofed deck. However, the building line at lower ground floor level (below the existing deck) would not change compared to the existing situation.	Satisfactory

DCP Clause	Controls	Proposal	Compliance
4	Building design		
4.1	General		
	Respond specifically to the site characteristics and the surrounding natural and built context - <ul style="list-style-type: none"> articulated to enhance streetscape stepping building on sloping site, no side elevation greater than 12m encourage innovative design 	The proposed enclosure of the existing deck would increase the length of the side elevation at ground level by 3 metres equating to a total length of 22.7 metres.	Refer to the Key Issues section of the Development Application report.
4.2	Additional Provisions for symmetrical semi-detached dwellings		
	i) Enhance the pair as coherent entity: <ul style="list-style-type: none"> behind apex of roof; low profile or consistent with existing roof new character that is first floor at front after analysis streetscape outcome ii) Constructed to common boundary of adjoining semi iii & iv) avoid exposure of blank party walls to adjoining semi and public domain	The proposed enclosure of the existing deck would not alter the form of the existing pair of semi-detached dwellings.	Yes
4.5	Colours, Materials and Finishes		
	i) Schedule of materials and finishes ii) Finishing is durable and non-reflective. iii) Minimise expanses of rendered masonry at street frontages (except due to heritage consideration) iv) Articulate and create visual interest by using combination of materials and finishes. v) Suitable for the local climatic to withstand natural weathering, ageing and deterioration. vi) recycled and re-use sandstone (See also section 8.3 foreshore area.)	The proposed materiality includes glazing and metal roof. The materials are generally acceptable	Yes
5	Amenity		
5.1	Solar access and overshadowing		
	Solar access to proposed development:		
	i) Portion of north-facing living room windows must receive a minimum of 3 hrs direct sunlight between 8am and 4pm on 21 June ii) POS (passive recreational activities) receive a minimum of 3 hrs of direct sunlight between 8am and 4pm on 21 June.	The proposal will form an extension to the internal living space and would continue to receive sunlight through the glazing.	Yes
	Solar access to neighbouring development:		
	i) Portion of the north-facing living	The proposal would	Refer to the

DCP Clause	Controls	Proposal	Compliance
	<p>room windows must receive a minimum of 3 hours of direct sunlight between 8am and 4pm on 21 June.</p> <p>iv) POS (passive recreational activities) receive a minimum of 3 hrs of direct sunlight between 8am and 4pm on 21 June.</p> <p>v) solar panels on neighbouring dwellings, which are situated not less than 6m above ground level (existing), must retain a minimum of 3 hours of direct sunlight between 8am and 4pm on 21 June. If no panels, direct sunlight must be retained to the northern, eastern and/or western roof planes (not <6m above ground) of neighbouring dwellings.</p> <p>vi) Variations may acceptable be subject to:</p> <ul style="list-style-type: none"> • Degree of meeting the FSR, height, setbacks and site coverage controls. • Orientation of the subject and adjoining allotments and subdivision pattern of the urban block. • Topography of the subject and adjoining allotments. • Location and level of the windows in question. • Shadows cast by existing buildings on the neighbouring allotments. 	<p>not result in any significant additional overshadowing of the adjoining property to the south.</p>	<p>Key Issues section of the Development Application report.</p>
5.2	Energy Efficiency and Natural Ventilation		
	<p>i) Provide day light to internalised areas within the dwelling (for example, hallway, stairwell, walk-in-wardrobe and the like) and any poorly lit habitable rooms via measures such as:</p> <ul style="list-style-type: none"> • Skylights (ventilated) • Clerestory windows • Fanlights above doorways • Highlight windows in internal partition walls • living rooms contain windows and doors opening to outdoor areas <p><i>Note: The sole reliance on skylight or clerestory window for natural lighting and ventilation is not acceptable</i></p>	<p>The glazing would allow for good day light and amenity at the rear of the dwelling.</p>	<p>Yes</p>
5.3	Visual Privacy		
	Windows		
	<p>i) minimise any direct viewing habitable of proposed and neighbours habitable room windows by one or more of the following measures:</p> <ul style="list-style-type: none"> - windows are offset or staggered 	<p>The incidence of overlooking is common amongst the surrounding properties.</p>	<p>Refer to the Key Issues section of the Development Application</p>

DCP Clause	Controls	Proposal	Compliance
	<ul style="list-style-type: none"> - minimum 1600mm window sills - Install fixed and translucent glazing up 1600mm minimum effective sill. - Install fixed privacy screens to windows. - Creating a recessed courtyard (minimum 3m x 2m). ii) orientate living and dining windows away from similar opposite (that is front or rear or side courtyard)		report.
5.4	Acoustic Privacy		
	i) noise sources not located adjacent to adjoining dwellings bedroom windows Attached dual occupancies ii) Reduce noise transmission between dwellings by: <ul style="list-style-type: none"> - Locate noise-generating areas and quiet areas adjacent to each other. - Locate less sensitive areas adjacent to the party wall to serve as noise buffer. 	The proposed enclosure of the existing outdoor deck would reduce noise to the adjoining properties associated with the use of this space.	Refer to the Key Issues section of the Development Application report.
5.6	View Sharing		
	i) Reasonably maintain existing view corridors or vistas from the neighbouring dwellings, streets and public open space areas. ii) retaining existing views from the living areas are a priority over low use rooms iii) retaining views for the public domain takes priority over views for the private properties iv) fence design and plant selection must minimise obstruction of views v) Adopt a balanced approach to privacy protection and view sharing vi) Demonstrate any steps or measures adopted to mitigate potential view loss impacts in the DA. (certified height poles used)	The proposal would not result in any view loss impacts from the adjoining properties.	Refer to the Key Issues section of the Development Application report.

3. 79C Matters for consideration

Section 79C 'Matters for Consideration'	Comments
Environmental Planning Instruments	
Section 79C(1)(a)(i) – Provisions of any environmental planning instrument	Refer to Section 1
Section 79C(1)(a)(ii) – Provisions of any draft environmental planning instrument	Not Applicable

Section 79C 'Matters for Consideration'	Comments
Environmental Planning Instruments	
Section 79C(1)(a)(iii) – Provisions of any development control plan	Refer to Section 1
Section 79C(1)(a)(iiia) – Provisions of any Planning Agreement or draft Planning Agreement	Not Applicable
Section 79C(1)(a)(iv) – Provisions of the regulations	The relevant clauses of the Regulations have been satisfied.
Section 79C(1)(b) – The likely impacts of the development, including environmental impacts on the natural and built environment and social and economic impacts in the locality	The environmental impacts of the proposed development on the natural and built environment, which are otherwise not addressed in this report, are discussed in the paragraphs below. The proposed development is consistent with the dominant residential character in the locality. The proposal would not considered result in detrimental social or economic impacts on the locality.
Section 79C(1)(c) – The suitability of the site for the development	The site has sufficient area to accommodate the proposed development. Therefore, the site is considered suitable for the proposed development.
Section 79C(1)(d) – Any submissions made in accordance with the EP&A Act or EP&A Regulation	The issues raised in the submissions have been addressed in this report.
Section 79C(1)(e) – The public interest	The proposal is not inconsistent with the objectives of the zone and will not result in any significant adverse environmental, social or economic impacts on the locality. Accordingly, the proposal is considered to be in the public interest.

4. DEVELOPMENT CONSENT CONDITIONS

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

- The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Dated	Received by Council
Site Plan A101 Revision B	Bajjada Drafting and Design	22 January 2018	24 January 2018

Floor Plan A102	Bajjada Drafting and Design	16 January 2018	24 January 2018
Elevations A103	Bajjada Drafting and Design	16 January 2018	24 January 2018

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

- The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

External Colours, Materials & Finishes

- The colours, materials and finishes of the external surfaces to the building are to be compatible with the adjacent development to maintain the integrity and amenity of the building and the streetscape.

Compliance Fee

- A development compliance and enforcement fee of \$75.00 shall be paid to Council in accordance with Council's adopted Fees & Charges Pricing Policy, prior to the issue of a Construction Certificate for development.

Long Service Levy Payments

- The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 109F of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

- In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the

provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

Stormwater Drainage

8. A surface water/stormwater drainage system must be provided in accordance with the following requirements, to the satisfaction of the Certifying Authority and details are to be included in the construction certificate:-
- a) Surface water/stormwater drainage systems must be provided in accordance with the relevant requirements of the Building Code of Australia (Volume 2);
 - b) The surface water/stormwater must be drained and discharged to the street gutter or, subject to site suitability, the stormwater may be drained to a suitably designed absorption pit;
 - c) Any absorption pits or soaker wells should be located not less than 3m from any adjoining premises and the stormwater must not be directed to any adjoining premises or cause a nuisance;
 - d) External paths and ground surfaces are to be constructed at appropriate levels and be graded and drained away from the building and adjoining premises, so as not to result in the entry of water into the building, or cause a nuisance or damage to the adjoining premises;
 - e) Details of any proposed drainage systems or works to be carried out in the road, footpath or nature strip must be submitted to and approved by Council before commencing these works.

Structural Adequacy

9. Certificate of Adequacy supplied by a *professional engineer* shall be submitted to the *certifying* authority, certifying the structural adequacy of the existing structure to support the additional.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*' (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & other Requirements

10. Prior to the commencement of any building works, the following requirements must be complied with:
- a) a *Construction Certificate* must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance

with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and

- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

Home Building Act 1989

11. In accordance with section 80 A (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Noise & Vibration Management Plan

12. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant requirements of the *Protection of the Environment Operations Act 1997* and NSW EPA Guidelines must be satisfied at all times.

Construction Site Management Plan

13. A *Construction Site Management Plan* must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:

- location and construction of protective fencing / hoardings to the perimeter of the site;
- location of site storage areas/sheds/equipment;
- location of building materials for construction;
- provisions for public safety;
- dust control measures;
- site access location and construction;
- details of methods of disposal of demolition materials;
- protective measures for tree preservation;
- provisions for temporary sanitary facilities;
- location and size of waste containers/bulk bins;
- details of proposed sediment and erosion control measures;
- provisions for temporary stormwater drainage;
- construction noise and vibration management;
- construction traffic management details.

The site management measures must be implemented prior to the *commencement of any site works and be maintained throughout the works, to the satisfaction of Council.*

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

Inspections During Construction

14. Building works are required to be inspected by the *Principal Certifying Authority*, in accordance with sections 109 E (3) of the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council’s development consent and the construction certificate.

Site Signage

15. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:

- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
- name, address and telephone number of the *Principal Certifying Authority*,
- a statement stating that “unauthorised entry to the work site is prohibited”.

Restriction on Working Hours

16. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"> • Monday to Friday - 7.00am to 5.00pm • Saturday - 8.00am to 5.00pm • Sunday & public holidays - No work permitted
Excavating or sawing of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"> • Monday to Friday - 8.00am to 5.00pm • Saturday - No work permitted • Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council’s Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Public Safety & Site Management

17. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:
- a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council’s satisfaction.

Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.

- b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
- c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.
- d) All building and site activities (including storage or placement of materials or waste and concrete mixing/pouring/pumping activities) must not cause or be likely to cause 'pollution' of any waters, including any stormwater drainage systems, street gutters or roadways.

Note: It is an offence under the Protection of the Environment Operations Act 1997 to cause or be likely to cause 'pollution of waters', which may result in significant penalties and fines.

- e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom and details are to be included in the Construction Site Management Plan.
- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.

Road/Asset Opening Permit

18. A *Road / Asset Opening Permit* must be obtained from Council prior to commencing any excavations or works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the *Road / Asset Opening Permit* must be complied with.

For further information, please contact Council's Road / Asset Opening Officer on 9093 6691 or 9093 6999.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

19. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent

(including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

OPERATIONAL CONDITIONS

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

External Lighting

20. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Plant & Equipment

21. Noise from the operation of all plant and equipment upon the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations*.

In this regard, the operation of the plant and equipment shall not give rise to an $L_{Aeq, 15 \text{ min}}$ sound pressure level at any affected premises that exceeds the background $L_{A90, 15 \text{ min}}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment & Heritage (EPA) Noise Control Guidelines.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

- A1 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.

- A2 In accordance with the requirements of the *Environmental Planning & Assessment Act 1979*, building works, including associated demolition and excavation works (as applicable) must not be commenced until:

- A *Construction Certificate* has been obtained from an Accredited Certifier or Council,
- An Accredited Certifier or Council has been appointed as the *Principal Certifying*

Authority for the development,

- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.

A3 Council can issue your *Construction Certificate* and be your *Principal Certifying Authority* for the development, to undertake inspections and ensure compliance with the development consent and relevant building regulations. For further details contact Council on 9093 6944.

A4 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place.

A5 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or www.dialbeforeyoudig.com.au and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.

A6 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or
- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).