

Folder/ DA No:	DA/367/2018
Property:	No. 4 Govett Street, Randwick
Proposal:	Alterations and additions to the existing dwelling house to include a secondary dwelling (Heritage Conservation Area and variation to development standard for secondary dwellings
Recommendation:	Approval

Development Consent Conditions

GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

Plan	Drawn by	Dated
DA01	AB3D Building Design	18 June 2018
DA02	AB3D Building Design	18 June 2018
DA03	AB3D Building Design	18 June 2018
DA04	AB3D Building Design	18 June 2018
DA05	AB3D Building Design	18 June 2018
DA06	AB3D Building Design	18 June 2018
DA07	AB3D Building Design	18 June 2018
DA08	AB3D Building Design	18 June 2018
DA09	AB3D Building Design	18 June 2018

BASIX Certificate No.	Dated
A318308	20 June 2018

Amendment of Plans & Documentation

2. The approved plans and documents must be amended in accordance with the following requirements:

- a. The fence on the street alignment is to be a maximum height of 1.9m and be designed so that the upper two thirds of the fence (excluding any piers or posts) is at least 50% open, to maintain reasonable levels of amenity to the adjoining residential development and the streetscape.
- b. A void area, having a width of 700mm, shall be provided adjacent to the inner side of the internal stairwell within the secondary dwelling at first floor level and a skylight of adequate size shall be provided above the void area and internal stairwell to allow greater solar access to the kitchen/ dining area of the secondary dwelling.
- 3. A brief archival recording of the areas of the building affected by the proposed works shall be prepared and submitted to and approved by Council's Director City Planning, in accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979, prior to a construction certificate being issued for the development. This recording shall be in accordance with the NSW Heritage Office 2006 Guidelines for Photographic Recording of Heritage Items using Film or Digital Capture.

Two copies of the endorsed archival recording shall be presented to Council, one of which shall be placed in the Local History Collection of Randwick City Library.

- 4. Proposed replacement windows to the existing enclosed front verandah are to adopt a simpler and more contemporary design, so that new windows do not compete with the original windows in the front façade, nor lead to confusion as to the extent of original fabric. Alternatively existing windows could be retained. Amended drawings are to be submitted to and approved by Council's Director City Planning, in accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979, prior to a construction certificate being issued for the development.
- 5. The front verandah enclosure is to be redesigned to incorporate a recessed porch within the former open front verandah. A recessed porch will provide a sheltered entry to the main dwelling, so that the existing metal hood can be removed and a new projecting porch hood will be unnecessary. Amended drawings are to be submitted to and approved by Council's Director City Planning, in accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979 prior to a construction certificate being issued for the development.
- 6. The proposed projecting porch hood to the secondary dwelling be redesigned as a simple flat projection, relating to the height and depth of the existing string course below the existing windows, in order to minimise the prominence of this new façade element. Amended drawings are to be submitted to and approved by Council's Director City Planning, in accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979 prior to a construction certificate being issued for the development.

External Colours, Materials & Finishes

7. The dwelling is to be painted in a brick-like colour to match the face brickwork of the other half of the semi-detached pair. Alternatively existing paintwork could be removed using a suitable proprietary product, to enhance the integrity of the semi-detached pair. The colours, materials and finishes of the external surfaces to the building are to be compatible with the other half of the semi-detached pair and consistent with the architectural style of the building. Amended details of the proposed colours, materials and textures (ie- a schedule and brochure/s or sample board) are to be submitted to and approved by Council's Director City Planning, in

accordance with Section 80A (2) of the Environmental Planning and Assessment Act 1979 prior to a construction certificate being issued for the development.

REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED.

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000,* Council's development consent conditions and to achieve reasonable levels of environmental amenity.

Consent Requirements

8. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

Section 7.12 Development Contributions

9. In accordance with Council's Development Contributions Plan effective from 21 April 2015, based on the development cost of \$196,768.00 the following applicable monetary levy must be paid to Council: \$983.85.

The levy must be paid in cash, bank cheque or by credit card prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment. Please contact Council on telephone 9093 6999 or 1300 722 542 for the indexed contribution amount prior to payment.

To calculate the indexed levy, the following formula must be used:

IDC = ODC x CP2/CP1

Where:

IDC = the indexed development cost

ODC = the original development cost determined by the Council

CP2 = the Consumer Price Index, All Groups, Sydney, as published by the ABS in respect of the quarter ending immediately prior to the date of payment

CP1 = the Consumer Price Index, All Groups, Sydney as published by the ABS in respect of the quarter ending immediately prior to the date of imposition of the condition requiring payment of the levy.

Council's Development Contributions Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick or at www.randwick.nsw.gov.au.

Compliance Fee

10. A development compliance and enforcement fee of \$196.75 shall be paid to Council in accordance with Council's adopted Fees & Charges Pricing Policy, prior to the issue of a Construction Certificate for development.

Long Service Levy Payments

11. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 6.8 of the *Environmental Planning & Assessment Act 1979*.

At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.

Security Deposits

- 12. The following security deposits requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to Council's assets and infrastructure; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 4.17(6) of the *Environmental Planning and Assessment Act* 1979:
 - \$600.00 Damage / Civil Works Security Deposit

Security deposits may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Sydney Water

13. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to the Sydney Water Tap in™ online service, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

The Sydney Water Tap in[™] online service replaces the Quick Check Agents as of 30 November 2015

The Tap in[™] service provides 24/7 access to a range of services, including:

- Building plan approvals
- Connection and disconnection approvals
- Diagrams
- Trade waste approvals
- Pressure information

- Water meter installations
- Pressure boosting and pump approvals
- Change to an existing service or asset, e.g. relocating or moving an asset.

Sydney Water's Tap in™ in online service is available at: https://www.sydneywater.com.au/SW/plumbing-building-developing/building/sydney-water-tap-in/index.htm

The Principal Certifying Authority must ensure that the developer/owner has submitted the approved plans to Sydney Water Tap in online service.

REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

Compliance with the Building Code of Australia

14. In accordance with section 4.17 (11) of the *Environmental Planning & Assessment Act* 1979 and clause 98 of the *Environmental Planning &* Assessment *Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance with the BCA are to be included in the construction certificate application.

BASIX Requirements

15. In accordance with section 4.17(11) of the *Environmental Planning & Assessment Act* 1979 and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

Security Deposit

- 16. The following damage / civil works security deposit requirement must be complied with as security for making good any damage caused to the roadway, footway, verge or any public place; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 80A(6) of the *Environmental Planning and Assessment Act 1979*:
 - \$1000.00 Damage / Civil Works Security Deposit

The damage/civil works security deposit may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the civil works which confirms that there has been no damage to Council's infrastructure.

The owner/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a *Security Deposit Refund Form* is to be forwarded to Council's Director of City Services upon issuing of an occupation certificate or completion of the civil works.

Stormwater Drainage

17. The surface drainage system of the paved area within the subject property adjacent to the Govett street frontage shall be upgraded to ensure site stormwater does not pond within the entrapped low point during major storm events and enter the secondary dwelling through the Govett Street low entrance. Detailed drainage plans with levels reduced to Australian Height Datum (AHD), shall be prepared by a suitably qualified Hydraulic Engineer and be submitted to and approved by the certifying authority. A copy of the plans shall be forwarded to Council, if Council is not the certifying authority.

The drainage plans must demonstrate compliance with the Building Code of Australia, Australian Standard AS3500.3:2003 (Plumbing and Drainage - Stormwater Drainage) and the relevant conditions of this development approval. A copy of the approved plans are to be forwarded to Council's Development Engineers.

- 18. Stormwater runoff from the (redeveloped portion) site shall be discharged to the kerb and gutter along the site frontage in Govett Street or to Govett Lane by gravity.
- 19. The new surface drainage system for the paved area internal to the property adjacent to the Govett Street frontage must be designed to ensure surface flows from the 1% AEP (1 in 100yr) storm event are able to be discharged to the street gutter without impacting on the floor level for the secondary dwelling.
- 20. Any new drainage discharge pipe across Council's Govett Street verge must be a minimum of 2.5m from the trunk of the existing Council street trees.

Sydney Water

21. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to the Sydney Water Tap in™ online service, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

The Tap in[™] service provides 24/7 access to a range of services, including:

- Building plan approvals
- Connection and disconnection approvals
- Diagrams
- Trade waste approvals
- Pressure information

- Water meter installations
- Pressure boosting and pump approvals
- Change to an existing service or asset, e.g. relocating or moving an asset.

Sydney Water's Tap in™ in online service is available at: https://www.sydneywater.com.au/tapin

The Principal Certifying Authority must ensure that the developer/owner has submitted the approved plans to Sydney Water Tap in online service.

REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the *'Principal Certifying Authority'* (PCA), as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

Certification, PCA & Other Requirements

- 22. Prior to the commencement of any building works, the following requirements must be complied with:
 - a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the Environmental Planning & Assessment Act 1979.
 - A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.
 - b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
 - c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
 - d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
 - e) at least two days notice must be given to the Council, in writing, prior to commencing any works.

Home Building Act 1989

23. In accordance with section 4.17 (11) of the *Environmental Planning & Assessment Act* 1979 and clause 98 of the *Environmental Planning &* Assessment *Regulation 2000*, the requirements of the *Home Building Act 1989* must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as applicable) must be provided to the Principal Certifying Authority and Council.

Construction Site Management Plan

- 24. A Construction Site Management Plan must be developed and implemented prior to the commencement of any works. The construction site management plan must include the following measures, as applicable to the type of development:
 - location and construction of protective fencing / hoardings to the perimeter of the site;
 - location of site storage areas/sheds/equipment;
 - location of building materials for construction;
 - provisions for public safety;
 - dust control measures;
 - site access location and construction;
 - details of methods of disposal of demolition materials;
 - protective measures for tree preservation;
 - provisions for temporary sanitary facilities;
 - location and size of waste containers/bulk bins:
 - details of proposed sediment and erosion control measures;
 - provisions for temporary stormwater drainage;
 - construction noise and vibration management;
 - construction traffic management details.

The site management measures must be implemented prior to the *commencement of any site works and be maintained throughout the works.*

A copy of the Construction Site Management Plan must be provided to the Principal Certifying Authority and Council prior to commencing site works. A copy must also be maintained on site and be made available to Council officers upon request.

Public Utilities

- 25. A *Public Utility Impact Assessment* must be carried out on all public utility services on the site, roadway, nature strip, footpath, public reserve or any public areas associated with and/or adjacent to the development/building works and include relevant information from public utility authorities and exploratory trenching or pot-holing, if necessary, to determine the position and level of service.
- 26. The applicant must meet the full cost for telecommunication companies, gas providers, Ausgrid, and Sydney Water to adjust/repair/relocate their services as required. The applicant must make the necessary arrangements with the service authority.

REQUIREMENTS DURING CONSTRUCTION & SITE WORK

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

- Inspections during Construction
- 27. Building works are required to be inspected by the *Principal Certifying Authority*, in accordance with the *Environmental Planning & Assessment Act 1979* and clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council's development consent and the construction certificate.

Site Signage

- 28. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
 - name, address, contractor licence number and telephone number of the principal contractor, including a telephone number at which the person may be contacted outside working hours, or owner-builder permit details (as applicable)
 - name, address and telephone number of the Principal Certifying Authority,
 - a statement stating that "unauthorised entry to the work site is prohibited".

Restriction on Working Hours

29. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	 Monday to Friday - 7.00am to 5.00pm Saturday - 8.00am to 5.00pm Sunday & public holidays - No work permitted
Excavating or sawing of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	 Monday to Friday - 8.00am to 1.00pm Saturday - No work permitted Sunday & public holidays - No work permitted

An application to vary the abovementioned hours may be submitted to Council's Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.

Removal of Asbestos Materials

- 30. Any work involving the demolition, storage or disposal of asbestos products and materials must be carried out in accordance with the following requirements:
 - Work Health & Safety legislation and SafeWork NSW requirements
 - Preparation and implementation of a demolition work plan, in accordance with AS 2601 (2001) – Demolition of structures; NSW Work Health and Safety Regulation 2017 and Randwick City Council's Asbestos Policy. A copy of the demolition work plan must be provided to Principal Certifying Authority and a copy must be kept on site and be made available for Council Officer upon request.

- A SafeWork NSW licensed demolition or asbestos removal contractor must undertake removal of more than 10m² of bonded asbestos (or as otherwise specified by SafeWork NSW or relevant legislation). Removal of friable asbestos material must only be undertaken by contractor that holds a current friable asbestos removal licence. A copy of the relevant licence must be provided to the Principal Certifying Authority.
- On sites involving the removal of asbestos, a sign must be clearly displayed in a prominent visible position at the front of the site, containing the words 'Danger Asbestos Removal In Progress' and include details of the licensed contractor.
- Asbestos waste must be stored, transported and disposed of in compliance with the *Protection of the Environment Operations Act 1997* and the *Protection* of the Environment Operations (Waste) Regulation 2014. Details of the disposal of materials containing asbestos (including receipts) must be provided to the Principal Certifying Authority and Council.
- A Clearance Certificate or Statement, prepared by a suitably qualified person (i.e. an occupational hygienist, licensed asbestos assessor or other competent person), must be provided to Council and the Principal Certifying authority as soon as practicable after completion of the asbestos related works, which confirms that the asbestos material have been removed appropriately and the relevant conditions of consent have been satisfied.

A copy of Council's Asbestos Policy is available on Council's web site at www.randwick.nsw.gov.au in the Building & Development Section or a copy can be obtained from Council's Customer Service Centre.

Public Safety & Site Management

- 31. Public safety and convenience must be maintained at all times during demolition, excavation and construction works and the following requirements must be complied with:
 - a) Public access to the building site and materials must be restricted by existing boundary fencing or temporary site fencing having a minimum height of 1.5m, to Council's satisfaction.
 - Temporary site fences are required to be constructed of cyclone wire fencing material and be structurally adequate, safe and constructed in a professional manner. The use of poor quality materials or steel reinforcement mesh as fencing is not permissible.
 - b) Building materials, sand, soil, waste materials, construction equipment or other articles must not be placed upon the footpath, roadway or nature strip at any time.
 - c) The road, footpath, vehicular crossing and nature strip must be maintained in a good, safe, clean condition and free from any excavations, obstructions, trip hazards, goods, materials, soils or debris at all times. Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be repaired immediately, to the satisfaction of Council.

- d) All building and site activities (including storage or placement of materials or waste and concrete mixing/pouring/pumping activities) must not cause or be likely to cause 'pollution' of any waters, including any stormwater drainage systems, street gutters or roadways.
 - Note: It is an offence under the Protection of the Environment Operations Act 1997 to cause or be likely to cause 'pollution of waters', which may result in significant penalties and fines.
- e) Sediment and erosion control measures, must be implemented throughout the site works in accordance with the manual for Managing Urban Stormwater Soils and Construction, published by Landcom, and details are to be included in the *Construction site Management Plan*.
- f) Site fencing, building materials, bulk bins/waste containers and other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container in a public place can be made to Council's Health, Building and Regulatory Services department.
- g) Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.

Building Encroachments

32. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

Road / Asset Opening Permit

33. A Road / Asset Opening Permit must be obtained from Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the Roads Act 1993 and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

The owner/builder must ensure that all works within or upon the road reserve, footpath, nature strip or other public place are completed to the satisfaction of Council, prior to the issuing of a final occupation certificate for the development.

For further information, please contact Council's Road / Asset Opening Officer on 9093 6691 or 1300 722 542.

REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the 'Principal Certifying Authority' issuing an 'Occupation Certificate'.

Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000,* Council's development consent and to maintain reasonable levels of public health, safety and amenity.

Occupation Certificate Requirements

34. An Occupation Certificate must be obtained from the Principal Certifying *Authority* prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

BASIX Requirements

35. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that each of the required BASIX commitments have been fulfilled.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the Council upon issuing an Occupation Certificate.

Council's Infrastructure, Vehicular Crossings, street verge

- 36. The applicant must meet the full cost for a Council approved contractor to:
 - a. Remove the illegal stairs on Council property opposite the existing pedestrian entrance to the site on Govett Lane
- 37. The applicant must meet the full cost for Council or a Council approved contractor to repair/replace any damaged sections of Council's footpath, kerb & gutter, nature strip etc which are due to building works being carried out at the above site. This includes the removal of cement slurry from Council's footpath and roadway.
- 38. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's "Crossings and Entrances Contributions Policy" and "Residents' Requests for Special Verge Crossings Policy" and the following requirements:
 - a) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a Civil Works Application Form. Council will respond, typically within 4 weeks, with a letter of approval outlining conditions for working on Council land, associated fees and workmanship bonds. Council will also provide details of the approved works including specifications and construction details.
 - b) Works on Council land, must not commence until the written letter of approval has been obtained from Council and heavy construction works within the property are complete. The work must be carried out in accordance with the conditions of development consent, Council's conditions for working on Council land, design details and payment of the fees and bonds outlined in the letter of approval.
 - c) The civil works must be completed in accordance with the above, prior to the issuing of an occupation certificate for the development, or as otherwise approved by Council in writing.

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

Stormwater Drainage

39. The site stormwater system must be regularly cleaned and maintained to ensure it operates as required by the design.

External Lighting

40. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

Plant & Equipment

41. Noise from the operation of all plant and equipment upon the premises shall not give rise to an 'offensive noise' as defined in the *Protection of the Environment Operations Act 1997 and Regulations.*

In this regard, the operation of the plant and equipment shall not give rise to an L_{Aeq} , $_{15\,min}$ sound pressure level at any affected premises that exceeds the background L_{A90} , $_{15\,min}$ noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Office of Environment & Heritage (EPA) Noise Control Guidelines.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and Council's policies. This information does not form part of the conditions of development consent pursuant to Section 4.17 of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act* 1979 and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.
 - Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively, Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.
- A2 This determination does not include an assessment of the proposed works under the Building Code of Australia (BCA) and other relevant Standards. All new building work (including alterations and additions) must comply with the BCA and relevant Standards and you are advised to liaise with your architect, engineer and building consultant prior to lodgement of your construction certificate.
- A3 In accordance with the requirements of the *Environmental Planning & Assessment Act* 1979, building works, including associated demolition and excavation works (as applicable) must not be commenced until:

- A Construction Certificate has been obtained from an Accredited Certifier or Council,
- An Accredited Certifier or Council has been appointed as the *Principal Certifying Authority* for the development,
- Council and the Principal Certifying Authority have been given at least 2 days notice (in writing) prior to commencing any works.
- A4 Council can issue your *Construction Certificate* and be your *Principal Certifying Authority* for the development, to undertake inspections and ensure compliance with the development consent and relevant building regulations. For further details contact Council on 9093 6944.
- A5 A Local Approval application must be submitted to and be approved by Council prior to commencing any of the following activities on a footpath, road, nature strip or in any public place:
 - Install or erect any site fencing, hoardings or site structures
 - Operate a crane or hoist goods or materials over a footpath or road
 - Placement of a waste skip or any other container or article.

For further information please contact Council on 9093 6971.

- A6 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place.
- Underground assets (eg pipes, cables etc) may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.
- A8 The applicant is to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge prior to the commencement of any building/demolition works.
- A9 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:
 - the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the Access to Neighbouring Land Act 2000, or

- an easement under section 88K of the Conveyancing Act 1919, or
- an easement under section 40 of the Land & Environment Court Act 1979, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).