

## Development Consent Conditions (dwellings and dual occupancies)



<b>Folder /DA No:</b>	DA/500/2018
<b>Property:</b>	11 Raglan Street, MALABAR NSW 2036
<b>Proposal:</b>	Alterations and additions to existing attached dual occupancy and legitimise unauthorised building works and use.
<b>Recommendation:</b>	Approval

### Development Consent Conditions

#### GENERAL CONDITIONS

The development must be carried out in accordance with the following conditions of consent.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979, Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of environmental amenity.

#### Approved Plans & Supporting Documentation

1. The development must be implemented substantially in accordance with the plans and supporting documentation listed below and endorsed with Council's approved stamp, except where amended by Council in red and/or by other conditions of this consent:

<b>Plan</b>	<b>Drawn by</b>	<b>Dated</b>
A01	John Spiteri	14/08/2018
A02	John Spiteri	14/08/2018
A03	John Spiteri	14/08/2018
A04	John Spiteri	14/08/2018
A05	John Spiteri	14/08/2018
A06	John Spiteri	14/08/2018

<b>BASIX Certificate No.</b>	<b>Dated</b>
A324489	7 August 2018

#### Unauthorised Works

2. This Development Consent does not provide for retrospective consent for the works already carried out.
3. The rumpus room and bedroom at the semi-basement level must not be used until an Occupation Certificate has been issued.

### **Amendment of Plans & Documentation**

4. The approved plans and documents must be amended in accordance with the following requirements:
  - a) The external staircase shall be setback a minimum of 700mm from the north-eastern side boundary

### **REQUIREMENTS BEFORE A CONSTRUCTION CERTIFICATE CAN BE ISSUED**

The following conditions of consent must be complied with before a 'Construction Certificate' is issued by either Randwick City Council or an Accredited Certifier. All necessary information to demonstrate compliance with the following conditions of consent must be included in the documentation for the construction certificate.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent conditions and to achieve reasonable levels of environmental amenity.

### **Consent Requirements**

5. The requirements and amendments detailed in the 'General Conditions' must be complied with and be included in the construction certificate plans and associated documentation.

### **BCA Report**

6. The BCA report demonstrating compliance with the BCA shall be submitted to Council within 6 months from the date of the notice of determination.

### **External Colours, Materials & Finishes**

7. The colours, materials and surface finishes to the development must be consistent with the relevant plans, documentation and colour schedules provided with the development application.

### **Section 7.12 Development Contributions**

8. In accordance with Council's Development Contributions Plan effective from 21 April 2015, an updated Quantity Surveyor Report shall be submitted and include the cost of the unauthorised works, the works as part of this application and any works required as part of upgrading the building as per the BCA report. The total applicable monetary levy must be paid to Council.

The levy must be paid in **cash, bank cheque** or by **credit card** prior to a construction certificate being issued for the proposed development. The development is subject to an index to reflect quarterly variations in the Consumer Price Index (CPI) from the date of Council's determination to the date of payment. Please contact Council on telephone 9093 6999 or 1300 722 542 for the indexed contribution amount prior to payment.

To calculate the indexed levy, the following formula must be used:

$$\mathbf{IDC = ODC \times CP2/CP1}$$

Where:

**IDC** = the indexed development cost

**ODC** = the original development cost determined by the Council

**CP2** = the Consumer Price Index, All Groups, Sydney, as published by the ABS in respect of the quarter ending immediately prior to the date of payment

**CP1** = the Consumer Price Index, All Groups, Sydney as published by the ABS in respect of the quarter ending immediately prior to the date of imposition of the condition requiring payment of the levy.

Council's Development Contribution Plans may be inspected at the Customer Service Centre, Administrative Centre, 30 Frances Street, Randwick, or at [www.randwick.nsw.gov.au](http://www.randwick.nsw.gov.au).

### **Compliance Fee**

9. A development compliance and enforcement fee of \$75.00 shall be paid to Council in accordance with Council's adopted Fees & Charges Pricing Policy, prior to the issue of a Construction Certificate for development.

### **Long Service Levy Payments**

10. The required Long Service Levy payment, under the *Building and Construction Industry Long Service Payments Act 1986*, must be forwarded to the Long Service Levy Corporation or the Council, in accordance with Section 6.8 of the *Environmental Planning & Assessment Act 1979*.

*At the time of this development consent, Long Service Levy payment is applicable on building work having a value of \$25,000 or more, at the rate of 0.35% of the cost of the works.*

### **Security Deposits**

11. The following security deposits requirement must be complied with prior to a construction certificate being issued for the development, as security for making good any damage caused to Council's assets and infrastructure; and as security for completing any public work; and for remedying any defect on such public works, in accordance with section 4.17(6) of the *Environmental Planning and Assessment Act 1979*:

- \$600 - Damage / Civil Works Security Deposit

The security deposits may be provided by way of a cash, cheque or credit card payment and is refundable upon a satisfactory inspection by Council upon the completion of the works which confirms that there has been no damage to Council's assets and infrastructure.

The developer/builder is also requested to advise Council in writing and/or photographs of any signs of existing damage to the Council roadway, footway, or verge and other assets prior to the commencement of any building/demolition works.

To obtain a refund of relevant deposits, a Security Deposit Refund Form is to be forwarded to Council's Development Engineer upon issuing of an occupation certificate or completion of the civil works.

### **Sydney Water Requirements**

12. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

The approved plans must be submitted to the Sydney Water **Tap in™** online service, to determine whether the development will affect Sydney Water's waste water and water mains, stormwater drains and/or easements, and if any further requirements need to be met.

*The Sydney Water **Tap in™** online service replaces the Quick Check Agents as of 30 November 2015*

The **Tap in™** service provides 24/7 access to a range of services, including:

- Building plan approvals
- Connection and disconnection approvals
- Diagrams
- Trade waste approvals
- Pressure information
- Water meter installations
- Pressure boosting and pump approvals
- Change to an existing service or asset, e.g. relocating or moving an asset.

Sydney Water's **Tap in™** online service is available at:  
<https://www.sydneywater.com.au/SW/plumbing-building-developing/building/sydney-water-tap-in/index.htm>

The Principal Certifying Authority must ensure that the developer/owner has submitted the approved plans to Sydney Water Tap in online service.

#### **REQUIREMENTS TO BE INCLUDED IN THE CONSTRUCTION CERTIFICATE**

The requirements contained in the following conditions of consent must be complied with and details of compliance must be included in the construction certificate for the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Councils development consent conditions and to achieve reasonable levels of environmental amenity.

#### **Building Code of Australia & Fire Safety**

13. In accordance with Section 4.17 (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation 2000*, it is a *prescribed condition* that all building work must be carried out in accordance with the provisions of the Building Code of Australia (BCA). Details of compliance are to be provided in the construction certificate.
14. All new building work (including alterations, additions, fit-out work and fire safety works) are to be carried out in accordance with the relevant provisions of the Building Code of Australia (BCA) and details are to be included in the Construction Certificate, to the satisfaction of the Certifying Authority.
15. The existing levels of fire and safety within the building are to be upgraded in accordance with the following requirements, to provide improved levels of fire and occupant safety in the building:
  - a) A report prepared by a suitably qualified and experienced Building Code of Australia/Fire Safety Consultant is to be submitted to and approved by Council's Manager of Health, Building & Regulatory Services, prior to issuing a Construction Certificate.

The report must include a detailed assessment of the existing building and compliance with the Building Code of Australia. The report must also include details of the measures and works considered appropriate to achieve an adequate level of fire safety for the building and the occupants.

The fire safety upgrading works (as approved by Council) are required to be incorporated into the Construction Certificate and be implemented prior to issue of a final Occupation Certificate for the development.

16. The building and fire safety upgrading works must be included in the *Construction Certificate* for the development and must be carried out prior to issuing of a final *Occupation Certificate* for the development. Written correspondence must be provided to Council which confirms that all of the upgrading works have been carried out in accordance with the conditions of consent.

#### **Access & Facilities**

17. Access and/or facilities for people with disabilities must be provided to all new building work in accordance with any relevant provisions of the Building Code of Australia Disability (Access to Premises – Buildings) Standards 2010, to the satisfaction of the Certifying Authority.

#### **BASIX Requirements**

18. In accordance with section 4.17 (11) of the *Environmental Planning & Assessment Act 1979* and clause 97A of the *Environmental Planning & Assessment Regulation 2000*, the requirements and commitments contained in the relevant BASIX Certificate must be complied with.

The required commitments listed and identified in the BASIX Certificate must be included on the construction certificate plans, specifications and associated documentation, to the satisfaction of the Certifying Authority.

The design of the building must not be inconsistent with the development consent and any proposed variations to the building to achieve the BASIX commitments may necessitate a new development consent or amendment to the existing consent to be obtained, prior to a construction certificate being issued.

#### **Stormwater Drainage**

19. A surface water/stormwater drainage system must be provided in accordance with the following requirements, to the satisfaction of the Certifying Authority and details are to be included in the construction certificate:-
  - a) Surface water/stormwater drainage systems must be provided in accordance with the relevant provisions of the Building Code of Australia (Volume 2) and relevant Standards;
  - b) The surface water/stormwater must be drained and discharged to the street gutter or, subject to site suitability, the stormwater may be drained to a suitably designed absorption pit;
  - c) Any absorption pits or soaker wells should be located not less than 3m from any adjoining premises and the stormwater must not be directed to any adjoining premises or cause a nuisance;
  - d) External paths and ground surfaces are to be constructed at appropriate levels and be graded and drained away from the building and adjoining

premises, so as not to result in the entry of water into the building, or cause a nuisance or damage to the adjoining premises;

- e) Details of any proposed drainage systems or works to be carried out in the road, footpath or nature strip must be submitted to and approved by Council before commencing these works:
- f) A certificate, from a suitably qualified person must be submitted to the PCA and Council, prior to the issue of an Occupation Certificate, which confirms that the stormwater drainage system has been provided in accordance with the requirements of this consent, relevant standards and requirements.

#### **REQUIREMENTS PRIOR TO THE COMMENCEMENT OF ANY WORKS**

The following conditions of consent must be complied with prior to the commencement of any works on the site. The necessary documentation and information must be provided to the Council or the '*Principal Certifying Authority*', as applicable.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity.

#### **Certification and Building Inspection Requirements**

20. Prior to the commencement of any building works, the following requirements must be complied with:

- a) a Construction Certificate must be obtained from the Council or an accredited certifier, in accordance with the provisions of the *Environmental Planning & Assessment Act 1979*.

A copy of the construction certificate, the approved development consent plans and consent conditions must be kept on the site at all times and be made available to the Council officers and all building contractors for assessment.

- b) a *Principal Certifying Authority* (PCA) must be appointed to carry out the necessary building inspections and to issue an *occupation certificate*; and
- c) a *principal contractor* must be appointed for the building work, or in relation to residential building work, an *owner-builder* permit may be obtained in accordance with the requirements of the *Home Building Act 1989*, and the PCA and Council are to be notified accordingly; and
- d) the *principal contractor* must be advised of the required *critical stage inspections* and other inspections to be carried out, as specified by the *Principal Certifying Authority*; and
- e) at least two days' notice must be given to the Council, in writing, prior to commencing any works.

#### **Home Building Act 1989**

21. In accordance with section 4.17 (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 of the *Environmental Planning & Assessment Regulation*

2000, the relevant requirements of the Home Building Act 1989 must be complied with.

Details of the Licensed Building Contractor and a copy of the relevant Certificate of Home Warranty Insurance or a copy of the Owner-Builder Permit (as

### **Demolition Work & Removal of Asbestos Materials**

22. Demolition work must be carried out in accordance with the following requirements:

- a) Demolition work must be carried out in accordance with Australian Standard, AS2601 (2001) - The Demolition of Structures and a Demolition Work Plan is required to be developed and implemented to the satisfaction of the Principal Certifying Authority prior to commencing any demolition works.
- b) The demolition, removal, storage and disposal of any materials containing asbestos must be carried out in accordance with the relevant requirements of WorkCover NSW, Council's Asbestos Policy and the following requirements:
  - A licence must be obtained from WorkCover NSW for the removal of friable asbestos and or more than 10m<sup>2</sup> of bonded asbestos (i.e. fibro)
  - Asbestos waste must be disposed of in accordance with the *Protection of the Environment Operations Act 1997* & relevant Regulations
  - A sign must be provided to the site/building stating "Danger Asbestos Removal In Progress"
  - A Clearance Certificate or Statement must be obtained from a suitably qualified person (i.e. Occupational Hygienist) upon completion of the asbestos removal works, which is to be submitted to the Principal Certifying Authority and Council prior to issuing an Occupation Certificate.

*A copy of Council's Asbestos Policy is available on Council's web site at [www.randwick.nsw.gov.au](http://www.randwick.nsw.gov.au) in the Building & Development section or a copy can be obtained from Council's Customer Service Centre.*

### **Construction Noise & Vibration**

23. Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents and the relevant provisions of the *Protection of the Environment Operations Act 1997* must be satisfied at all times.

Noise and vibration from any rock excavation machinery, pile drivers and all plant and equipment must be minimised, by using appropriate plant and equipment, silencers and the implementation of noise management strategies

### **REQUIREMENTS DURING CONSTRUCTION & SITE WORK**

The following conditions of consent must be complied with during the demolition, excavation and construction of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment*

*Regulation 2000* and to provide reasonable levels of public health, safety and environmental amenity during construction.

**Inspections during Construction**

24. Building works are required to be inspected by the *Principal Certifying Authority*, in accordance with Section 6.5 of the *Environmental Planning & Assessment Act 1979* and Clause 162A of the *Environmental Planning & Assessment Regulation 2000*, to monitor compliance with the relevant standards of construction, Council’s development consent and the construction certificate.

**Site Signage**

25. A sign must be erected and maintained in a prominent position on the site for the duration of the works, which contains the following details:
- name, address, contractor licence number and telephone number of the principal contractor, including a telephone number at which the person may be contacted outside working hours, or owner-builder permit details (as applicable)
  - name, address and telephone number of the Principal Certifying Authority,
  - a statement stating that “unauthorised entry to the work site is prohibited”.

**Restriction on Working Hours**

26. Building, demolition and associated site works must be carried out in accordance with the following requirements:

Activity	Permitted working hours
All building, demolition and site work, including site deliveries (except as detailed below)	<ul style="list-style-type: none"><li>• Monday to Friday - 7.00am to 5.00pm</li><li>• Saturday - 8.00am to 5.00pm</li><li>• Sunday &amp; public holidays - No work permitted</li></ul>
Excavating or sawing of rock, use of jack-hammers, pile-drivers, vibratory rollers/compactors or the like	<ul style="list-style-type: none"><li>• Monday to Friday - 8.00am to 5.00pm</li><li>• Saturday - No work permitted</li><li>• Sunday &amp; public holidays - No work permitted</li></ul>

*An application to vary the abovementioned hours may be submitted to Council’s Manager Health, Building & Regulatory Services for consideration and approval to vary the specified hours may be granted in exceptional circumstances and for limited occasions (e.g. for public safety, traffic management or road safety reasons). Any applications are to be made on the standard application form and include payment of the relevant fees and supporting information. Applications must be made at least 10 days prior to the date of the proposed work and the prior written approval of Council must be obtained to vary the standard permitted working hours.*

**Construction Site Management**

27. Public health, safety and convenience must be maintained at all times during demolition and building works and the following requirements must be complied with at all times:
- a) A sign must be provided and maintained in a prominent position throughout the works, which contains the following details:



- name, address, contractor licence number and telephone number of the *principal contractor*, including a telephone number at which the person may be contacted outside working hours, or *owner-builder* permit details (as applicable)
  - name, address and telephone number of the *Principal Certifying Authority*,
  - a statement stating that "unauthorised entry to the work site is prohibited".
- b) The roadway, footpath and nature strip must be maintained in a good, safe condition and free from any obstructions, trip hazards, materials, soils or debris at all times. Any damage caused to the road, footway or nature strip must be repaired immediately, to the satisfaction of Council.
- c) Building materials, sand, soil, waste materials, construction equipment or other materials or articles must not be placed upon the footpath, roadway or nature strip at any time and the footpath, nature strip and road must be maintained in a clean condition and free from any obstructions, soil and debris at all times.
- d) Bulk bins, waste containers or other articles must not be located upon the footpath, roadway or nature strip at any time without the prior written approval of the Council. Applications to place a waste container or other articles in a public place can be made to Council's Building Services section.
- e) During demolition and construction, sediment laden stormwater run-off shall be controlled using the sediment control measures outlined in the manual for Managing Urban Stormwater – Soils and Construction, published by Landcom.

Details of the proposed sediment control measures are to be detailed in the *site management plan* which must be submitted to the Principal Certifying Authority and Council prior to the commencement of any site works. The sediment and erosion control measures must be implemented prior to the commencement of any site works and be maintained throughout construction. A copy of the plan is to be maintained on-site and be made available to Council officers upon request.

- f) Public safety must be maintained at all times and public access to any demolition and building works, materials and equipment on the site is to be restricted. If necessary, a temporary safety fence or hoarding (having a minimum height of 1.5m) is to be provided to protect the public. Temporary site fences are to be structurally adequate, safe and be constructed in a professional manner and the use of poor quality materials or steel reinforcement mesh as fencing is not permissible. If necessary, an overhead (B Class type) hoarding may be required to protect the public or occupants of the adjoining premises from falling articles or materials.

*If it is proposed to locate any site fencing, hoardings or items upon any part of the footpath, nature strip or any public place, a Local Approval application must be submitted to and approved by Council's Health, Building & Regulatory Services department beforehand. Details and plans are to be submitted with the application, together with payment of the weekly charge in accordance with Council's adopted Pricing Policy.*

- g) Adequate provisions must be made to ensure pedestrian safety and traffic flow during the site works and traffic control measures are to be implemented in accordance with the relevant provisions of the Roads and Traffic Manual "Traffic Control at Work Sites" (Version 4), to the satisfaction of Council.
- h) A Road / Asset Opening application must be submitted to and be approved by Council prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the *Roads Act 1993* and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

All works within or upon the road reserve, footpath, nature strip or other public place are to be completed to the satisfaction of Council, prior to the issuing of an occupation certificate for the development. For further information, please contact Council's Road / Asset Opening Officer on 9399 0691 or 9399 0999 (applicable) must be provided to the Principal Certifying Authority and Council.

### **Excavations, Back-filling & Retaining Walls**

- 28. All excavations and backfilling associated with the erection or demolition of a building must be executed safely in accordance with appropriate professional standards and excavations must be properly guarded and supported to prevent them from being dangerous to life, property or buildings.

Retaining walls, shoring or piling must be provided to support land which is excavated in association with the erection or demolition of a building, to prevent the movement of soil and to support the adjacent land and buildings, if the soil conditions require it. Adequate provisions are also to be made for drainage.

Details of proposed retaining walls, shoring, piling or other measures are to be submitted to and approved by the Principal Certifying Authority.

### **Support of Adjoining Land**

- 29. In accordance with section 4.17 (11) of the *Environmental Planning & Assessment Act 1979* and clause 98 E of the *Environmental Planning & Assessment Regulation 2000*, it is a prescribed condition that the adjoining land and buildings located upon the adjoining land must be adequately supported at all times.
- 30. Prior to undertaking any demolition, excavation or building work in the following circumstances, a report must be obtained from a *professional engineer* which details the methods of support for the dwelling or associated structure on the adjoining land, to the satisfaction of the *Principal Certifying Authority*:
  - when undertaking excavation or building work within the zone of influence of the footings of a dwelling or associated structure that is located on the adjoining land;
  - when undertaking demolition work to a wall of a dwelling that is built to a common or shared boundary (e.g. semi-detached or terrace dwelling);
  - when constructing a wall to a dwelling or associated structure that is located within 900mm of a dwelling located on the adjoining land;
  - as may be required by the *Principal Certifying Authority*.

The demolition, excavation and building work and the provision of support to the dwelling or associated structure on the adjoining land, must also be carried out in

accordance with the abovementioned report, to the satisfaction of the *Principal Certifying Authority*.

### **Survey Requirements**

31. A Registered Surveyor's check survey certificate or other suitable documentation must be obtained at the following stage/s of construction to demonstrate compliance with the approved setbacks, levels, layout and height of the building to the satisfaction of the Principal Certifying Authority (PCA):
- prior to construction (pouring of concrete) of the footings or first completed floor slab,
  - upon completion of the building, prior to issuing an occupation certificate,
  - as otherwise may be required by the PCA.

The survey documentation must be forwarded to the Principal Certifying Authority and a copy is to be forwarded to the Council, if the Council is not the Principal Certifying Authority for the development.

### **Building Encroachments**

32. There must be no encroachment of any structures or building work onto Council's road reserve, footway, nature strip or public place.

## **REQUIREMENTS PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE**

The following conditions of consent must be complied with prior to the '*Principal Certifying Authority*' issuing an '*Occupation Certificate*'.

*Note: For the purpose of this consent, any reference to 'occupation certificate' shall also be taken to mean 'interim occupation certificate' unless otherwise stated.*

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health, safety and amenity.

### **Occupation Certificate Requirements**

33. An Occupation Certificate must be obtained from the Principal Certifying Authority prior to any occupation of the building work encompassed in this development consent (including alterations and additions to existing buildings), in accordance with the relevant provisions of the *Environmental Planning & Assessment Act 1979*.

An Occupation Certificate must not be issued for the development if the development is inconsistent with the development consent. The requirements of the *Environmental Planning & Assessment Act 1979* and conditions of development consent must be satisfied prior to the issuing of an occupation certificate.

### **BASIX Requirements & Certification**

34. In accordance with Clause 154B of the *Environmental Planning & Assessment Regulation 2000*, a Certifying Authority must not issue an Occupation Certificate for this development, unless it is satisfied that any relevant BASIX commitments and requirements have been satisfied.

Relevant documentary evidence of compliance with the BASIX commitments is to be forwarded to the *Principal Certifying Authority* and Council upon issuing an Occupation Certificate.

### **Council's Infrastructure & Vehicular Crossings**

35. All external civil work to be carried out on Council property (including the installation and repair of roads, footpaths, vehicular crossings, kerb and guttering and drainage works), must be carried out in accordance with Council's Policy for "Vehicular Access and Road and Drainage Works" and the following requirements:
- a) All work on Council land must be carried out by Council, unless specific written approval has been obtained from Council to use non-Council contractors.
  - a) Details of the proposed civil works to be carried out on Council land must be submitted to Council in a *Pre-paid Works Application Form*, prior to issuing an occupation certificate, together with payment of the relevant fees.
  - b) If it is proposed to use non-Council contractors to carry out the civil works on Council land, the work must not commence until the written approval has been obtained from Council and the work must be carried out in accordance with the conditions of consent, Council's design details and payment of a Council design and supervision fee.
  - c) The civil works must be completed in accordance with Council's conditions of consent and approved design and construction documentation, prior to occupation of the development, or as otherwise approved by Council in writing.

### **Street and/or Sub-Address Numbering**

36. Street numbering must be provided to the front of the premises in a prominent position, in accordance with the Australia Post guidelines and AS/NZS 4819 (2003) to the satisfaction of Council.

If this application results in an additional lot, dwelling or unit, an application must be submitted to and approved by Council's Director of City Planning, together with the required fee, for the allocation of appropriate street and/or unit numbers for the development. The street and/or unit numbers must be allocated prior to the issue of an occupation certificate.

*Please note: any Street or Sub-Address Numbering provided by an applicant on plans, which have been stamped as approved by Council are not to be interpreted as endorsed, approved by, or to the satisfaction of Council.*

### **OPERATIONAL CONDITIONS**

The following operational conditions must be complied with at all times, throughout the use and operation of the development.

These conditions have been applied to satisfy the relevant requirements of the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, Council's development consent and to maintain reasonable levels of public health and environmental amenity.

### **External Lighting**

37. External lighting to the premises must be designed and located so as to minimise light-spill beyond the property boundary or cause a public nuisance.

#### **Waste Management**

38. Adequate provisions are to be made within the premises for the storage and removal of waste and recyclable materials, to the satisfaction of Council.

#### **Plant & Equipment – Noise Levels**

39. The operation of all plant and equipment on the premises shall not give rise to an 'offensive noise' as defined in the Protection of the Environment Operations Act 1997 and Regulations.

In this regard, the operation of the plant and equipment shall not give rise to an LAeq, 15 min sound pressure level at any affected premises that exceeds the background LA90, 15 min noise level, measured in the absence of the noise source/s under consideration by more than 5dB(A) in accordance with relevant NSW Environment Protection Authority (EPA) Noise Control Guidelines.

#### **Fire Safety Statements**

40. A single and complete *Fire Safety Statement* (encompassing all of the fire safety measures upon the premises) must be provided to the Council in accordance with the requirements of the *Environmental Planning & Assessment Regulation 2000*.

The *Fire Safety Statement* must be provided on an annual basis, each year following the issue of the *Fire Safety Certificate* and other period if any of the fire safety measures are identified as a *critical fire safety measure* in the *Fire Safety Schedule*.

The *Fire Safety Statement* is required to confirm that all the fire safety measures have been assessed by a properly qualified person and are operating in accordance with the standards of performance specified in the *Fire Safety Schedule*.

A copy of the *Fire Safety Statement* must be displayed in the building entrance/foyer at all times and a copy must also be forwarded to Fire & Rescue NSW.

#### **Environmental Amenity**

41. The use and operation of the premises shall not give rise to an environmental health or public nuisance, cause a vibration nuisance or, result in an offence under the *Protection of the Environment Operations Act 1997* and *Regulations*.

### **GENERAL ADVISORY NOTES**

The following information is provided for your assistance to ensure compliance with the *Environmental Planning & Assessment Act 1979*, *Environmental Planning & Assessment Regulation 2000*, or other relevant legislation and requirements. This information does not form part of the conditions of development consent pursuant to Section 4.17 of the Act.

- A1 The requirements and provisions of the *Environmental Planning & Assessment Act 1979* and *Environmental Planning & Assessment Regulation 2000*, must be fully complied with at all times.

Failure to comply with these requirements is an offence, which renders the responsible person liable to a maximum penalty of \$1.1 million. Alternatively,

Council may issue a penalty infringement notice (for up to \$3,000) for each offence. Council may also issue notices and orders to demolish unauthorised or non-complying building work, or to comply with the requirements of Council's development consent.

A2 In accordance with the requirements of the *Environmental Planning & Assessment Act 1979*, building works, including associated demolition and excavation works (as applicable) must not be commenced until:

- A *Construction Certificate* has been obtained from an Accredited Certifier or Council,
- An Accredited Certifier or Council has been appointed as the *Principal Certifying Authority* for the development,
- Council and the Principal Certifying Authority have been given at least 2 days' notice (in writing) prior to commencing any works.

A3 Council can issue your *Construction Certificate* and be your *Principal Certifying Authority* for the development, to undertake inspections and ensure compliance with the development consent and relevant building regulations. For further details contact Council on 9093 6944.

A4 The assessment of this development application does not include an assessment of the proposed building work under the Building Code of Australia (BCA) and Disability (Access to Premises – Buildings) Standards 2010.

All new building work must comply with the BCA and relevant Australian Standards and details of compliance must be provided in the Construction Certificate application.

A5 Any proposed amendments to the design and construction of the building may require a new development application or a section 4.55 amendment to the existing consent to be obtained from Council, before carrying out such works

A6 A Local Approval application must be submitted to and be approved by Council prior to commencing any of the following activities on a footpath, road, nature strip or in any public place:-

- Install or erect any site fencing, hoardings or site structures
- Operate a crane or hoist goods or materials over a footpath or road
- Placement of a waste skip or any other container or article.

For further information please contact Council on 9093 6971.

A7 Specific details of the location of the building/s should be provided in the Construction Certificate to demonstrate that the proposed building work will not encroach onto the adjoining properties, Council's road reserve or any public place.

A8 This consent does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is proposed to be carried out upon any adjoining or supported land, the land owner or principal contractor must obtain:

- the consent of the owners of such adjoining or supported land to trespass or encroach, or

- an access order under the *Access to Neighbouring Land Act 2000*, or
- an easement under section 88K of the *Conveyancing Act 1919*, or
- an easement under section 40 of the *Land & Environment Court Act 1979*, as appropriate.

Section 177 of the *Conveyancing Act 1919* creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).

- A9 The finished ground levels external to the building must be consistent with the development consent and are not to be raised, other than for the provision of approved paving or the like on the ground
- A10 Prior to commencing any works, the owner/builder should contact *Dial Before You Dig* on 1100 or [www.dialbeforeyoudig.com.au](http://www.dialbeforeyoudig.com.au) and relevant Service Authorities, for information on potential underground pipes and cables within the vicinity of the development site.
- A11 An application must be submitted to an approved by Council prior to the installation and operation of any proposed greywater or wastewater treatment systems, in accordance with the *Local Government Act 1993*.

Greywater/Wastewater treatment systems must comply with the relevant requirements and guidelines produced by NSW Health, NSW Office of Environment and Heritage and other relevant regulatory requirements.

- A12 Building owners and occupiers should consider implementing appropriate measures to prevent children from falling from high-level window openings and balconies (e.g. by installing window locking devices; installing heavy-duty screens to window openings; limiting the dimensions of any openings to 125mm; ensuring balustrades to balconies are at least 1m high and; locating fixtures, fittings and furniture away from high-level windows and balconies).

For further information about preventing falls from windows and balconies refer to [www.health.nsw.gov.au/childsafety](http://www.health.nsw.gov.au/childsafety) or pick-up a brochure from Council's Customer Service Centre.